JMB

Journal of Molecular Biology

UNIVERSITY OF HAWAII
JUN 3 1996
LIBRARIES

Index for Volumes 245–254 1995

H
01
73
ndex
245-
254
95

ACADEMIC PRESS

JMB

Editor-in-Chief

Peter Wright

Department of Molecular Biology, The Scripps Research Institute, 10666 N. Torrey Pines Road, La Jolla, CA 92037, U.S.A.

Executive Editor

Jonathan Karn

MRC Laboratory of Molecular Biology, Hills Road, Cambridge CB2 2QH, U.K.

Founding Editor
Sir John Kendrew

Consulting Editor
Sydney Brenner

Editors

Fred Cohen
Department of Cellular and Molecular Pharmacology, University of California, San Francisco, CA 94143-0446, U.S.A.

Alan R. Fersht
University Chemical Laboratory, Cambridge University, Lensfield Road, Cambridge, CB2 1EW, U.K.

Max Gottesman
Institute of Cancer Research, College of Physicians and Surgeons of Columbia University, 701 W. 168th Street, New York, NY 10032, U.S.A.

Robert Huber
Max Planck Institute fur Biochimie, 82152 Martinsried bei Munchen, Germany

Aaron Klug
MRC Laboratory of Molecular Biology, Hills Road, Cambridge CB2 2QH, U.K.

Moshe Yaniv
Department of Biotechnology, Pasteur Institute, 25 rue de Dr Roux, 75724 Paris Cedex 15, France

Associate Editors

Nam-Hai Chua, The Rockefeller University, 1230 York Avenue, New York, NY 10021, U.S.A.
David E. Draper, Dept of Chemistry, Johns Hopkins University, 3400 North Charles Street, Baltimore, MD 21218, U.S.A.
Barry Holland, Institut de Genetique et Microbiologie, Batiment 409, Universite de Paris XI, 91405 Orsay Cedex 05, France
Barry Honig, Dept of Biochemistry & Molecular Biophysics, College of Physicians & Surgeons of Columbia University, 630 W. 168th Street, NY 10032, U.S.A.
Vittorio Luzzati, Centre de Genetique Moleculaire, Centre National de la Recherche Scientific, 91 Gif-sur-Yvette, France
Jeffrey H. Miller, Dept of Microbiology, University of California, 405 Hilgard Avenue, Los Angeles, CA 90024, U.S.A.
Michael F. Moody, School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
Kiyoshi Nagai, MRC Laboratory of Molecular Biology, Hills Road, Cambridge CB2 2QH, U.K.
Steven Reed, Dept of Molecular Biology, The Scripps Research Institute, 10666 N. Torrey Pines Road, La Jolla, CA 92037, U.S.A.
Timothy J. Richmond, Institut für Molekularbiologie und Biophysik Eidgenössische Technische Hochschule, Hönggerberg, CH 8093 Zürich, Switzerland
Robert Schleif, Biology Dept, Johns Hopkins University, Charles & 34th Streets, Baltimore, MD 21218, U.S.A.
Ignacio Tinoco, Dept of Chemistry, University of California, Berkeley, CA 94720-1460, U.S.A.
Ian Wilson, The Scripps Research Institute, 10666 N. Torrey Pines Road, La Jolla, CA 92037, U.S.A.
Keith R. Yamamoto, Dept of Biochemistry and Biophysics, School of Medicine, University of California, San Francisco, CA 94143-0448, U.S.A.
Mitsuhiro Yanagida, Dept of Biophysics, Faculty of Science, Kyoto University, Sakyo-Ku, Kyoto 606, Japan

Editorial Office

Journal of Molecular Biology, Academic Press Editorial Office, 10d St Edward's Passage, Cambridge CB2 3PJ, U.K.

JOURNAL OF MOLECULAR BIOLOGY: ISSN 0022–2836. Volumes 255–264, 1996, is published weekly (except the last weeks in December; 50 issues in total) by Academic Press at 24–28 Oval Road, London NW1 7DX, England. Annual worldwide subscription price including postage: £1990. Personal subscription rates are available from the publisher. Subscription orders should be sent to Academic Press, Foots Cray High Street, Sidcup, Kent DA14 5HP, U.K. (Tel: 0181–300 3322). Send notices of changes of address to the publisher at least 6–8 weeks in advance, including both old and new addresses.

Academic Press journals do not levy page charges.

Buyers in Canada should add GST at the current rate of 7%. Second class postage rate paid at Jamaica, NY 11431, U.S.A. Air freight and mailing in the U.S.A. by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003, U.S.A. U.S.A. POSTMASTERS: send change of addresses to JOURNAL OF MOLECULAR BIOLOGY, c/o Publications Expediting, Inc., 200 Meacham Avenue, Elmont, NY 11003, U.S.A.

Printed in U.K., on acid free paper.

Listed in Biological Abstracts, Science Citation Index, Chemical Abstracts, Reference Update, EMBASE, Excerpta Medica, Current Contents, SCISEARCH, Research Alert, Biotechnology Citation Index, Biochemistry and Biophysics Citation Index, Index Medicus, Genetics Abstracts, Biological & Agricultural Index.

JMB

Contents of Index

Contents of Volume 245 . . . . . .
Contents of Volume 246 . . . . . .
Contents of Volume 247 . . . . . .
Contents of Volume 248 1
Contents of Volume 249 2
Contents of Volume 250 2
Contents of Volume 251 3
Contents of Volume 252 3
Contents of Volume 253 3
Contents of Volume 254 4
Keyword Index 5
Author Index 13

List of Contents Volume 245

Number 1, 6 January 1995

Communication

Substrate Preferences of Vsr DNA Mismatch Endonuclease and their Consequences for the Evolution of the *Escherichia coli* K-12 Genome — **W. Gläsner, R. Merkl, V. Schellenberger and H.-J. Fritz** — 1–7

Articles

Centromeric Dodeca-satellite DNA Sequences Form Fold-back Structures — **N. Ferrer, F. Azorín, A. Villasante, C. Gutiérrez and J. P. Abad** — 8–21

Structure and Expression of *Euglena gracilis* Nuclear *rbcS* Genes Encoding the Small Subunits of the Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase: A Novel Splicing Process for Unusual Intervening Sequences? — **L. H. Tessier, F. Paulus, M. Keller, C. Vial and P. Imbault** — 22–33

Polymorphic SINEs in Chironomids with DNA Derived from the R2 Insertion Site — **H. He, C. Rovira, S. Recco-Pimentel, C. Liao and J.-E. Edström** — 34–42

Molecular Recognition of Receptor Sites using a Genetic Algorithm with a Description of Desolvation — **G. Jones, P. Willett and R. C. Glen** — 43–53

The Refined Structures of Goose Lysozyme and its Complex with a Bound Trisaccharide Show that the "Goose-type" Lysozymes Lack a Catalytic Aspartate Residue — **L. H. Weaver, M. G. Grütter and B. W. Matthews** — 54–68

Non-prolyl *cis–trans* Peptide Bond Isomerization as a Rate-determining Step in Protein Unfolding and Refolding — **C. Odefey, L. M. Mayr and F. X. Schmid** — 69–78

Author Index — 79

Number 2, 13 January 1995

Communications

A Yeast RNA Binding Protein that Resembles the Human Autoantigen La — **N. Lin-Marq and S. G. Clarkson** — 81–85

Matching Electrostatic Charge between DNA and Coat Protein in Filamentous Bacteriophage. Fibre Diffraction of Charge-deletion Mutants — **M. F. Symmons, L. C. Welsh, C. Nave, D. A. Marvin and R. N. Perham** — 86–91

Articles

In Vitro Replication of Plasmids Containing Human *c-myc* DNA — **S. Berberich, A. Trivedi, D. C. Daniel E. M. Johnson and M. Leffak** — 92–109

Order–Disorder Phenomena in Myelinated Nerve Sheaths: V. Effects of Temperature on Rat Sciatic and Optic Nerves, and Structural Differences between the Two Types of Nerve — **L. Mateu, V. Luzzati, E. Vonasek, E. Mateu, G. M. Villegas and R. Vargas** — 110–125

Mutational Analysis of the Prohead Binding Domain of the Large Subunit of Terminase, the Bacteriophage λ DNA Packaging Enzyme — **A. Yeo and M. Feiss** — 126–140

2 151HI XL 208
2/97 31249-150 NULB

Specific Interaction of Terminase, the DNA Packaging Enzyme of Bacteriophage λ, with the Portal Protein of the Prohead — **A. Yeo and M. Feiss** — 141–150

Structural and Mechanistic Analysis of Two Refined Crystal Structures of the Pyridoxal Phosphate-dependent Enzyme Dialkylglycine Decarboxylase — **M. D. Toney, E. Hohenester, J. W. Keller and J. N. Jansonius** — 151–179

Trifluoroethanol-induced Stabilization of the α-Helical Structure of β-Lactoglobulin: Implication for Non-hierarchical Protein Folding — **K. Shiraki, K. Nishikawa and Y. Goto** — 180–194

Author Index — 195

Number 3, 20 January 1995

Articles

The Transcriptional Activator Protein FIS: DNA Interactions and Cooperative Interactions with RNA Polymerase at the *Escherichia coli rrnB* P1 Promoter — **A. J. Bokal IV, W. Ross and R. L. Gourse** — 197–207

Site-specific Recombination at *res* Sites Containing DNA-binding Sequences for both Tn*21* and Tn*3* Resolvases — **P. Soultanas, M. Oram and S. E. Halford** — 208–218

Site-specific Recombination at *res* Sites Containing DNA-binding Sequences for both Tn*21* Resolvase and CAP — **P. Soultanas and S. E. Halford** — 219–227

CRP-DNA Complexes Inducing the *A*-like Form in the Binding Sites with an Extended Central Spacer — **V. I. Ivanov, L. E. Minchenkova B. K. Chernov P. McPhie, S. Ryu S. Garges, A. M. Barber V. B. Zhurkin and S. Adhya** — 228–240

Structural Characterization of Two Variants of Fibulin-1 that Differ in Nidogen Affinity — **T. Sasaki, G. Kostka, W. Göhring H. Wiedemann, K. Mann, M.-L. Chu and R. Timpl** — 241–250

The Physical Properties of Local Interactions of Tyrosine Residues in Peptides and Unfolded Proteins — **J. Kemmink and T. E. Creighton** — 251–260

Structure of an Antibody–Lysozyme Complex Unexpected Effect of a Conservative Mutation — **S. Chacko, E. Silverton L. Kam-Morgan, S. Smith-Gill G. Cohen and D. Davies** — 261–274

Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. II. Helix Macrodipole Effects and Rational Modification of the Helical Content of Natural Peptides — **V. Muñoz and L. Serrano** — 275–296

Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. III. Temperature and pH Dependence — **V. Muñoz and L. Serrano** — 297–308

Author Index — 309

Number 4, 27 January, 1995

Communications

Determination of K_m and k_{cat} for Signal Peptidase I Using a Full Length Secretory Precursor, pro-OmpA-nuclease A — **S. Chatterjee, D. Suciu, R. E. Dalbey, P. C. Kahn and M. Inouye** — 311–314

An Intact Protein Translocating Machinery is Required for Mitochondrial Import of a Yeast Cytoplasmic tRNA — **I. Tarassov, N. Entelis and R. P. Martin** — 315–323

Ligand Binding to Wild-type and E-B13Q Mutant Insulins: A Three-state Allosteric Model System Showing Half-site Reactivity — **C. R. Bloom, W. E. Choi, P. S. Brzovic, J. J. Ha, S.-T. Huang, N. C. Kaarsholm and M. F. Dunn** — 324–330

Articles

Inhibition of Transcription Initiation by *lac* Repressor — **P. J. Schlax, M. W. Capp and M. T. Record Jr** — 331–350

In vitro Analysis of a Constitutively Active Mutant Form of the *Escherichia coli* Global Transcription Factor FNR — **E. C. Ziegelhoffer and P. J. Kiley** — 351–361

Prion Protein Gene Variation Among Primates — **H. M. Schätzl, M. Da Costa, L. Taylor, F. E. Cohen and S. B. Prusiner** — 362–374

Expression and Structural Analysis of 14-3-3 Proteins — **D. H. A. Jones, H. Martin, J. Madrazo, K. A. Robinson, P. Nielsen, P. H. Roseboom, Y. Patel, S. A. Howell and A. Aitken** — 375–384

Tetrabrachion: A Filamentous Archaebacterial Surface Protein Assembly of Unusual Structure and Extreme Stability — **J. Peters, M. Nitsch, B. Kühlmorgen, R. Golbik, A. Lupas, J. Kellermann, H. Engelhardt J.-P. Pfander, S. Müller, K. Goldie, A. Engel, K.-O. Stetter and W. Baumeister** — 385–401

Structural Similarity between Two-layer α/β and β-Proteins — **A. V. Efimov** — 402–415

Structural and Functional Effects of Apolar Mutations of the Distal Valine in Myoglobin — **M. L. Quillin, T. Li, J. S. Olson, G. N. Phillips Jr, Y. Dou, M. Ikeda-Saito, R. Regan, M. Carlson, Q. H. Gibson, H. Li and R. Elber** — 416–436

The Kinetics of the Thermal Denaturation of Collagen in Unrestrained Rat Tail Tendon Determined by Differential Scanning Calorimetry — **C. A. Miles, T. V. Burjanadze and A. J. Bailey** — 437–446

Conformational Transitions Linked to Active Site Ligation in Human Thrombin: Effect on the Interaction with Fibrinogen and the Cleavable Platelet Receptor — **R. De Cristofaro, E. De Candia, M. Picozzi and R. Landolfi** — 447–458

Author Index 459

Number 5, 3 February 1995

Communication

Three-Dimensional Reconstruction of Mammalian 40 S Ribosomal Subunit Embedded in Ice	**S. Srivastava, A. Verschoor, M. Radermacher, R. Grassucci and J. Frank**	461–466

Articles

Consecutive Low-usage Leucine Codons Block Translation Only When Near the 5' End of a Message in *Escherichia coli*	**E. Goldman, A. H. Rosenberg, G. Zubay and F. W. Studier**	467–473
Role of NusA in L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*	**Y. Sha, L. Lindahl and J. M. Zengel**	474–485
RNA Determinants Required for L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*	**Y. Sha, L. Lindahl and J. M. Zengel**	486–498
An Intramolecular Triplex Structure From Non-mirror Repeated Sequence Containing Both *Py*:Pu·Py and *Pu*:Pu·Py Triads	**J. Klysik**	499–507
Dimerization Kinetics of HIV-1 and HIV-2 Reverse Transcriptase: A Two Step Process	**G. Divita, K. Rittinger, C. Geourjon, G. Deléage and R. S. Goody**	508–521
The Mitochondrial DNA of the Amoeboid Protozoon, *Acanthamoeba castellanii*: Complete Sequence, Gene Content and Genome Organization	**G. Burger, I. Plante, K. M. Lonergan and M. W. Gray**	522–537
Proximity Probing of Tet Repressor to *tet* Operator by Dimethylsulfate Reveals Protected and Accessible Functions for each Recognized Base-pair in the Major Groove	**V. Helbl, C. Berens and W. Hillen**	538–548
Characterization of the 5 S RNA Binding Activity of *Xenopus* Zinc Finger Protein p43	**W.-Q. Zang and P. J. Romaniuk**	549–558
Poly(dA)·Poly(dT) Forms Very Stable Nucleosomes at Higher Temperatures	**H. L. Puhl and M. J. Behe**	559–567
Tyrosine Phosphorylation of the Tetragonal Paracrystalline Array of *Aeromonas hydrophila*: Molecular Cloning and High-level Expression of the S-layer Protein Gene	**S. R. Thomas and T. J. Trust**	568–581
Structural Dynamics of F-actin: I. Changes in the C Terminus	**A. Orlova and E. H. Egelman**	582–597
Structural Dynamics of F-actin: II. Cooperativity in Structural Transitions	**A. Orlova, E. Prochniewicz and E. H. Egelman**	598–607
Involvement of a Stem-loop Structure in the Location of Junction Sites in Viral RNA Recombination	**C. D. Carpenter, J.-W. Oh, C. Zhang and A. E. Simon**	608–622
A Sialic Acid-derived Phosphonate Analog Inhibits Different Strains of Influenza Virus Neuraminidase with Different Efficiencies	**C. L. White, M. N. Janakiraman, W. G. Laver, C. Philippon, A. Vasella, G. M. Air and M. Luo**	623–634

Structural and Functional Domains of the Large Subunit of the Bacteriophage T3 DNA Packaging Enzyme: importance of the C-terminal Region in Prohead Binding	**M. Morita, M. Tasaka and H. Fujisawa**	635–644
Calculation of Protein Structures with Ambiguous Distance Restraints. Automated Assignment of Ambiguous NOE Crosspeaks and Disulphide Connectivities	**M. Nilges**	645–660
Structure and Dynamics of Ferrocytochrome c_{553} from *Desulfovibrio Vulgaris* Studied by NMR Spectroscopy and Restrained Molecular Dynamics	**M. J. Blackledge, S. Medvedeva, M. Poncin, F. Guerlesquin, M. Bruschi and D. Marion**	661–681
Protein Hydration Dynamics in Aqueous Solution: A Comparison of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin by Oxygen-17 Spin Relaxation Dispersion	**V. P. Denisov and B. Halle**	682–697
Hydrogen Exchange and Protein Hydration: The Deuteron Spin Relaxation Dispersions of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin	**V. P. Denisov and B. Halle**	698–709
Nucleation, Fiber Growth and Melting, and Domain Formation and Structure in Sickle Cell Hemoglobin Gels	**R. W. Briehl**	710–723
Author Index		725–726

Volume 246

Number 1, 10 February 1995

Communications

Transmembrane α-Helix Interactions are Required for the Functional Assembly of the *Escherichia coli* Tol Complex	**J. C. Lazzaroni, A. Vianney, J. L. Popot, H. Bénédetti, F. Samatey, C. Lazdunski, R. Portalier and V. Géli**	1–7
Refined Structures of Two Insertion/Deletion Mutants Probe Function of the Maltodextrin Binding Protein	**A. J. Sharff, L. E. Rodseth, S. Szmelcman, M. Hofnung and F. A. Quiocho**	8–13
Structure of a Retro-binding Peptide Inhibitor Complexed with Human α-Thrombin	**L. Tabernero, C. Y. Y. Chang, S. L. Ohringer, W. F. Lau, E. J. Iwanowicz, W.-C. Han, T. C. Wang, S. M. Seiler, D. G. M. Roberts and J. S. Sack**	14–20
Crystal Structures of a Schistosomal Drug and Vaccine Target: Glutathione S-Transferase from *Schistosoma japonica* and its Complex with the Leading Antischistosomal Drug Praziquantel	**M. A. McTigue, D. R. Williams and J. A. Tainer**	21–27
Tetravalent Miniantibodies with High Avidity Assembling in *Escherichia coli*	**P. Pack, K. Müller, R. Zahn and A. Plückthun**	28–34

Articles

A Sequence-induced Superhelical DNA Segment Serves as Transcriptional Enhancer	**G. Brahms, S. Brahms and B. Magasanik**	35–42

Developmental Regulation of a Silkworm Gene Encoding Multiple GATA-type Transcription Factors by Alternative Splicing	**J. R. Drevet, L. Swevers and K. Iatrou**	43–53
Nicking Activity of TrwC Directed Against the Origin of Transfer of the IncW Plasmid R388	**M. Llosa, G. Grandoso and F. de la Cruz**	54–62
Repetitive *Alu* Elements form a Cruciform Structure that Regulates the Function of the Human CD8α T Cell-specific Enhancer	**J. H. Hanke, J. E. Hambor and P. Kavathas**	63–73
Structural Repertoire in V_H Pseudogenes of Immunoglobulins: Comparison with Human Germline Genes and Human Amino Acid Sequences	**E. Vargas-Madrazo, J. C. Almagro and F. Lara-Ochoa**	74–81
Informational Suppression to Investigate Structural Functional and Evolutionary Aspects of the *Erwinia chrysanthemi* Cellulase EGZ	**I. Bortoli-German, J. Haiech, M. Chippaux and F. Barras**	82–94
Binding of the Junction-resolving Enzyme Bacteriophage T7 Endonuclease I to DNA: Separation of Binding and Catalysis by Mutation	**D. R. Duckett, M.-J. E. Giraud Panis and D. M. J. Lilley**	95–107
An Atomic Model of the Unregulated Thin Filament Obtained by X-ray Fiber Diffraction on Oriented Actin-Tropomyosin Gels	**M. Lorenz, K. J. V. Poole, D. Popp, G. Rosenbaum and K. C. Holmes**	108–119
Many Combinations of Amino Acid Sequences in a Conserved Region of the D1 Protein Satisfy Photosystem II Function	**H. Kless and W. Vermaas**	120–131
Intramolecular Transmission of the ATP Regulatory Signal in *Escherichia coli* Aspartate Transcarbamylase: Specific Involvement of a Clustered Set of Amino Acid Interactions at an Interface Between Regulatory and Catalytic Subunits	**C. De Staercke, F. Van Vliet, X.-G. Xi, C. S. Rani, M. Ladjimi, A. Jacobs, F. Triniolles, G. Hervé and R. Cunin**	132–143
Backbone Dynamics of *Escherichia coli* Ribonuclease HI: Correlations with Structure and Function in an Active Enzyme	**A. M. Mandel, M. Akke and A. G. Palmer, III**	144–163
Solution Structure of a Quinomycin Bisintercalator-DNA Complex	**H. Chen and D. J. Patel**	164–179
High-resolution Structure of the Phosphorylated Form of the Histidine-containing Phosphocarrier Protein HPr from *Escherichia coli* Determined by Restrained Molecular Dynamics from NMR-NOE Data	**N. A. J. van Nuland, R. Boelens, R. M. Scheek and G. T. Robillard**	180–193
Solution Structure of an Oncogenic DNA Duplex, the K-*ras* Gene and the Sequence Containing a Central C · A or A · G Mismatch as a Function of pH: Nuclear Magnetic Resonance and Molecular Dynamics Studies	**Y. Boulard, J. A. H. Cognet, J. Gabarro-Arpa, M. Le Bret, C. Carbonnaux and G. V. Fazakerley**	194–208
Helical Parameters, Fluctuations, Alternative Hydrogen Bonding, and Bending in Oligonucleotides Containing a Mistmatched Base-pair by NOESY Distance Restrained and Distance Free Molecular Dynamics	**J. A. H. Cognet, Y. Boulard and G. V. Fazakerley**	209–226

The Crystal Structure of Dihydrodipicolinate Synthase from *Escherichia coli* at 2.5 Å Resolution — **C. Mirwaldt, I. Korndörfer and R. Huber** — 227–239

Author Index — 241

Number 2, 17 February 1995

Communications

Interaction between Cisplatin-modified DNA and the HMG Boxes of HMG 1: DNase I Footprinting and Circular Dichroism — **D. Locker, M. Decoville, J. C. Maurizot, M. E. Bianchi and M. Leng** — 243–247

Hypercooperativity Induced by Interface Mutations in the Phosphofructokinase from *Escherichia coli* — **I. Auzat, G. Le Bras and J.-R. Garel** — 248–253

Articles

Magnesium Cations are Required for the Association of U Small Nuclear Ribonucleoproteins and SR Proteins with Pre-mRNA in 200 S Large Nuclear Ribonucleoprotein Particles — **E. Miriami, M. Angenitzki, R. Sperling and J. Sperling** — 254–263

Intragenic Domains of Strand-specific Repair in *Escherichia coli* — **S. Kunala and D. E. Brash** — 264–272

Alignment/Phylogeny of the Papain Superfamily of Cysteine Proteases — **P. J. Berti and A. C. Storer** — 273–283

Structural Comparison of Cuticle and Interstitial Collagens from Annelids Living in Shallow Sea-water and at Deep-sea Hydrothermal Vents — **F. Gaill, K. Mann, H. Wiedemann, J. Engel and R. Timpl** — 284–294

Contributions of Multiple Basic Amino Acids in the C-terminal Region of Yeast Ribosomal Protein L1 to 5 S rRNA Binding and 60 S Ribosome Stability — **L.-C. C. Yeh and J. C. Lee** — 295–307

The Mechanism of Protein Crystal Growth from Lipid Layers — **S. A. Hemming, A. Bochkarev, S. A. Darst, R. D. Kornberg, P. Ala, D. S. C. Yang and A. M. Edwards** — 308–316

Alanine Scanning Mutagenesis of the α-Helix 115-123 of Phage T4 Lysozyme: Effects on Structure, Stability and the Binding of Solvent — **M. Blaber, W. A. Baase, N. Gassner and B. W. Matthews** — 317–330

The Three-dimensional Solution Structure of Human Stefin A — **J. R. Martin, C. J. Craven, R. Jerala, L. Kroon-Žitko, E. Žerovnik, V. Turk and J. P. Waltho** — 331–343

The Crystal Structures of the SH2 Domain of $p56^{lck}$ Complexed with Two Phosphonopeptides Suggest a Gated Peptide Binding Site — **V. Mikol, G. Baumann, T. H. Keller, U. Manning and M. G. M. Zurini** — 344–355

Internal Mobility of the Basic Pancreatic Trypsin Inhibitor in Solution: A Comparison of NMR Spin Relaxation Measurements and Molecular Dynamics Simulations — **P. E. Smith, R. C. van Schaik, T. Szyperski, K. Wüthrich and W. F. van Gunsteren** — 356–365

Author Index — 366

Number 3, 24 February 1995

Communications

High-affinity Antigen Binding by Chelating Recombinant Antibodies (CRAbs) — **D. Neri, M. Momo, T. Prospero and G. Winter** — 367–373

Expression, Purification and Crystallisation of Phosphorylase Kinase Catalytic Domain — **D. J. Owen, A. C. Papageorgiou, E. F. Garman, M. E. M. Noble and L. N. Johnson** — 374–381

An Equilibrium Partially Folded State of Human Lysozyme at Low pH — **P. Haezebrouck, M. Joniau, H. Van Dael, S. D. Hooke, N D. Woodruff and C. M. Dobson** — 382–387

Articles

Partition Functions of Mini-F Affect Plasmid DNA Topology in *Escherichia coli* — **D. P. Biek and J. Strings** — 388–400

Ancestral, Mammalian-wide Subfamilies of LINE-1 Repetitive Sequences — **A. F. A. Smit, G. Tóth, A. D. Riggs and J. Jurka** — 401–417

In Vitro Packaging of the Single-stranded RNA Genomic Precursors of the Segmented Double-stranded RNA Bacteriophage ϕ6: The Three Segments Modulate Each Other's Packaging Efficiency — **M. Frilander and D. H. Bamford** — 418–428

Crystallographic Refinement at 2.3 Å Resolution and Refined Model of the Photosynthetic Reaction Centre from *Rhodopseudomonas viridis* — **J. Deisenhofer, O. Epp, I. Sinning and H. Michel** — 429–457

Author Index — 459

Number 4, 3 March 1995

Articles

The bacteriophage N4-coded Single-stranded DNA-binding Protein (N4SSB) is the Transcriptional Activator of *Escherichia coli* RNA Polymerase at N4 Late Promoters — **N.-Y. Cho, M. Choi and L. B. Rothman-Denes** — 461–471

A Model for Copy Number Control of the Plasmid R1 — **M. Ehrenberg and A. Sverredal** — 472–485

Visualization of Large DNA Molecules by Electron Microscopy with Polyamines: Application to the Analysis of Yeast Endogenous and Artificial Chromosomes — **L. Montoliu, C.-T. Bock, G. Schütz and H. Zentgraf** — 486–492

Mechanism of Photosensory Adaptation in *Halobacterium salinarium* — **W. Marwan, S. I. Bibikov, M. Montrone and D. Oesterhelt** — 493–499

β-Tubulin Genes from the Parasitic Nematode *Haemonchus contortus* Modulate Drug Resistance in *Caenorhabditis elegans* — **M. S. G. Kwa, J. G. Veenstra, M. Van Dijk and M. H. Roos** — 500–510

The Crystal Structure of Holo-glyceraldehyde-3-phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima* at 2.5 Å Resolution — **I. Korndörfer, B. Steipe, R. Huber, A. Tomschy and R. Jaenicke** — 511–521

Substrate Specificity and Assembly of the Catalytic Center Derived from two Structures of Ligated Uridylate Kinase — **H.-J. Müller-Dieckmann and G. E. Schulz** — 522–530

X-ray Structure Analysis of the Iron-dependent Superoxide Dismutase from *Mycobacterium tuberculosis* at 2.0 Ångstroms Resolution Reveals Novel Dimer–Dimer Interactions — **J. B. Cooper, K. McIntyre, M. O. Badasso, S. P. Wood, Y. Zhang T. R. Garbe and D. Young** — 531–544

Crystal Structure of Calcium-depleted *Bacillus licheniformis* α-amylase at 2.2 Å Resolution — **M. Machius, G. Wiegand and R. Huber** — 545–559

Author Index — 561–562

Number 5, 10 March 1995

Communications

A Hybrid Sigma Subunit Directs RNA Polymerase to a Hybrid Promoter in *Escherichia coli* — **A. Kumar, B. Grimes, M. Logan S. Wedgwood, H. Williamson and R. S. Hayward** — 563–571

Effects of Ethyleneglycol Chain Length of Dodecyl Polyethyleneglycol Monoether on the Crystallization of Bovine Heart Cytochrome *c* Oxidase — **K. Shinzawa-Itoh, H. Ueda S. Yoshikawa, H. Aoyama E. Yamashita and T. Tsukihara** — 572–575

Articles

Visualization of TBP Oligomers Binding and Bending the HIV-1 and Adeno Promoters — **J. D. Griffith, A. Makhov, L. Zawel and D. Reinberg** — 576–584

IS*10* Antisense Control *in Vivo* is Affected by Mutations Throughout the Region of Complementarity Between the Interacting RNAs — **C. Jain** — 585–594

Determination of the Binding Sites of RepA, a Replication Initiator Protein of the Basic Replicon of the IncN Group Plasmid pCU1 — **P. P. Papp and V. N. Iyer** — 595–608

The 1.6 Å Structure of Kunitz-type Domain from the α3 Chain of Human Type VI Collagen — **B. Arnoux, K. Mérigeau, P. Saludjian F. Norris, K. Norris, S. Bjørn O. Olsen, L. Petersen and A. Ducruix** — 609–617

Solution Dynamics of the *trp* Repressor: A Study of Amide Proton Exchange by T_1 Relaxation — **M. R. Gryk, M. D. Finucane, Z. Zheng and O. Jardetzky** — 618–627

β-Tubulin Folding is Modulated by the Isotype-specific Carboxy-terminal Domain — **A. Fontalba, J. Avila and J. C. Zabala** — 628–636

Author Index — 637–638

Volume 247

Number 1, 17 March 1995

Communications

Salmon HNF1: cDNA Sequence, Evolution, Tissue Specificity and Binding to the Salmon Serum Albumin Promoter — **F. Deryckere, L. Byrnes, A. Wagner T. McMorrow and F. Gannon** — 1–10

Prediction of Protein Secondary Structure by Combining Nearest-neighbor Algorithms and Multiple Sequence Alignments	**A. A. Salamov and V. V. Solovyev**	11–15
Universal Catalytic Domain Structure of AdoMet-dependent Methyltransferases	**G. Schluckebier, M. O'Gara W. Saenger and X. Cheng**	16–20
Structure of Severin Domain 2 in Solution	**A. Schnuchel, R. Wiltscheck L. Eichinger, M. Schleicher and T. A. Holak**	21–27
Efficient Catalysis of Disulfide Formation During Protein Folding with a Single Active-site Cysteine	**M. Wunderlich, A. Otto, K. Maskos M. Mücke, R. Seckler and R. Glockshuber**	28–33

Articles

B-DNA Twisting Correlates with Base-pair Morphology	**A. A. Gorin, V. B. Zhurkin and W. K. Olson**	34–48
Characterization of a Non-long Terminal Repeat Retrotransposon cDNA (L1Tc) from *Trypanosoma cruzi*: Homology of the First ORF with the Ape Family of DNA Repair Enzymes	**F. Martín, C. Marañón, M. Olivares C. Alonso and M. C. López**	49–59
Comprehensive Chemical Modification Interference and Nucleotide Substitution Analysis of an RNA Pseudoknot Inhibitor to HIV-1 Reverse Transcriptase	**L. Green, S. Waugh, J. P. Binkley Z. Hostomska, Z. Hostomsky and C. Tuerk**	60–68
Structure of the Type I Collagen Molecule Based on Conformational Energy Computations: The Triple-stranded Helix and the N-terminal Telopeptide	**L. Vitagliano, G. Némethy, A. Zagari and H. A. Scheraga**	69–80
The Sarcin/Ricin Loop, a Modular RNA	**A. A. Szewczak and P. B. Moore**	81–98
The Crystal Structure of Porcine Pancreatic α-Amylase in Complex with the Microbial Inhibitor Tendamistat	**G. Wiegand, O. Epp and R. Huber**	99–110
Crystal Structure of the Closed Form of Chicken Cytosolic Aspartate Aminotransferase at 1.9 Å Resolution	**V. N. Malashkevich B. V. Strokopytov, V. V. Borisov Z. Dauter, K. S. Wilson and Y. M. Torchinsky**	111–124
Refined Crystal Structure of Spinach Ferredoxin Reductase at 1.7 Å Resolution: Oxidized, Reduced and 2'-Phospho-5'-AMP Bound States	**C. M. Bruns and P. A. Karplus**	125–145

Author Index 147

Number 2, 24 March 1995

Communications

Purification, Crystallisation and Preliminary X-ray Analysis of Penicillin Binding Protein 4 from *Escherichia coli*, a Protein Related to Class A β-Lactamases	**M. M. G. M. Thunnissen, F. Fusetti B. de Boer and B. W. Dijkstra**	149–153

A Conformationally Homogeneous Combinatorial Peptide Library	**E. Bianchi, A. Folgori, A. Wallace M. Nicotra, S. Acali, A. Phalipon G. B. R. Bazzo, R. Cortese, F. Felici and A. Pessi**	154–160

Articles

Kinetics and Thermodynamics of the RNase P RNA Cleavage Reaction: Analysis of tRNA 3'-end Variants	**W.-D. Hardt, J. Schlegl, V. A. Erdmann and R. K. Hartmann**	161–172
Selection of Ten Base-pair Sequences which Enhance the Response of the Gal1 Minimal Promoter to Murine Hoxa-7 in Yeast	**M. K. Gross and P. Gruss**	173–190
Glycine Codon Discrimination and the Nucleotide in Position 32 of the Anticodon Loop	**C. Claesson, F. Lustig, T. Borén C. Simonsson, M. Barciszewska and U. Lagerkvist**	191–196
Selection of a Remote Cleavage Site by I-*Tev*I, the *td* Intron-encoded Endonuclease	**M. Bryk, M. Belisle, J. E. Mueller and M. Belfort**	197–210
Transcription of *repA*, the Gene of the Initiation Protein of the *Pseudomonas* Plasmid pPS10, is Autoregulated by Interactions of the RepA Protein at a Symmetrical Operator	**D. García de Viedma, R. Giraldo, M. J. Ruiz-Echevarría R. Lurz and R. Díaz-Orejas**	211–223
Fine Structure of the Peptidyl Transferase Centre on 23 S-like rRNAs Deduced from Chemical Probing of Antibiotic-Ribosome Complexes	**C. Rodriguez-Fonseca, R. Amils and R. A. Garrett**	224–235
Initiation of Reverse Transcription of HIV-1: Secondary Structure of the HIV-1 RNA/$tRNA_3^{Lys}$ (Template/Primer) Complex	**C. Isel, C. Ehresmann, G. Keith B. Ehresmann and R. Marquet**	236–250
The Crystal Structure of Cruzain: A Therapeutic Target for Chagas' Disease	**M. E. McGrath, A. E. Eakin J. C. Engel, J. H. McKerrow C. S. Craik and R. J. Fletterick**	251–259
The Complex Formed Between Tet Repressor and Tetracycline-Mg^{2+} Reveals Mechanism of Antibiotic Resistance	**C. Kisker, W. Hinrichs, K. Tovar W. Hillen and W. Saenger**	260–280
Dissection of Protein-Carbohydrate Interactions in Mutant Hen Egg-white Lysozyme Complexes and their Hydrolytic Activity	**K. Maenaka, M. Matsushima H.-W. Song, F. Sunada, K. Watanabe and I. Kumagai**	281–293
Detection of Long-lived Bound Water Molecules in Complexes of Human Dihydrofolate Reductase with Methotrexate and NADPH	**E. M. Meiering and G. Wagner**	294–308
Contributions of Tryptophan 24 and Glutamate 30 to Binding Long-lived Water Molecules in the Ternary Complex of Human Dihydrofolate Reductase with Methotrexate and NADPH Studied by Site-directed Mutagenesis and Nuclear Magnetic Resonance Spectroscopy	**E. M. Meiering, H. Li, T. J. Delcamp J. H. Freisheim and G. Wagner**	309–325
Structure Determination of the Biliverdin Apomyoglobin Complex: Crystal Structure Analysis of Two Crystal Forms at 1.4 and 1.5 Å Resolution	**U. G. Wagner, N. Müller W. Schmitzberger, H. Falk and C. Kratky**	326–337

Solution Structure of the Monoalkylated Mitomycin C–DNA Complex — **M. Sastry, R. Fiala, R. Lipman M. Tomasz and D. J. Patel** — 338–359

Human Interleukin-4 and Variant R88Q. Phasing X-ray Diffraction Data by Molecular Replacement Using X-ray and Nuclear Magnetic Resonance Models — **T. Müller, F. Oehlenschläger and M. Buehner** — 360–372

Erratum — 373

Author Index — 375

Number 3, 31 March 1995

Communications

Exclusive Expression of *C. elegans osm-3* Kinesin Gene in Chemosensory Neurons Open to the External Environment — **M. Tabish, Z. K. Siddiqui, K. Nishikawa and S. S. Siddiqui** — 377–389

Folding Mediated by an Intramolecular Chaperone: Autoprocessing Pathway of the Precursor Resolved *via* a Substrate Assisted Catalysis Mechanism — **U. Shinde and M. Inouye** — 390–395

Articles

A Basic Tail Increases Repression by Dimeric Lac Repressor — **P. Kolkhof, S. Oehler, R. Alex and B. Müller-Hill** — 396–403

Unwinding of Closed Circular DNA by the *Escherichia coli* RuvA and RuvB Recombination/Repair Proteins — **D. E. Adams and S. C. West** — 404–417

Dispersion and Insertion Polymorphism in Two Small Subfamilies of Recently Amplified Human *Alu* Repeats — **M. A. Batzer, C. M. Rubin, U. Hellmann-Blumberg, M. Alegria-Hartman, E. P. Leeflang, J. D. Stern, H. A. Bazan, T. H. Shaikh, P. L. Deininger and C. W. Schmid** — 418–427

Phage HK022 Nun Protein Arrests Transcription on Phage λ DNA *in vitro* and Competes with the Phage λ N Antitermination Protein — **S. C. Hung and M. E. Gottesman** — 428–442

Molecular Phylogeny and Evolutionary Timescale for the Family of Mammalian Herpesviruses — **D. J. McGeoch, S. Cook, A. Dolan, F. E. Jamieson and E. A. R. Telford** — 443–458

Reptile Heme Protein Structure: X-ray Crystallographic Study of the Aquo-met and Cyano-met Derivatives of the Loggerhead Sea Turtle (*Caretta caretta*) Myoglobin at 2.0 Å Resolution — **M. Nardini, C. Tarricone, M. Rizzi, A. Lania, A. Desideri, G. De Sanctis, M. Coletta, R. Petruzzelli, P. Ascenzi, A. Coda and M. Bolognesi** — 459–465

Crystal and Molecular Structures of Human Progastricsin at 1.62 Å Resolution — **S. A. Moore, A. R. Sielecki, M. M. Chernaia, N. I. Tarasova and M. N. G. James** — 466–485

Bulge-Induced Bends in RNA: Quantification by Transient Electric Birefringence — **M. Zacharias and P. J. Hagerman** — 486–500

Molecular Dynamics Simulations of Protein Unfolding and Limited Refolding: Characterization of Partially Unfolded States of Ubiquitin in 60% Methanol and in Water — **D. O. V. Alonso and V. Daggett** — 501–520

Author Index — 521–522

Number 4, 7 April 1995

Communications

Bacteriophage T4 Gene *17* Amplification Mutants: Evidence for Initiation by the T4 Terminase Subunit gp16 — **C. H. H. Wu, H. Lin and L. W. Black** — 523–528

Structural Studies of HIV-1 Tat Protein — **P. Bayer, M. Kraft, A. Ejchart, M. Westendorp, R. Frank and P. Rösch** — 529–535

SCOP: A Structural Classification of Proteins Database for the Investigation of Sequences and Structures — **A. G. Murzin, S. E. Brenner T. Hubbard and C. Chothia** — 536–540

Application of ^{1}H NMR Chemical Shifts to Measure the Quality of Protein Structures — **M. P. Williamson, J. Kikuchi and T. Asakura** — 541–546

Articles

NusA Contacts Nascent RNA in *Escherichia coli* Transcription Complexes — **K. Liu and M. M. Hanna** — 547–558

ATP Hydrolysis is Required for DNA Cleavage by *Eco*PI Restriction Enzyme — **S. Saha and D. N. Rao** — 559–567

Kid, a Small Protein of the *parD* Stability System of Plasmid R1, is an Inhibitor of DNA Replication Acting at the Initiation of DNA Synthesis — **M. J. Ruiz-Echevarría G. Giménez-Gallego R. Sabariegos-Jareño and R. Díaz-Orejas** — 568–577

A Functional Analysis of the Inverted Repeat of the γδ Transposable Element — **E. W. May and N. D. F. Grindley** — 578–587

NCA2, A Second Nuclear Gene Required for the Control of Mitochondrial Synthesis of Subunits 6 and 8 of ATP Synthase in *Saccharomyces cerevisiae* — **N. Camougrand, P. Pélissier, G. Velours and M. Guérin** — 588–596

Interaction of Fcγ Receptor Type IIIB with Complement Receptor Type 3 in Fibroblast Transfectants: Evidence from Lateral Diffusion and Resonance Energy Transfer Studies — **H. Poo, J. C. Krauss, L. Mayo-Bond, R. F. Todd III and H. R. Petty** — 597–603

Mutational Analysis of the Sequence-specific Recombination Box for Amplification of Gene *17* of Bacteriophage T4 — **C. H. H. Wu and L. W. Black** — 604–617

Structural Transitions During Bacteriophage HK97 Head Assembly — **R. L. Duda, J. Hempel, H. Michel, J. Shabanowitz, D. Hunt and R. W. Hendrix** — 618–635

Genetic Basis of Bacteriophage HK97 Prohead Assembly — **R. L. Duda, K. Martincic and R. W. Hendrix** — 636–647

Structural Analysis of Peptides Encompassing All α-Helices of Three α/β Parallel Proteins: Che-Y, Flavodoxin and P21-Ras: Implications for α-Helix Stability and the Folding of α/β Parallel Proteins — **V. Muñoz, L. Serrano, M. A. Jiménez and M. Rico** — 648–669

The Order of Secondary Structure Elements does not Determine the Structure of a Protein but does Affect its Folding Kinetics — **A. R. Viguera, F. J. Blanco and L. Serrano** — 670–681

Stability of α-Helices in a Molten Globule State of Cytochrome *c* by Hydrogen-Deuterium Exchange and Two-Dimensional NMR Spectroscopy	**Y. Kuroda, S. Endo, K. Nagayama and A. Wada**	682–688
Structure Refinement of the Glucocorticoid Receptor-DNA Binding Domain from NMR Data by Relaxation Matrix Calculations	**M. A. A. van Tilborg, A. M. J. J. Bonvin, K. Hård, A. L. Davis, B. Maler, R. Boelens, K. R. Yamamoto and R. Kaptein**	689–700
Ligand-Induced Changes in the Conformational Stability of Bovine Trypsinogen and Their Implications for the Protein Function	**G. Bulaj and J. Otlewski**	701–716
Three-Dimensional Structure of Chemotactic Che Y Protein in Aqueous Solution by Nuclear Magnetic Resonance Methods	**J. Santoro, M. Bruix, J. Pascual, E. López, L. Serrano and M. Rico**	717–725
Three-dimensional Structure of Halorhodopsin at 7 Å Resolution	**W. A. Havelka, R. Henderson and D. Oesterhelt**	726–738
An RBD that Does Not Bind RNA: NMR Secondary Structure Determination and Biochemical Properties of the C-terminal RNA Binding Domain from the Human U1A Protein	**J. Lu and K. B. Hall**	739–752
The Zinc Coordination Site of the Bacteriophage Mu Translational Activator Protein, Com	**R. T. Witkowski, S. Hattman, L. Newman, K. Clark, D. L. Tierney, J. Penner-Hahn and G. McLendon**	753–764
Functional Significance of Arginine 15 in the Active Site of Human Class Alpha Glutathione Transferase A1-1	**R Björnestedt, G. Stenberg, M. Widersten, P. G. Board, I. Sinning, T. A. Jones and B. Mannervik**	765–773
pH Dependence of Binding Reactions from Free Energy Simulations and Macroscopic Continuum Electrostatic Calculations: Application to 2'GMP/3'GMP Binding to Ribonuclease T_1 and Implications for Catalysis	**A. D. MacKerell Jr, M. S. Sommer and M. Karplus**	774–807
The Effect of Environment on the Stability of an Integral Membrane Helix: Molecular Dynamics Simulations of Surfactant Protein C in Chloroform, Methanol and Water	**H. Kovacs, A. E. Mark, J. Johansson and W. F. van Gunsteren**	808–822
Simple Physical Model of Collagen Fibrillogenesis Based on Diffusion Limited Aggregation	**J. Parkinson, K. E. Kadler and A. Brass**	823–831
Author Index		833–834

Number 5, 14 April 1995

Communications

Synthesis of Simian Virus 40 C-family Catenated Dimers *in Vivo* in the Presence of ICRF-193	**Y. Ishimi, R. Ishida and T. Andoh**	835–839
DNA-binding Surface of the Sso7d Protein from *Sulfolobus solfataricus*	**H. Baumann, S. Knapp, A. Karshikoff R. Ladenstein and T. Härd**	840–846

Articles

Triple-Helix Specific Ligands Stabilize *H*-DNA Conformation	**G. Duval-Valentin, T. de Bizemont M. Takasugi, J.-L. Mergny, E. Bisagni and C. Hélène**	847–858

Mechanism of Post-segregational Killing: Secondary Structure Analysis of the Entire Hok mRNA from Plasmid R1 Suggests a Fold-back Structure that Prevents Translation and Antisense RNA Binding	**T. Thisted, N. S. Sørensen and K. Gerdes**	859–873
Probing the Structure of a Putative Intermediate in Homologous Recombination: The Third Strand in the Parallel DNA Triplex is in Contact with the Major Groove of the Duplex	**M. G. Kim, V. B. Zhurkin R. L. Jernigan and R. D. Camerini-Otero**	874–889
Specific Stimulation of *recA*-independent Plasmid Recombination by a DNA Sequence at a Distance	**X. Bi, Y. L. Lyu and L. F. Liu**	890–902
Secondary Structure Model for the Last Two Domains of Single-stranded RNA Phage Qβ	**M. J. Beekwilder, R. Nieuwenhuizen and J. van Duin**	903–917
Translational Positioning of Nucleosomes on DNA: The Role of Sequence-dependent Isotropic DNA Bending Stiffness	**A. V. Sivolob and S. N. Khrapunov**	918–931
Comprehensive Epitope Analysis of Monoclonal Anti-proenkephalin Antibodies using Phage Display Libraries and Synthetic Peptides: Revelation of Antibody Fine Specificities Caused by Somatic Mutations in the Variable Region Genes	**V. Böttger, A. Böttger, E. B. Lane and B. A. Spruce**	932–946
Refined Structure of Cytochrome b_{562} from *Escherichia coli* at 1.4 Å Resolution	**K. Hamada, P. H. Bethge and F. S. Mathews**	947–962
The Structure of an RNA Pseudoknot that Causes Efficient Frameshifting in Mouse Mammary Tumor Virus	**L. X. Shen and I. Tinoco Jr**	963–978
The Solution Structure of the F42A Mutant of Human Interleukin 2	**H. R. Mott, B. S. Baines, R. M. Hall R. M. Cooke, P. C. Driscoll, M. P. Weir and I. D. Campbell**	979–994
Computer Modeling of Protein Folding: Conformational and Energetic Analysis of Reduced and Detailed Protein Models	**A. Monge, E. J. P. Lathrop, J. R. Gunn P. S. Shenkin and R. A. Friesner**	995–1012

Volume 248

Number 1, 21 April 1995

Articles

Identification of Protein Coding Regions In Genomic DNA	**E. E. Snyder and G. D. Stormo**	1–18
Footprint Analysis of M.Sssl and M.Hhal Methyltransferases Reveals Extensive Interactions with the Substrate DNA Backbone	**P. Renbaum and A. Razin**	19–26
Identification of Base-triples in RNA using Comparative Sequence Analysis	**D. Gautheret, S. H. Damberger and R. R. Gutell**	27–43
Interaction of the RNA Binding Fingers of *Xenopus* Transcription Factor IIIA with Specific Regions of 5 S Ribosomal RNA	**S. J. McBryant, N. Veldhoen B. Gedulin, A. Leresche, M. P. Foster P. E. Wright, P. J. Romaniuk and J. M. Gottesfeld**	44–57

Characterisation of Epitopes on Human p53 using Phage-displayed Peptide Libraries: Insights into Antibody–Peptide Interactions	**C. W. Stephen, P. Helminen and D. P. Lane**	58–78
Evolution of the Phycobiliproteins	**K. E. Apt, J. L. Collier and A. R. Grossman**	79–96
Selection and Application of Human Single Chain Fv Antibody Fragments from a Semi-synthetic Phage Antibody Display Library with Designed CDR3 Regions	**J. de Kruif, E. Boel and T. Logtenberg**	97–105
Solution Structure of ω-Conotoxin MVIIC, a High Affinity Ligand of P-type Calcium Channels, using ^{1}H NMR Spectroscopy and Complete Relaxation Matrix Analysis	**S. Farr-Jones, G. P. Miljanich L. Nadasdi, J. Ramachandran and V. J. Basus**	106–124
Conservation of Salt Bridges in Protein Families	**O. Schueler and H. Margalit**	125–135
Structure and Oxygen Affinity of Crystalline DesArg141α Human Hemoglobin A in the T State	**J. S. Kavanaugh, D. R. Chafin A. Arnone, A. Mozzarelli, C. Rivetti G. L. Rossi, L. D. Kwiatkowski and R. W. Noble**	136–150
A Study of Four-Helix Bundles: Investigating Protein Folding *via* Similar Architectural Motifs in Protein Cores and in Subunit Interfaces	**S. L. Lin, C.-J. Tsai and R. Nussinov**	151–161
Solution Structure of the Covalent Duocarmycin A–DNA Duplex Complex	**C. H. Lin and D. J. Patel**	162–179
Model Structure of the Ompα Rod, a Parallel Four-stranded Coiled Coil from the Hyperthermophilic Eubacterium *Thermotoga maritima*	**A. Lupas, S. Müller, K. Goldie A. M. Engel, A. Engel and W. Baumeister**	180–189
Association of Antibody Chains at Different Stages of Folding: Prolyl Isomerization Occurs after Formation of Quaternary Structure	**H. Lilie, R. Rudolph and J. Buchner**	190–201
Erratum		203
Author Index		205

Number 2, 28 April 1995

Communications

Specific Protection of 16 S rRNA by Translational Initiation Factors	**D. Moazed, R. R. Samaha, C. Gualerzi and H. F. Noller**	207–210
Assessment of Quantitative Models for Plasmid ColE1 Copy Number Control	**S. Merlin and B. Polisky**	211–219
A Hotspot for Promoter-dependent Recombination in Polyomavirus DNA	**D. Bourgaux-Ramoisy, D. Gendron and P. Bourgaux**	220–224
Multiple Crystal Forms of Endoglucanase CelD: Signal Peptide Residues Modulate Lattice Formation	**V. Chitarra, H. Souchon, S. Spinelli M. Juy, P. Béguin and P. M. Alzari**	225–232

A Phase Diagram for Sodium and Potassium Ion Control of Polymorphism in Telomeric DNA	**T. Miura, J. M. Benevides and G. J. Thomas Jr**	233–238
Articles		
DNA Recognition Site Analysis of *Xenopus* Winged Helix Proteins	**E. Kaufmann, D. Müller and W. Knöchel**	239–254
Functional Interaction between the *CSE2* Gene Product and Centromeres in *Saccharomyces cerevisiae*	**Z.-X. Xiao and M. Fitzgerald-Hayes**	255–263
The Human Proteasome Subunit HsN3 is Located in the Inner Rings of the Complex Dimer	**F. Kopp, P. Kristensen, K. B. Hendil A. Johnsen, A. Sobek and B. Dahlmann**	264–272
Structural Plasticity of the Nuclear Pore Complex	**C. W. Akey**	273–293
Rigor Cross-bridges Bind to Two Actin Monomers in Thin Filaments of Rabbit Psoas Muscle	**M. Xiao, O. A. Andreev and J. Borejdo**	294–307
The Complete Primary Structure of Human Nebulin and its Correlation to Muscle Structure	**S. Labeit and B. Kolmerer**	308–315
Molecular Analysis of an A-Protein Secretion Mutant of *Aeromonas salmonicida* Reveals a Surface Layer-specific Protein Secretion Pathway	**B. Noonan and T. J. Trust**	316–327
Three-dimensional Structure of a Lipoyl Domain from the Dihydrolipoyl Acetyltransferase Component of the Pyruvate Dehydrogenase Multienzyme Complex of *Escherichia coli*	**J. D. F. Green, E. D. Laue R. N. Perham, S. T. Ali and J. R. Guest**	328–343
Structure and Specificity of the Anti-Digoxin Antibody 40-50	**P. D. Jeffrey, J. F. Schildbach C.-Y. Y. Chang, P. H. Kussie M. N. Margolies and S. Sheriff**	344–360
Coulombic Interactions Between Partially Charged Main-chain Atoms Not Hydrogen-bonded to Each Other Influence the Conformations of α-Helices and Antiparallel β-Sheet. A New Method for Analysing the Forces Between Hydrogen Bonding Groups in Proteins Includes All the Coulombic Interactions	**P. H. Maccallum, R. Poet and E. J. Milner-White**	361–373
Coulombic Attractions Between Partially Charged Main-chain Atoms Stabilise the Right-handed Twist Found in Most β-Strands	**P. H. Maccallum, R. Poet and E. J. Milner-White**	374–384
Solution Structure of Human Insulin-like Growth Factor II. Relationship to Receptor and Binding Protein Interactions	**A. M. Torres, B. E. Forbes, S. E. Aplin J. C. Wallace, G. L. Francis and R. S. Norton**	385–401
The Refined Crystal Structure of an Endochitinase from *Hordeum vulgare* L. Seeds at 1.8 Å Resolution	**P. J. Hart, H. D. Pfluger A. F. Monzingo, T. Hollis and J. D. Robertus**	402–413
Domain Structure, Stability and Domain–Domain Interactions in Recombinant Factor XIII	**I. V. Kurochkin, R. Procyk P. D. Bishop, V. C. Yee, D. C. Teller K. C. Ingham and L. V. Medved**	414–430
Three-dimensional Reconstruction of the α_D and β_C-Hemocyanins of *Helix pomatia* from Frozen-Hydrated Specimens	**O. Lambert, N. Boisset, J.-C. Taveau G. Préaux and J. N. Lamy**	431–448

Solution Structure of an Old World-like Neurotoxin from the Venom of the New World Scorpion *Centruroides sculpturatus* Ewing — **M. J. Jablonsky, D. D. Watt and N. Rama Krishna** — 449–458

A Géometry-based Suite of Molecular Docking Processes — **D. Fischer, S. L. Lin, H. L. Wolfson and R. Nussinov** — 459–477

Energetics of Protein–Protein Interactions: Analysis of the Barnase–Barstar Interface by Single Mutations and Double Mutant Cycles — **G. Schreiber and A. R. Fersht** — 478–486

Type I Collagen Packing, Conformation of the Triclinic Unit Cell — **T. J. Wess, A. Hammersley, L. Wess and A. Miller** — 487–493

Author Index — 495

Number 3, 5 May 1995

Communications

Assembly of Functional Bacteriophage Lambda Virions Incorporating C-Terminal Peptide or Protein Fusions with the Major Tail Protein — **I. S. Dunn** — 497–506

Atomic Force Microscopy of Cholera Toxin B-oligomers Bound to Bilayers of Biologically Relevant Lipids — **J. Mou, J. Yang and Z. Shao** — 507–512

Articles

Activation of Expression of Multiple Subfamilies of Human *Alu* Elements by Adenovirus Type 5 and Herpes Simplex Virus Type 1 — **B. Panning and J. R. Smiley** — 513–524

The Secondary Structure of the Adenovirus-2 L4 Polyadenylation Domain: Evidence for a Hairpin Structure Exposing the AAUAAA Signal in its Loop — **A. Sittler, H. Gallinaro and M. Jacob** — 525–540

Analysis of the Myc and Max Interaction Specificity with λ Repressor-HLH Domain Fusions — **A. Marchetti, M. Abril-Marti, B. Illi G. Cesareni and S. Nasi** — 541–550

Ribosome Mutants with Altered Accuracy Translate with Reduced Processivity — **H. Dong and C. G. Kurland** — 551–561

The Human Immunodeficiency Virus Long Terminal Repeat Includes a Specialised Initiator Element which is Required for Tat-responsive Transcription — **K. Rittner, M. J. Churcher, M. J. Gait and J. Karn** — 562–580

The *Sfi*I Restriction Endonuclease Makes a Four-strand DNA Break at Two Copies of its Recognition Sequence — **L. M. Wentzell, T. J. Nobbs and S. E. Halford** — 581–595

In Vivo Characterization of the Unorthodox BvgS Two-component Sensor Protein of *Bordetella pertussis* — **D. Beier, B. Schwarz, T. M. Fuchs and R. Gross** — 596–610

Interactions Between Type III Domains in the 110 kDa Cell-binding Fragment of Fibronectin — **S. V. Litvinovich and K. C. Ingham** — 611–626

The Products of Gene I and the Overlapping in-Frame Gene XI are Required for Filamentous Phage Assembly — **M. P. Rapoza and R. E. Webster** — 627–638

Allosteric Regulation of Carbamoylphosphate Synthetase-Aspartate Transcarbamylase Multifunctional Protein of *Saccharomyces cerevisiae*: Selection, Mapping and Identification of Missense Mutations Define Three Regions Involved in Feedback Inhibition by UTP — **L. Jaquet, V. Serre, M. Lollier B. Penverne, G. Hervé, J.-L. Souciet and S. Potier** — 639–652

Crystal Structure of a Complex Between *Serratia marcescens* Metallo-protease and an Inhibitor from *Erwinia chrysanthemi* — **U. Baumann, M. Bauer, S. Létoffé P. Delepelaire and C. Wandersman** — 653–661

Hydration Patterns and Intermolecular Interactions in *A*-DNA Crystal Structures. Implications for DNA Recognition — **M. Eisenstein and Z. Shakked** — 662–678

Thermodynamics of an Intramolecular DNA Triple Helix: A Calorimetric and Spectroscopic Study of the pH and Salt Dependence of Thermally Induced Structural Transitions — **G. E. Plum and K. J. Breslauer** — 679–695

Determination of the Differential Effects of Hydrogen Bonding and Water Release on the Binding of FK506 to Native and Tyr82 → Phe82 FKBP-12 Proteins using Free Energy Simulations — **D. A. Pearlman and P. R. Connelly** — 696–717

Erratum — 719

Number 4, 12 May 1995

Communications

Structural Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Structural Domains Identified by Proteolytic Cleavage — **T. Negishi, N. Fujita and A. Ishihama** — 723–728

Mutations in the Complementarity-determining Regions do not cause Differences in Free Energy during the Process of Formation of the Activated Complex between an Antibody and the Corresponding Protein Antigen — **W. Ito, H. Yasui and Y. Kurosawa** — 729–732

Desk-top Analysis of the Structural Stability of Various Point Mutations Introduced into Ribonuclease H — **M. Ota, S. Kanaya and K. Nishikawa** — 733–738

Articles

Subunit Structure of Regulator Proteins Influences the Design of Gene Circuitry: Analysis of Perfectly Coupled and Completely Uncoupled Circuits — **W. S. Hlavacek and M. A. Savageau** — 739–755

Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Insertion Analysis of the Amino-terminal Assembly Domain — **M. Kimura and A. Ishihama** — 756–767

A Zinc-binding Region in the β' Subunit of RNA Polymerase is Involved in Antitermination of Early Transcription of Phage HK022 — **M. Clerget, D. Jun Jin and R. A. Weisberg** — 768–780

Core RNA Polymerase and Promoter DNA Interactions of Purified Domains of σ_N: Bipartite Functions — **W. Cannon, S. Missailidis, C. Smith A. Cottier, S. Austin, M. Moore and M. Buck** — 781–803

Genetic Analysis of the Folded Structure of Yeast Mitochondrial Cytochrome *b* by Selection of Intragenic Second-site Revertants	**J.-P. di Rago, S. Hermann-Le Denmat F. Pâques, J.-L. Risler, P. Netter and P. P. Slonimski**	804–811
A Novel Group of Families of Short Interspersed Repetitive Elements (SINEs) in *Xenopus*: Evidence of a Specific Target Site for DNA-mediated Transposition of Inverted-repeat SINEs	**K. Ünsal and G. T. Morgan**	812–823
Structural Model of the Phospholamban Ion Channel Complex in Phospholipid Membranes	**I. T. Arkin, M. Rothman C. F. C. Ludlam, S. Aimoto D. M. Engelman, K. J. Rothschild and S. O. Smith**	824–834
Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein	**G. Iannolo, O. Minenkova, R. Petruzzelli and G. Cesareni**	835–844
Intrinsic Activity at the Molecular Level: E. J. Ariëns' Concept Visualized	**D. J. Abraham, J. Kister, G. S. Joshi M. C. Marden and C. Poyart**	845–855
The Crystal Structure of the N-terminal SH3 Domain of Grb2	**L. Guruprasad, V. Dhanaraj, D. Timm T. L. Blundell, I. Gout and M. D. Waterfield**	856–866
A Novel Low Oxygen Affinity Recombinant Hemoglobin (α96Val → Trp): Switching Quaternary Structure Without Changing the Ligation State	**H.-W. Kim, T.-J. Shen, D. P. Sun N. T. Ho, M. Madrid and C. Ho**	867–882
Corrigendum		883
Author Index		885–886

Number 5, 19 May 1995

Articles

Towards the Molecular Architecture of the Asymmetric Unit Membrane of the Mammalian Urinary Bladder Epithelium: A Closed "Twisted Ribbon" Structure	**T. Walz, M. Häner, X.-R. Wu, C. Henn A. Engel, T.-T. Sun and U. Aebi**	887–900
Truncated Profibrillin of a Marfan Patient is of Apparent Similar Size as Fibrillin: Intracellular Retention Leads to over *N*-glycosylation	**M. Raghunath, C. M. Kielty and B. Steinmann**	901–909
A Single Mutation (Thr72 → Ile) at the Subunit Interface is Crucial for the Functional Properties of the Homodimeric Co-operative Haemoglobin from *Scapharca inaequivalvis*	**A. Gambacurta, M. C. Piro, M. Coletta M. E. Clementi, F. Polizio, A. Desideri R. Santucci and F. Ascoli**	910–917
Sequence-dependent Microheterogeneity of Z-DNA: The Crystal and Molecular Structures of d(CACGCG)·d(CGCGTG) and d(CGCACG)·d(CGTGCG)	**C. Sadasivan and N. Gautham**	918–930
Structural Studies on Corn Nitrate Reductase: Refined Structure of the Cytochrome *b* Reductase Fragment at 2.5 Å, its ADP Complex and an Active-site Mutant and Modeling of the Cytochrome *b* Domain	**G. Lu, Y. Lindqvist, G. Schneider U. Dwivedi and W. Campbell**	931–948

High Resolution Crystal Structures of Amphibian Red-Cell L Ferritin: Potential Roles for Structural Plasticity and Solvation in Function — **J. Trikha, E. C. Theil and N. M. Allewell** — 949–967

Determinants of RNA Hairpin Loop–Loop Complex Stability — **R. S. Gregorian Jr and D. M. Crothers** — 968–984

Author Index — 985–986

Volume 249

Number 1, 26 May 1995

Articles

Mapping Important Nucleotides in the Peptidyl Transferase Centre of 23 S rRNA using a Random Mutagenesis Approach — **B. T. Porse and R. A. Garrett** — 1–10

Addition of a 29 Residue Carboxyl-terminal Tail Converts a Simple HMG Box-containing Protein into a Transcriptional Activator — **D. J. Dairaghi, G. S. Shadel and D. A. Clayton** — 11–28

Functional Characterization of the RNA-binding Domain and Motif of the Double-stranded RNA-dependent Protein Kinase DAI (PKR) — **C. Schmedt, S. R. Green, L. Manche D. R. Taylor, Y. Ma and M. B. Mathews** — 29–44

The Presence of a D-Stem but not a T-Stem is Essential for Triggering Aminoacylation upon Anticodon Binding in Yeast Methionine tRNA — **B. Senger, R. Aphasizhev, P. Walter and F. Fasiolo** — 45–58

Pseudoknot in Domain II of 23 S rRNA is Essential for Ribosome Function — **G. Rosendahl, L. H. Hansen and S. Douthwaite** — 59–68

The Structure of the R-type Straight Flagellar Filament of *Salmonella* at 9 Å Resolution by Electron Cryomicroscopy — **Y. Mimori, I. Yamashita, K. Murata Y. Fujiyoshi, K. Yonekura C. Toyoshima and K. Namba** — 69–87

Structure of Bacterial Flagellar Filaments at 11 Å Resolution: Packing of the α-Helices — **D. G. Morgan, C. Owen L. A. Melanson and D. J. DeRosier** — 88–110

Defects in the *Drosophila* Myosin Rod Permit Sarcomere Assembly but Cause Flight Muscle Degeneration — **W. A. Kronert, P. T. O'Donnell A. Fieck, A. Lawn, J. O. Vigoreaux J. C. Sparrow and S. I. Bernstein** — 111–125

The Role of ATP in the Functional Cycle of the DnaK Chaperone System — **J. S. McCarty, A. Buchberger J. Reinstein and B. Bukau** — 126–137

The Origins and Consequences of Asymmetry in the Chaperonin Reaction Cycle — **S. G. Burston, N. A. Ranson and A. R. Clarke** — 138–152

Towards Structure-based Drug Design: Crystal Structure of a Multisubstrate Adduct Complex of Glycinamide Ribonucleotide Transformylase at 1.96 Å Resolution — **C. Klein, P. Chen, J. H. Arevalo E. A. Stura, A. Marolewski M. S. Warren, S. J. Benkovic and I. A. Wilson** — 153–175

Headful Packaging Revisited: The Packaging of more than one DNA Molecule into a Bacteriophage P1 Head — **J. S. Coren, J. C. Pierce and N. Sternberg** — 176–184

Mutations that Stabilize Folding Intermediates of Phage P22 Tailspike Protein: Folding *in Vivo* and *in Vitro*, Stability, and Structural Context — **M. Beißinger, S. C. Lee S. Steinbacher, P. Reinemer, R. Huber M.-H. Yu and R. Seckler** — 185–194

Structural Refinement of the Non-fluorescent Flavoprotein from *Photobacterium leiognathi* at 1.60 Å Resolution — **S. A. Moore and M. N. G. James** — 195–214

Structural Characterization of the Molten Globule and Native States of Apomyoglobin by Solution X-ray Scattering — **M. Kataoka, I. Nishii, T. Fujisawa T. Ueki, F. Tokunaga and Y. Goto** — 215–228

Author Index — 229

Number 2, 2 June 1995

Communications

Thermodynamics of RNA Unfolding: Stabilization of a Ribosomal RNA Tertiary Structure by Thiostrepton and Ammonium Ion — **D. E. Draper, Y. Xing and L. G. Laing** — 231–238

Force-induced Conformational Change of Bacteriorhodopsin — **D. J. Müller, G. Büldt and A. Engel** — 239–243

Ranking Potential Binding Peptides to MHC Molecules by a Computational Threading Approach — **Y. Altuvia, O. Schueler and H. Margalit** — 244–250

Conserved Structural Features on Protein Surfaces: Small Exterior Hydrophobic Clusters — **L. C. Tisi and P. A. Evans** — 251–258

Articles

A Transcriptional Role for Conserved Footprinting Sequences within the Larval Promoter of a *Drosophila* Alcohol Dehydrogenase Gene — **J. Hu, H. Qazzaz and M. D. Brennan** — 259–269

Mechanism of Post-segregational Killing by *hok*-homologue *pnd* of Plasmid R483: Two Translational Control Elements in the *pnd* mRNA — **A. K. Nielsen and K. Gerdes** — 270–282

A Complete Plasmid-based Complementation System for RNA Coliphage Qβ: Three Proteins of Bacteriophages Qβ (Group III) and SP (Group IV) can be Interchanged — **C. Priano, R. Arora, J. Butke and D. R. Mills** — 283–297

Multiple Interacting Elements Delineate an Ecdysone-dependent Regulatory Region with Secondary Responsive Character — **K. R. Rogulski and I. L. Cartwright** — 298–318

Stabilization of a Ribosomal RNA Tertiary Structure by Ribosomal Protein L11 — **Y. Xing and D. E. Draper** — 319–331

Mutual Stabilisation of Bacteriophage Mu Repressor and Histone-like Proteins in a Nucleoprotein Structure — **M. Betermier, P. Rousseau, R. Alazard and M. Chandler** — 332–341

Identification and Analysis of Multigene Families by Comparison of Exon Fingerprints — **N. P. Brown, A. J. Whittaker W. R. Newell, C. J. Rawlings and S. Beck** — 342–359

Crystal Structure of a Pyrimidine Dimer-specific Excision Repair Enzyme from Bacteriophage T4: Refinement at 1.45 Å and X-ray Analysis of the Three Active Site Mutants	**K. Morikawa, M. Ariyoshi D. G. Vassylyev, O. Matsumoto K. Katayanagi and E. Ohtsuka**	360–375
A Molecular Model for the Redox Potential Difference Between Thioredoxin and DsbA, Based on Electrostatics Calculations	**P. J. Gane, R. B. Freedman and J. Warwicker**	376–387
Contribution of Individual Side-chains to the Stability of BPTI Examined by Alanine-scanning Mutagenesis	**M.-H. Yu, J. S. Weissman and P. S. Kim**	388–397
Crystallization of RNA–Protein Complexes I. Methods for the Large-scale Preparation of RNA Suitable for Crystallographic Studies	**S. R. Price, N. Ito, C. Oubridge J. M. Avis and K. Nagai**	398–408
Crystallisation of RNA–Protein Complexes II. The Application of Protein Engineering for Crystallisation of the U1A Protein–RNA Complex	**C. Oubridge, N. Ito, C.-H. Teo I. Fearnley and K. Nagai**	409–423
Isolation, Crystallization, Crystal Structure Analysis and Refinement of Allophycocyanin from the Cyanobacterium *Spirulina platensis* at 2.3 Å Resolution	**K. Brejc, R. Ficner, R. Huber and S. Steinbacher**	424–440
Determination of the Solution Structure of Apo Calbindin D_{9k} by NMR Spectroscopy	**N. J. Skelton, J. Kördel and W. J. Chazin**	441–462
Refolding of Bovine Pancreatic Trypsin Inhibitor *via* Non-native Disulphide Intermediates	**N. J. Darby, P. E. Morin, G. Talbo and T. E. Creighton**	463–477
Slow Ligand-induced Transitions in the Allosteric Phosphofructokinase from *Escherichia coli*	**I. Auzat, E. Gawlita and J.-R. Garel**	478–492
The Complexity and Accuracy of Discrete State Models of Protein Structure	**B. H. Park and M. Levitt**	493–507
Erratum		509
Author Index		511

Number 3, 9 June 1995

Communications

A Suppressin from a Phytopathogenic Fungus Deactivates Transcription of a Plant Defense Gene Encoding Phenylalanine Ammonia-lyase	**M. Wada, H. Kato, K. Malik P. Sriprasertsak, Y. Ichinose T. Shiraishi and T. Yamada**	513–519
The DNA Sequence of Equine Herpesvirus 2	**E. A. R. Telford, M. S. Watson H. C. Aird, J. Perry and A. J. Davison**	520–528
Cold Denaturation of CheY	**G. T. DeKoster and A. D. Robertson**	529–534

Articles

The *KIN28* Gene is Required both for RNA Polymerase II Mediated Transcription and Phosphorylation of the Rpb1p CTD	**J.-G. Valay, M. Simon, M.-F. Dubois O. Bensaude, C. Facca and G. Faye**	535–544

RNA Binding, Packaging and Polymerase Activities of the Different Incomplete Polymerase Complex Particles of dsRNA Bacteriophage ϕ6	**J. T. Juuti and D. H. Bamford**	545–554
A Reporter Gene to Analyse the Hypermutation of Immunoglobulin Genes	**Y. L. Chui, F. Lozano, J. M. Jarvis R. Pannell and C. Milstein**	555–563
E-Box Variants Direct Formation of Distinct Complexes with the Basic Helix-Loop-Helix Protein ALF1	**B. J. Bonven, A. L. Nielsen P. L. Nørby, F. S. Pedersen and P. Jørgensen**	564–575
Structures of fd Gene 5 Protein·Nucleic Acid Complexes: A Combined Solution Scattering and Electron Microscopy Study	**G. A. Olah, D. M. Gray, C. W. Gray D. L. Kergil, T. R. Sosnick, B. L. Mark M. R. Vaughan and J. Trewhella**	576–594
Crystal Structure of an RNA Dodecamer Containing the *Escherichia coli* Shine-Dalgarno Sequence	**H. Schindelin, M. Zhang, R. Bald J.-P. Fürste, V. A. Erdmann and U. Heinemann**	595–603
NMR Cross-relaxation Investigated by Molecular Dynamics Simulation: A Case Study of Ubiquitin in Solution	**R. Abseher, S. Lüdemann H. Schreiber and O. Steinhauser**	604–624
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. I. Hydrophobic Replacements at the Position of Met103	**A. Tamura and J. M. Sturtevant**	625–635
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. II. Replacements at the Interface of Dimer Formation, Val13	**A. Tamura, S. Kojima, K. Miura and J. M. Sturtevant**	636–645
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. III. Replacements of a Hyper-exposed Residue, Met73	**A. Tamura and J. M. Sturtevant**	646–653
Investigating the Structural Determinants of the p21-like Triphosphate and Mg^{2+} Binding Site	**P. Cronet, L. Bellsolell, C. Sander M. Coll and L. Serrano**	654–664
The 1.9 Å Crystal Structure of a Nucleoside Diphosphate Kinase Complex with Adenosine 3',5'-Cyclic Monophosphate: Evidence for Competitive Inhibition	**S. V. Strelkov, O. Perisic, P. A. Webb and R. L. Williams**	665–674
Atomic Environment Energies in Proteins Defined from Statistics of Accessible and Contact Surface Areas	**M. Delarue and P. Koehl**	675–690
Author Index		691–692

Number 4, 16 June 1995

Communication

A Single Amino Acid Change in a Pathway-specific Transcription Factor Results in Differing Degrees of Constitutivity, Hyperinducibility and Derepression of Several Structural Genes	**N. Oestreicher and C. Scazzocchio**	693–699

Articles

Constitutive Forms of the Enhancer-binding Protein NtrC: Evidence that Essential Oligomerization Determinants Lie in the Central Activation Domain — **Y. Flashner, D. S. Weiss, J. Keener and S. Kustu** — 700–713

UV Light as a Footprinting Agent: Modulation of UV-induced DNA Damage by Transcription Factors Bound at the Promoters of Three Human Genes — **S. Tornaletti and G. P. Pfeifer** — 714–728

P22 Arc Repressor: Role of Cooperativity in Repression and Binding to Operators with Altered Half-site Spacing — **T. L. Smith and R. T. Sauer** — 729–742

The *Bacillus subtilis* Flagellar Regulatory Protein σ^D: Overproduction, Domain Analysis and DNA-binding Properties — **Y.-F. Chen and J. D. Helmann** — 743–753

The Mutant Distribution of an RNA Species Replicated by Qβ Replicase — **N. Rohde, H. Daum and C. K. Biebricher** — 754–762

Kinesin and ncd Bind Through a Single Head to Microtubules and Compete for a Shared MT Binding Site — **A. Lockhart, I. M.-T. C. Crevel and R. A. Cross** — 763–771

Alternating and Non-alternating dG-dC Hexanucleotides Crystallize as Canonical *A*-DNA — **B. H. M. Mooers, G. P. Schroth W. W. Baxter and P. S. Ho** — 772–784

Crystal Structure of *Escherichia coli* QOR Quinone Oxidoreductase Complexed with NADPH — **J. M. Thorn, J. D. Barton, N. E. Dixon D. L. Ollis and K. J. Edwards** — 785–799

Functional and Spectroscopic Evidence for a Conformational Transition in Ferrous Liganded Human Hemoglobin — **M. Coletta, P. Ascenzi, M. Castagnola and B. Giardina** — 800–803

Algorithms for Evaluating the Long-range Accessibility of Protein Surfaces — **T. O. Yeates** — 804–815

An Assessment of Amino Acid Exchange Matrices in Aligning Protein Sequences: The Twilight Zone Revisited — **G. Vogt, T. Etzold and P. Argos** — 816–831

Author Index — 833–834

Number 5, 23 June 1995

Communication

Crystal Structure of the Human Cell Cycle Protein CksHs1: Single Domain Fold with Similarity to Kinase N-lobe Domain — **A. S. Arvai, Y. Bourne, M. J. Hickey and J. A. Tainer** — 835–842

Articles

Expression of the *rocDEF* Operon Involved in Arginine Catabolism in *Bacillus subtilis* — **R. Gardan, G. Rapoport and M. Débarbouillé** — 843–856

Phage T4-coded Stp: Double-Edged Effector of Coupled DNA and tRNA-Restriction Systems — **M. Penner, I. Morad, L. Snyder and G. Kaufmann** — 857–868

Immunity Determinant of Phage-plasmid P4 is a Short Processed RNA — **F. Forti, P. Sabbattini, G. Sironi S. Zangrossi, G. Dehò and D. Ghisotti** — 869–878

Differential Regulation of Hox C6 in the Appendages of Adult Urodeles and Anurans	**P. Savard and M. Tremblay**	879–889
Nag Repressor–Operator Interactions: Protein–DNA Contacts Cover More Than Two Turns of the DNA Helix	**J. Plumbridge and A. Kolb**	890–902
N-2-aminofluorene and *N*-2 acetylaminofluorene Adducts: The Local Sequence Context of an Adduct and its Chemical Structure Determine its Replication Properties	**P. Belguise-Valladier and R. P. P. Fuchs**	903–913
The Action of *Escherichia coli* Endonuclease III on Multiply Damaged Sites in DNA	**M. A. Chaudhry and M. Weinfeld**	914–922
Predicting Pol II Promoter Sequences using Transcription Factor Binding Sites	**D. S. Prestridge**	923–932
Crystal Structure of *Proteus mirabilis* PR Catalase With and Without Bound NADPH	**P. Gouet, H.-M. Jouve and O. Dideberg**	933–954
The Volume of Atoms on the Protein Surface: Calculated from Simulation, using Voronoi Polyhedra	**M. Gerstein, J. Tsai and M. Levitt**	955–966
Computer Modelling of the α-Helical Coiled Coil: Packing of Side-chains in the Inner Core	**G. Offer and R. Sessions**	967–987
Author Index		989–990

Volume 250

Number 1, 1 July 1995

Communication

Two-dimensional Crystallization and Preliminary Structure Analysis of Light Harvesting II (B800-850) Complex From the Purple Bacterium *Rhodovulum sulfidophilum*	**G. Montoya, M. Cyrklaff and I. Sinning**	1–10

Articles

Dimer Form of Phosphorylated Spo0A, a Transcriptional Regulator, Stimulates the *spo0F* Transcription at the Initiation of Sporulation in *Bacillus subtilis*	**M. Asayama, A. Yamamoto and Y. Kobayashi**	11–23
Evolutionarily Conserved Structural Elements are Critical for Processing of Internal Transcribed Spacer 2 from *Saccharomyces cerevisiae* Precursor Ribosomal RNA	**R. W. van Nues, J. M. J. Rientjes S. A. Mooré, E. Mollee, R. J. Planta J. Venema and H. A. Raué**	24–36
The Computer Simulation of RNA Folding Pathways Using a Genetic Algorithm	**A. P. Gultyaev, F. h. D. van Batenburg and C. W. A. Pleij**	37–51
Rigor and Relaxed Outer Dynein Arms in Replicas of Cryofixed Motile Flagella	**S. A. Burgess**	52–63
Selective Chain Recognition in the C-terminal α-Helical Coiled-coil Region of Laminin	**R. A. Kammerer, P. Antonsson T. Schulthess, C. Fauser and J. Engel**	64–73

Stabilization of the α-Helical Coiled-coil Domain in Laminin by C-terminal Disulfide Bonds — **P. Antonsson, R. A. Kammerer T. Schulthess, G. Hänisch and J. Engel** — 74–79

Conformational Variability of Solution Nuclear Magnetic Resonance Structures — **A. M. J. J. Bonvin and A. T. Brünger** — 80–93

Structure and Fluctuations of Bacteriorhodopsin in the Purple Membrane: A Molecular Dynamics Study — **O. Edholm, O. Berger and F. Jähnig** — 94–111

Author Index — 113

Number 2, 7 July 1995

Communications

Glutathione Transferases with Novel Active Sites Isolated by Phage Display from a Library of Random Mutants — **M. Widersten and B. Mannervik** — 115–122

Differential Codon Usage for Conserved Amino Acids: Evidence that the Serine Codons TCN were Primordial — **Y. Diaz-Lazcoz, A. Hénaut, Ph. Vigier and J.-L. Risler** — 123–127

Mapping of the Immunoglobulin Light Chain-binding Site of Protein L — **M. Wikström, U. Sjöbring, T. Drakenberg, S. Forsén and L. Björck** — 128–133

NMR Structure of a Stable "OB-fold" Sub-domain Isolated from Staphylococcal Nuclease — **A. T. Alexandrescu, A. G. Gittis C. Abeygunawardana and D. Shortle** — 134–143

Articles

An Extended −10 Promoter Alone Directs Transcription of the *Dpn*II Operon of *Streptococcus pneumoniae* — **A. G. Sabelnikov, B. Greenberg and S. A. Lacks** — 144–155

Isolation of Transcriptionally Active Mutants of T7 RNA Polymerase that do not Support Phage Growth — **X. Zhang and F. W. Studier** — 156–168

Evidence for Functional Interaction between the HIV-1 Tat Transactivator and the TATA Box Binding Protein *in Vivo* — **P. Veschambre, P. Simard and P. Jalinot** — 169–180

Probing the Domain Structure of the Type IC DNA Methyltransferase M.*Eco*R124I by Limited Proteolysis — **M. Webb, I. A. Taylor, K. Firman and G. G. Kneale** — 181–190

The Archaeal *dnaK-dnaJ* Gene Cluster: Organization and Expression in the Methanogen *Methanosarcina mazei* — **M. Clarens, A. J. L. Macario and E. Conway de Macario** — 191–201

New Archaebacterial Genes Coding for Redox Proteins: Implications for the Evolution of Aerobic Metabolism — **J. Castresana, M. Lübben and M. Saraste** — 202–210

High Resolution Crystal Structures of Recombinant Human Renin in Complex with Polyhydroxymonoamide Inhibitors — **L. Tong, S. Pav, D. Lamarre, L. Pilote S. LaPlante, P. C. Anderson and G. Jung** — 211–222

Thermodynamic Stability of the Molten Globule States of Apomyoglobin — **I. Nishii, M. Kataoka and Y. Goto** — 223–238

Structure, Dynamics and Energetics of Initiation Sites in Protein Folding: I. Analysis of a 1 ns Molecular Dynamics Trajectory of an Early Folding Unit in Water: The Helix I/Loop I-Fragment of Barnase — **M. Braxenthaler, F. Avbelj and J. Moult** — 239–257

A Continuum Model for Protein–Protein Interactions: Application to the Docking Problem — **R. M. Jackson and M. J. E. Sternberg** — 258–275

Crystal Structure of the Catalytic Domain of the Chemotaxis Receptor Methylesterase, CheB — **A. H. West, E. Martinez-Hackert and A. M. Stock** — 276–290

Volumetric Characterizations of the Native, Molten Globule and Unfolded States of Cytochrome *c* at Acidic pH — **T. V. Chalikian, V. S. Gindikin and K. J. Breslauer** — 291–306

Author Index — 307

Number 3, 14 July 1995

Communication

Monomer–dimer Equilibrium of the pSC101 RepA Protein — **H. Ingmer, E. L. Fong and S. N. Cohen** — 309–314

Articles

Repression of Vertebrate RNA Polymerase III Transcription by DNA Binding Proteins Located Upstream from the Transcription Start Site — **S. J. McBryant, G. A. Kessavetis and J. M. Gottesfeld** — 315–326

Rapid Crystallization of chemically Synthesized Hammerhead RNAs using a Double Screening Procedure — **W. G. Scott, J. T. Finch, R. Grenfell J. Fogg, T. Smith, M. J. Gait and A. Klug** — 327–332

Structure of the P1 Helix from Group I Self-splicing Introns — **F. H.-T. Allain and G. Varani** — 333–353

Crystal Structure of Abrin-a at 2.14 Å — **T. H. Tahirov, T.-H. Lu, Y.-C. Liaw J.-L. Chen and J.-Y. Lin** — 354–367

X-ray Structure of Gelonin at 1.8 Å Resolution — **M. V. Hosur, B. Nair P. Satyamurthy, S. Misquith A. Surolia and K. K. Kannan** — 368–380

Author Index — 381

Number 4, 21 July 1995

Communication

Pyrimidine Regulation of the *Escherichia coli* and *Salmonella typhimurium carAB* Operons: CarP and Integration Host Factor (IHF) Modulate the Methylation Status of a GATC Site Present in the Control Region — **D. Charlier, D. Gigot, N. Huysveld M. Roovers, A. Piérard and N. Glansdorff** — 383–391

Articles

carP, Involved in Pyrimidine Regulation of the *Escherichia coli* Carbamoylphosphate Synthetase Operon Encodes a Sequence-specific DNA-binding Protein Identical to XerB and PepA, also Required for Resolution of ColEI Multimers — **D. Charlier, G. Hassanzadeh Gh. A. Kholti, D. Gigot, A. Piérard and N. Glansdorff** — 392–406

Structural Changes in Base-paired Region 28 in 16 S rRNA Close to the Decoding Region of the 30 S Ribosomal Subunit are Correlated to Changes in tRNA Binding	**G. Ericson, P. Minchew and P. Wollenzien**	407–419
Targeted Disruption of an H3-IV/H3-V Gene Pair Causes Increased Expression of the Remaining H3 Genes in the Chicken DT40 Cell Line	**Y. Takami, S. Takeda and T. Nakayama**	420–433
DNA Bending is an Important Component of Site-specific Recognition by the TATA Binding Protein	**D. B. Starr, B. C. Hoopes and D. K. Hawley**	434–446
Characterization of the Pre-mRNA Binding Site for Yeast Ribosomal Protein L32: The Importance of a Purine-rich Internal Loop	**H. Li, S. Dalal, J. Kohler, J. Vilardell and S. A. White**	447–459
Tendamistat as a Scaffold for Conformationally Constrained Phage Peptide Libraries	**S. J. McConnell and R. H. Hoess**	460–470
N-Terminal 33 Amino Acid Residues of *Escherichia coli* RecA Protein Contribute to its Self-assembly	**T. Mikawa, R. Masui, T. Ogawa H. Ogawa and S. Kuramitsu**	471–483
Complete Sequence of the Mitochondrial DNA of the Rhodophyte *Chondrus crispus* (Gigartinales). Gene Content and Genome Organization	**C. Leblanc, C. Boyen, O. Richard G. Bonnard, J.-M. Grienenberger and B. Kloareg**	484–495
Location of Filamentous Phage Minor Coat Proteins in Phage and in Infected Cells	**H. Endemann and P. Model**	496–506
Investigation of the Structural Components Governing the Polarity-dependent Refolding of a CD4-binding Peptide From gp120	**A. Graf von Stosch, V. Kinzel R. Pipkorn and J. Reed**	507–513
Conformational Transitions in Peptides Containing Two Putative α-Helices of the Prion Protein	**H. Zhang, K. Kaneko, J. T. Nguyen T. L. Livshits, M. A. Baldwin F. E. Cohen, T. L. James and S. B. Prusiner**	514–526
Protein Flexibility and Adaptability Seen in 25 Crystal Forms of T4 Lysozyme	**X.-j. Zhang, J. A. Wozniak and B. W. Matthews**	527–552
A Comparison of Neutron Diffraction and Molecular Dynamics Structures: Hydroxyl Group and Water Molecule Orientations in Trypsin	**R. S. McDowell and A. A. Kossiakoff**	553–570
Author Index		571

Number 5, 28 July 1995

Communications

Rescue and Replication Signals of the Adeno-associated Virus 2 Genome	**X.-S. Wang, S. Ponnazhagan and A. Srivastava**	573–580
Chaperonins can Catalyse the Reversal of Early Aggregation Steps when a Protein Misfolds	**N. A. Ranson, N. J. Dunster S. G. Burston and A. R. Clarke**	581–586
Homology in Structural Organization Between *E. coli* ClpAP Protease and the Eukaryotic 26 S Proteasome	**M. Kessel, M. R. Maurizi, B. Kim E. Kocsis, B. L. Trus, S. K. Singh and A. C. Steven**	587–594

Articles

Homeodomain Proteins: What Governs Their Ability to Recognize Specific DNA Sequences? — **A. Draganescu, J. R. Levin and T. D. Tullius** — 595–608

Mutation in Cys662 of *Escherichia coli* DNA Topoisomerase I Confers Temperature Sensitivity and Change in DNA Cleavage Selectivity — **C.-X. Zhu, H.-Y. Qi and Y.-C. Tse-Dinh** — 609–616

Membrane Assembly of Circularly Permuted Variants of the *E. coli* Outer Membrane Protein OmpA — **R. Koebnik and L. Krämer** — 617–626

The Structure of Chloroplast Cytochrome *c*6 at 1.9 Å Resolution: Evidence for Functional Oligomerization — **C. A. Kerfeld, H. P. Anwar R. Interrante, S. Merchant and T. O. Yeates** — 627–647

Structure of Deoxyhaemoglobin of the Antarcit Fish *Pagothenia bernacchii* with an Analysis of Structural Basis of the Root Effect by Comparison of the Liganded and Unliganded Haemoglobin Structures — **N. Ito, N. H. Komiyama and G. Fermi** — 648–658

Three-dimensional Solution Structure of the Calcium Channel Antagonist ω-Agatoxin IVA: Consensus Molecular Folding of Calcium Channel Blockers — **J. I. Kim, S. Konishi, H. Iwai T. Kohno, H. Gouda, I. Shimada K. Sato and Y. Arata** — 659–671

Complete ^{1}H Nuclear Magnetic Resonance Assignments and Structural Characterization of a Fusion Protein of the α-Amylase Inhibitor Tendamistat with the Activation Domain of the Human Immunodeficiency Virus Type 1 Tat Protein — **J. Freund, L. Vértesy, K.-P. Koller V. Wolber, D. Heintz and H. R. Kalbitzer** — 672–688

Thermodynamics of Unfolding of Ribonuclease A under High Pressure. A Study by Proton NMR — **T. Yamaguchi, H. Yamada and K. Akasaka** — 689–694

Local Perturbations by Ligand Binding of Hydrogen Deuterium Exchange Kinetics in a Four-helix Bundle Protein, Acyl Coenzyme A Binding Protein (ACBP) — **B. B. Kragelund, J. Knudsen and F. M. Poulsen** — 695–706

Author Index — 571

Volume 251

Number 1, 4 August 1995

Communications

A Single Amino Acid Substitution in Zinc Finger 2 of Adr1p Changes its Binding Specificity at two Positions in UAS1 — **C. Cheng and E. T. Young** — 1–8

CH/π Interaction in the Packing of the Adenine Ring in Protein Structures — **P. Chakrabarti and U. Samanta** — 9–14

Articles

Nitrate and Nitrite Regulation of the Fnr-dependent *aeg-46.5* Promoter of *Escherichia coli* K-12 is Mediated by Competition Between Homologous Response Regulators (NarL and NarP) for a Common DNA-binding Site — **A. J. Darwin and V. Stewart** — 15–29

Analysis of *E. coli* Rho Factor: Mutations Affecting Secondary-site Interactions	**S. Pereira and T. Platt**	30–40
The HEM Proteins: A Novel Family of Tissue-specific Transmembrane Proteins Expressed from Invertebrates Through Mammals with an Essential Function in Oogenesis	**S. Baumgartner, D. Martin R. Chiquet-Ehrismann, J. Sutton A. Desai, I. Huang, K. Kato and R. Hromas**	41–49
High-speed Rotation and Speed Stability of the Sodium-driven Flagellar Motor in *Vibrio alginolyticus*	**K. Muramoto, I. Kawagishi, S. Kudo Y. Magariyama, Y. Imae and M. Homma**	50–58
The Capsid Size-determining Protein Sid Forms an External Scaffold on Phage P4 Procapsids	**O. J. Marvik, T. Dokland R. H. Nøkling, E. Jacobsen, T. Larsen and B. H. Lindqvist**	59–75
Solution Structure of the *Oxytricha* Telomeric Repeat $d[G_4(T_4G_4)_3]$ G-tetraplex	**Y. Wang and D. J. Patel**	76–94
Solution X-ray Scattering Analysis of Cold- Heat-, and Urea-denatured States in a Protein, *Streptomyces* Subtilisin Inhibitor	**T. Konno, M. Kataoka, Y. Kamatari K. Kanaori, A. Nosaka and K. Akasaka**	95–103
The Structure of Deoxy- and Oxy-leghaemoglobin from Lupin	**E. H. Harutyunyan, T. N. Safonova I. P. Kuranova, A. N. Popov A. V. Teplyakov, G. V. Obmolova A. A. Rusakov, B. K. Vainshtein G. G. Dodson, J. C. Wilson and M. F. Perutz**	104–115
Functional Linkage Between the Active Site of α-Lytic Protease and Distant Regions of Structure: Scanning Alanine Mutagenesis of a Surface Loop Affects Activity and Substrate Specificity	**J. E. Mace, B. J. Wilk and D. A. Agard**	116–134
Influence of Protein Conformation on Disulfide Bond Formation in the Oxidative Folding of Ribonuclease T_1	**C. Frech and F. X. Schmid**	135–149
Experimental Analysis of the Schellman Motif	**A. R. Viguera and L. Serrano**	150–160
Average Core Structures and Variability Measures for Protein Families: Application to the Immunoglobulins	**M. Gerstein and R. B. Altman**	161–175
Recurring Local Sequence Motifs in Proteins	**K. F. Han and D. Baker**	176–187
Author Index		189

Number 2, 11 August 1995

Communications

Steric-blocking by Tropomyosin Visualized in Relaxed Vertebrate Muscle Thin Filaments	**W. Lehman, P. Vibert, P. Uman and R. Craig**	191–196
Stabilization of Fluid Cholesteric Phases of Collagen to Ordered Gelated Matrices	**L. Besseau and M.-M. Giraud-Guille**	197–202

Fixation of the Quaternary Structures of Human Adult Haemoglobin by Encapsulation in Transparent Porous Silica Gels — **N. Shibayama and S. Saigo** — 203–209

Articles

Evidence that Uncharged tRNA Can Inhibit a Programmed Translational Frameshift in *Escherichia coli* — **W. Gao, H. Jakubowski and E. Goldman** — 210–216

Production of a Chimeric Fibroin Light-chain Polypeptide in a Fibroin Secretion-deficient Naked Pupa Mutant of the Silkworm *Bombyx mori* — **K. Mori, K. Tanaka, Y. Kikuchi M. Waga, S. Waga and S. Mizuno** — 217–228

Novel Mutagenic Properties of Abasic Sites in *Saccharomyces cerevisiae* — **P. E. M. Gibbs and C. W. Lawrence** — 229–236

Membrane Topology of the MotA Protein of *Escherichia coli* — **J. Zhou, R. T. Fazzio and D. F. Blair** — 237–242

X-ray Scattering Titration of the Quaternary Structure Transition of Aspartate Transcarbamylase with a Bisubstrate Analogue: Influence of Nucleotide Effectors — **L. Fetler, P. Tauc, G. Hervé M. F. Moody and P. Vachette** — 243–255

Crystal Structure of L-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus confusus* at 2.2 Å Resolution. An Example of Strong Asymmetry Between Subunits — **K. Niefind, H.-J. Hecht and D. Schomburg** — 256–281

Crystal Structure of Reduced Bovine Erythrocyte Superoxide Dismutase at 1.9 Å Resolution — **W. R. Rypniewski, S. Mangani B. Bruni, P. L. Orioli, M. Casati and K. S. Wilson** — 282–296

The Three-dimensional Solution Structure of the NK-2 Homeodomain from *Drosophila* — **D. H. H. Tsao, J. M. Gruschus L.-H. Wang, M. Nirenberg and J. A. Ferretti** — 297–307

Global Fold Determination from a Small Number of Distance Restraints — **A. Aszódi, M. J. Gradwell and W. R. Taylor** — 308–326

Author Index — 327

Number 3, 18 August 1995

Communication

Re-examination of the Polarity of Microtubules and Sheets Decorated with Kinesin Motor Domain — **K. Hirose, J. Fan and L. A. Amos** — 329–333

Articles

The Efficiency of Translation Termination is Determined by a Synergistic Interplay Between Upstream and Downstream Sequences in *Saccharomyces cerevisiae* — **B. Bonetti, L. Fu, J. Moon and D. M. Bedwell** — 334–345

Use of Flow Cytometry to Identify a *Caulobacter* 4.5 S RNA Temperature-sensitive Mutant Defective in the Cell Cycle — **E. Winzeler and L. Shapiro** — 346–365

The Roles of Arginine 41 and Tyrosine 76 in the Coupling of DNA Recognition to Phosphodiester Bond Cleavage by DNase I: a Study using Site-directed Mutagenesis — **A. J. Doherty, A. F. Worrall and B. A. Connolly** — 366–377

The Mitochondrial LSU rDNA of the Brown Alga *Pylaiella littoralis* Reveals α-Proteobacterial Features and is Split by Four Group IIB Introns with an Atypical Phylogeny — **J. M. Fontaine, S. Rousvoal C. Leblanc, B. Kloareg and S. Loiseaux-de Goër** — 378–389

A Sequence Property Approach to Searching Protein Databases — **U. Hobohm and C. Sander** — 390–399

Structural Effects of Mutations in *Salmonella typhimurium* Flagellar Switch Complex — **R. Zhao, S. C. Schuster and S. Khan** — 400–412

Structure of the Osmo-regulated H_2O-channel, AQP-CHIP, in Projection at 3.5 Å Resolution — **B. K. Jap and H. Li** — 413–420

Structural Analysis of Monomeric Hemichrome and Dimeric Cyanomet Hemoglobins from *Caudina arenicola* — **D. T. Mitchell, G. B. Kitto and M. L. Hackert** — 421–431

Unfolding Simulations of the 85–102 β-Hairpin of Barnase — **L. Pugliese, M. Prévost and S. J. Wodak** — 432–447

Prediction of the Quaternary Structure of Coiled Coils. Application to Mutants of the GCN4 Leucine Zipper — **M. Vieth, A. Kolinski, C. L. Brooks, III and J. Skolnick** — 448–467

Author Index — 469

Number 4, 25 August 1995

Communications

Immunoglobulin Mutant Library Genetically Screened for Folding Stability Exploiting Bacterial Signal Transduction — **H. Kolmar, C. Frisch, K. Götze and H.-J. Fritz** — 471–476

The *tpa-1* Gene of *Caenorhabditis elegans* Encodes Two Proteins Similar to Ca^{2+}-independent Protein Kinase Cs: Evidence by Complete Genomic and Complementary DNA Sequences of the *tpa-1* Gene — **T. Sano, Y. Tabuse, K. Nishiwaki and J. Miwa** — 477–485

Articles

Translation of Synonymous Codons in Family Boxes by *Mycoplasma capricolum* tRNAs with Unmodified Uridine or Adenosine at the First Anticodon Position — **Y. Inagaki, A. Kojima, Y. Bessho H. Hori, T. Ohama and S. Osawa** — 486–492

The Role of DNA Bending in Flp-mediated Site-specific Recombination — **K. H. Luetke and P. D. Sadowski** — 493–506

Two Inequivalent Folding Isomers of the Three-way DNA Junction with Unpaired Bases: Sequence-dependence of the Folded Conformation — **J. B. Welch, F. Walter and D. M. J. Lilley** — 507–519

Structural Organization and Assembly of Flagellar Hook Protein from *Salmonella typhimurium* — **F. Vonderviszt, P. Závodszky M. Ishimura, H. Uedaira and K. Namba** — 520–532

The *PS-IAA4/5*-like Family of Early Auxin-inducible mRNAs in *Arabidopsis thaliana* — **S. Abel, M. D. Nguyen and A. Theologis** — 533–549

The 2.4 Å Crystal Structure of Cholera Toxin B Subunit Pentamer: Choleragenoid — **R.-G. Zhang, M. L. Westbrook E. M. Westbrook, D. L. Scott Z. Otwinowski, P. R. Maulik R. A. Reed and G. G. Shipley** — 550–562

The Three-dimensional Crystal Structure of Cholera Toxin — **R.-G. Zhang, D. L. Scott M. L. Westbrook, S. Nance B. D. Spangler, G. G. Shipley and E. M. Westbrook** — 563–573

The Crystal Structure of a Human Nucleoside Diphosphate Kinase, NM23-H2 — **P. A. Webb, O. Perisic, C. E. Mendola J. M. Backer and R. L. Williams** — 574–587

Author Index — 589–590

Number 5, 1 September 1995

Articles

β-Tropomyosin Pre-mRNA Folding Around a Muscle-specific Exon Interferes with Several Steps of Spliceosome Assembly — **P. Sirand-Pugnet, P. Durosay B. Clouet d'Orval, E. Brody and J. Marie** — 591–602

Genome Structure, Mapping and Expression of the Tropomyosin Gene *tmy-1* of *Caenorhabditis elegans* — **H. Kagawa, K. Sugimoto, H. Matsumoto, T. Inoue, H. Imadzu K. Takuwa and Y. Sakube** — 603–613

Complete Sequence of the Maize Chloroplast Genome: Gene Content, Hotspots of Divergence and Fine Tuning of Genetic Information by Transcript Editing — **R. M. Maier, K. Neckermann G. L. Igloi and H. Kössel** — 614–628

Self-fitting and Self-modifying Properties of the *B*-DNA Molecule — **Y. Timsit and D. Moras** — 629–647

The Assessment of the Geometry of Dinucleotide Steps in Double-Helical DNA; a New Local Calculation Scheme — **M. A. El Hassan and C. R. Calladine** — 648–664

Direct Observation of Two Base-pairing Modes of a Cytosine–Thymine Analogue with Guanine in a DNA Z-form Duplex: Significance for Base Analogue Mutagenesis — **M. H. Moore, L. Van Meervelt S. A. Salisbury, P. K. T. Lin and D. M. Brown** — 665–673

Solution Structure of Mithramycin Dimers Bound to Partially Overlapping Sites on DNA — **M. Sastry, R. Fiala and D. J. Patel** — 674–689

Crystal Structure of Desulforedoxin from *Desulfovibrio gigas* Determined at 1.8 Å Resolution: A Novel Non-heme Iron Protein Structure — **M. Archer, R. Huber, P. Tavares I. Moura, J. J. G. Moura M. A. Carrondo, L. C. Sieker J. LeGall and M. J. Romão** — 690–702

Mass Spectrometric Composition, Molecular Mass and Oxygen Binding of *Macrobdella decora* Hemoglobin and its Tetramer and Monomer Subunits — **R. E. Weber, H. Malte, E. H. Braswell R. W. A. Oliver, B. N. Green P. K. Sharma, A. Kuchumov and S. N. Vinogradov** — 703–720

Erratum — 721

Author Index — 723–724

Volume 252

Number 1, 8 September 1995

Communications

Serine at Position 2 in the DNA Recognition Helix of a Cys_2-His_2 Zinc Finger Peptide is Not, in General, Responsible for Base Recognition	**C. A. Kim and J. M. Berg**	1–5
Packing of Coat Protein Amphipathic and Transmembrane Helices in Filamentous Bacteriophage M13: Role of Small Residues in Protein Oligomerization	**K. A. Williams, M. Glibowicka, Z. Li, H. Li, A. R. Khan, Y. M. Y. Chen, J. Wang, D. A. Marvin and C. M. Deber**	6–14
Preliminary Cryocrystallographic Study of the Mitochondrial Cytochrome bc_1 Complex: Improved Crystallization and Flash-cooling of a Large Membrane Protein	**J. W. Lee, M. Chan, T. V. Law, H. J. Kwon and B. K. Jap**	15–19
Crystallographic Study of a Cleaved, Non-activatable Form of Porcine Zymogen E	**D. Pignol, S. Granon, C. Chapus and J. C. Fontecilla-Camps**	20–24
Folding Pathway Mediated by an Intramolecular Chaperone: Characterization of the Structural Changes in Pro-subtilisin E Coincident with Autoprocessing	**U. Shinde and M. Inouye**	25–30

Articles

Interaction of Terminase, the DNA Packaging Enzyme of Phage λ, with its *cos* DNA Substrate	**R. R. Higgins and A. Becker**	31–46
Characterization of the Interaction between the Lambda Intasome and *att*B	**R. L. Patsey and M. F. Bruist**	47–58
Requirements for DNA Strand Transfer During Reverse Transcription in Mutant HIV-1 Virions	**B. Berkhout, J. van Wamel and B. Klaver**	59–69
DNA Palindromes Adopt a Methylation-resistant Conformation that is Consistent with DNA Cruciform or Hairpin Formation *in Vivo*	**T. Allers and D. R. F. Leach**	70–85
Solution Conformation of a Bizelesin A-tract Duplex Adduct: DNA–DNA Cross-linking of an A-tract Straightens Out Bent DNA	**A. S. Thompson and L. H. Hurley**	86–101
Solution Structure of $(Cd^{2+})_1$-calbindin D_{9k} Reveals Details of the Stepwise Structural Changes along the Apo → $(Ca^{2+})_1^{II}$ → $(Ca^{2+})_2^{I,II}$ Binding Pathway	**M. Akke, S. Forsén and W. J. Chazin**	102–121
Intrinsic Stability of Individual α Helices Modulates Structure and Stability of the Apomyoglobin Molten Globule Form	**T. Kiefhaber and R. L. Baldwin**	122–132
Destabilization of a Protein Helix by Electrostatic Interactions	**S. Walter, B. Hubner, U. Hahn and F. X. Schmid**	133–143

How Many Protein Folding Motifs are There? G. M. Crippen and V. N. Maiorov 144–151

Retraction 153

Corrigendum 154

Author Index 155

Number 2, 15 September 1995

Communication

Heterodimerization of the Two Motor Subunits of the Heterotrimeric Kinesin, $KRP_{85/95}$ D. J. Rashid, K. P. Wedaman and J. M. Scholey 157–162

Articles

Identifying Determinants of Recombination Specificity: Construction and Characterization of Chimeric Bacteriophage Integrases E. Yagil, L. Dorgai and R. A. Weisberg 163–177

Identifying Determinants of Recombination Specificity: Construction and Characterization of Mutant Bacteriophage Integrases L. Dorgai, E. Yagil and R. A. Weisberg 178–188

Structural Analysis of the *Bacillus subtilis* δ Factor: A Protein Polyanion which Displaces RNA from RNA Polymerase F. J. López de Saro, A-Y. Moon Woody and J. D. Helmann 189–202

Elongation and Folding of Nascent Ricin Chains as Peptidyl-tRNA on Ribosomes: The Effect of Amino Acid Deletions on these Processes W. Kudlicki, Y. Kitaoka, O. W. Odom G. Kramer and B. Hardesty 203–212

Structural Analysis of the RuvC-Holliday Junction Complex Reveals an Unfolded Junction R. J. Bennett and S. C. West 213–226

Association of Structural Repeats in the α-Actinin Rod Domain. Alignment of Inter-subunit Interactions G. Flood, E. Kahana, A. P. Gilmore A. J. Rowe, W. B. Gratzer and D. R. Critchley 227–234

Refined Crystal Structure of Ferrocytochrome c_2 from *Rhodopseudomonas viridis* at 1.6 Å Resolution S. Sogabe and K. Miki 235–247

The Occurrence of C – H · · · O Hydrogen Bonds in Proteins Z. S. Derewenda, L. Lee and U. Derewenda 248–262

Molecular Surface Complementarity at Protein-Protein Interfaces: The Critical Role Played by Surface Normals at Well Placed, Sparse Points in Docking R. Norel, S. L. Lin, H. J. Wolfson and R. Nussinov 263–273

Author Index 275

Number 3, 22 September 1995

Communications

Analysis of Action of the Wobble Adenine on Codon Reading within the Ribosome V. I. Lim 277–282

A Stable Interaction between Separated Pyrimidine·Purine Tracts in Circular DNA J. S. Lee, C. Ashley, K. J. Hampel R. Bradley and D. G. Scraba 283–288

Articles

Kinetics of Expression of Inducible β-Galactosidase in Murine Fibroblasts: High Initial Rate Compared to Steady-state Expression — **K. D. Jacobsen and B. M. Willumsen** — 289–295

Modification of Primary Structures of Hairpin Ribozymes for Probing Active Conformations — **Y. Komatsu, I. Kanzaki, M. Koizumi and E. Ohtsuka** — 296–304

Electrostatic Mechanism of Nucleosome Spacing — **T. A. Blank and P. B. Becker** — 305–313

Determination of the Folding Topology of the SL1 RNA from *Caenorhabditis elegans* by Multidimensional Heteronuclear NMR — **N. L. Greenbaum, I. Radhakrishnan D. Hirsh and D. J. Patel** — 314–327

A Residue to Residue Hydrogen Bond Mediates the Nucleotide Specificity of Ribonuclease A — **S. B. delCardayré and R. T. Raines** — 328–336

Thermodynamic Mapping of the Inhibitor Site of the Aspartic Protease Endothiapepsin — **J. Gómez and E. Freire** — 337–350

Free Energy Determinants of Secondary Structure Formation: I. α-Helices — **A.-S. Yang and B. Honig** — 351–365

Free Energy Determinants of Secondary Structure Formation: II. Antiparallel β-Sheets — **A.-S. Yang and B. Honig** — 366–376

Author Index — 377

Number 4, 29 September 1995

Communication

The Avian Adenovirus Penton: Two Fibres and One Base — **M. Hess, A. Cuzange R. W. H. Ruigrok, J. Chroboczek and B. Jacrot** — 379–385

Articles

The Small Subunit of the Terminase Enzyme of *Bacillus subtilis* Bacteriophage SPP1 forms a Specialized Nucleoprotein Complex with the Packaging Initiation Region — **S. Chai, R. Lurz and J. C. Alonso** — 386–398

DNA Cleavage at Two Recognition Sites by the *Sfi*I Restriction Endonuclease: Salt Dependence of *Cis* and *Trans* Interactions between Distant DNA Sites — **T. J. Nobbs and S. E. Halford** — 399–411

X-ray Diffraction of Scrapie Prion Rods and PrP Peptides — **J. T. Nguyen, H. Inouye M. A. Baldwin, R. J. Fletterick F. E. Cohen, S. B. Prusiner and D. A. Kirschner** — 412–422

Homodimers of Chromosomal Proteins HMG-14 and HMG-17 in Nucleosome Cores — **Y. V. Postnikov, L. Trieschmann A. Rickers and M. Bustin** — 423–432

Crystal Structure of Cellular Retinoic Acid Binding Protein I Shows Increased Access to the Binding Cavity due to Formation of an Intermolecular β-Sheet — **J. R. Thompson, J. M. Bratt and L. J. Banaszak** — 433–446

The Unfolding Thermodynamics of c-Type Lysozymes: A Calorimetric Study of the Heat Denaturation of Equine Lysozyme — **Y. V. Griko, E. Freire, G. Privalov H. Van Dael and P. L. Privalov** — 447–459

Impact of Local and Non-local Interactions on Thermodynamics and Kinetics of Protein Folding — **V. I. Abkevich, A. M. Gutin and E. I. Shakhnovich** — 460–471

Proline in a Transmembrane Helix Compensates for Cavities in the Photosynthetic Reaction Center — **M. Schiffer, C. F. Ainsworth Y.-L. Deng, G. Johnson, F. H. Pascoe and D. K. Hanson** — 472–482

Conformational Properties of Four Peptides Spanning the Sequence of Hen Lysozyme — **J. J. Yang, M. Buck, M. Pitkeathly M. Kotik, D. T. Haynie, C. M. Dobson and S. E. Radford** — 483–491

Fluctuation and Cross-correlation Analysis of Protein Motions Observed in Nanosecond Molecular Dynamics Simulations — **P. H. Hünenberger, A. E. Mark and W. F. van Gunsteren** — 492–503

Author Index — 505

Number 5, 6 October 1995

Communications

Sequence Determinants for −2 Frameshift Mutagenesis at *Nar*I-derived Hot Spots — **N. Koffel-Schwartz and R. P. P. Fuchs** — 507–513

Molecular Analysis of Mutations in the *hprt* Gene of V79 Hamster Fibroblasts: Effects of Imbalances in the dCTP, dGTP and dTTP Pools — **E. Darè, L.-H. Zhang, D. Jenssen and V. Bianchi** — 514–521

Articles

Short Transcripts of the Ternary Complex Provide Insight into RNA Polymerase II Elongational Pausing — **E. B. Rasmussen and J. T. Lis** — 522–535

Changes in Conserved Region 3 of *Escherichia coli* σ^{70} Mediate ppGpp-dependent Functions *In Vivo* — **V. J. Hernandez and M. Cashel** — 536–549

Characteristics of UV-induced Mutation Spectra in Human XP-D/ERCC2 Gene-mutated Xeroderma Pigmentosum and Trichothiodystrophy Cells — **C. Marionnet, A. Benoit, S. Benhamou A. Sarasin and A. Stary** — 550–562

Formation of Stable and Functional HIV-1 Nucleoprotein Complexes *in Vitro* — **V. Tanchou, C. Gabus, V. Rogemond and J.-L. Darlix** — 563–571

Regions of 23 S Ribosomal RNA Proximal to Transfer RNA bound at the P and E Sites — **J. M. Bullard, M. A. van Waes D. J. Bucklin and W. E. Hill** — 572–582

Dissecting and Analyzing the Secondary Structure Domains of Group I Introns through the use of Chimeric Intron Constructs — **N. K. Tanner and B. Sargueil** — 583–595

The Modular Character of a DNA Junction-resolving Enzyme: A Zinc-binding Motif in Bacteriophage T4 Endonuclease VII — **M.-J. E. Giraud-Panis, D. R. Duckett and D. M. J. Lilley** — 596–610

Structural Changes in Actin-Tropomyosin During Muscle Regulation: Computer Modelling of Low-Angle X-ray Diffraction Data — **H. A. AL-Khayat, N. Yagi and J. M. Squire** — 611–632

Self-association of β-Amyloid Peptide (1–40) in Solution and Binding to Lipid Membranes — **E. Terzi, G. Hölzemann and J. Seelig** — 633–642

Crystallographic Structure of a PLP-Dependent Ornithine Decarboxylase from *Lactobacillus* 30a to 3.0 Å Resolution	**C. Momany, S. Ernst, R. Ghosh N.-L. Chang and M. L. Hackert**	643–655
Thrombin-bound Structures of Designed Analogs of Human Fibrinopeptide A Determined by Quantitative Transferred NOE Spectroscopy: A New Structural Basis for Thrombin Specificity	**F. Ni, Y. Zhu and H. A. Scheraga**	656–671
Acid and Thermal Denaturation of Barnase Investigated by Molecular Dynamics Simulations	**A. Caflisch and M. Karplus**	672–708
Recognizing Native Folds by the Arrangement of Hydrophobic and Polar Residues	**E. S. Huang, S. Subbiah and M. Levitt**	709–720
Author Index		721–722

Volume 253

Number 1, 13 October 1995

Communication

Effects of Base Substitutions on the Binding of a DNA-bending Protein	**C. Bailly, M. J. Waring and A. A. Travers**	1–7

Articles

Sequence-specific Interactions Between Promoter DNA and the RNA Polymerase Sigma Factor E	**K. M. Tatti, M. F. Shuler and C. P. Moran Jr**	8–16
Myotube-specific Activity of the Human Aldolase A M-promoter Requires an Overlapping Binding Site For NF1 and MEF2 Factors in Addition to a Binding Site (M1) For Unknown Proteins	**M. Salminen, F. Spitz, M. Y. Fiszman J. Demignon, A. Kahn, D. Daegelen and P. Maire**	17–31
High Angle and Ligand-induced Low Angle DNA Bends Incited by OccR Lie in the Same Plane with OccR Bound to the Interior Angle	**L. Wang and S. C. Winans**	32–38
Purification of KorA Protein from Broad Host Range Plasmid RK2: Definition of a Hierarchy of KorA Operators	**G. Jagura-Burdzy and C. M. Thomas**	39–50
Distinctive Sequence Features in Protein Coding, Genic Non-coding, and Intergenic Human DNA	**R. Guigó and J. W. Fickett**	51–60
Structural Studies on Human Rhinovirus 14 Drug-resistant Compensation Mutants	**A. T. Hadfield, M. A. Oliveira K. H. Kim, I. Minor, M. J. Kremer B. A. Heinz, D. Shepard, D. C. Pevear R. R. Rueckert and M. G. Rossmann**	61–73
Assembly *in Vitro* of Bacteriophage HK97 Proheads	**Z. Xie and R. W. Hendrix**	74–85
Proteolytic and Conformational Control of Virus Capsid Maturation: The Bacteriophage HK97 System	**J. F. Conway, R. L. Duda, N. Cheng R. W. Hendrix and A. C. Steven**	86–99
Solution Structure of the Anticodon-binding Domain of *Escherichia coli* Lysyl-tRNA Synthetase and Studies of its Interaction with $tRNA^{Lys}$	**S. Commans, P. Plateau, S. Blanquet and F. Dardel**	100–113

Prediction of Protein Three-dimensional Structures in Insertion and Deletion Regions: A Procedure for Searching Data Bases of Representative Protein Fragments Using Geometric Scoring Criteria — **T. Fechteler, U. Dengler and D. Schomburg** — 114–131

X-ray Crystal Structure Analysis of the Catalytic Domain of the Oncogene Product $p21^{H\text{-}ras}$ Complexed with Caged GTP and Mant dGppNHp — **A. J. Scheidig, S. M. Franken J. E. T. Corrie, G. P. Reid A. Wittinghofer, E. F. Pai and R. S. Goody** — 132–150

Studies on the Lumazine Synthase/Riboflavin Synthase Complex of *Bacillus subtilis*: Crystal Structure Analysis of Reconstituted, Icosahedral β-subunit Capsids with Bound Substrate Analogue Inhibitor at 2.4 Å Resolution — **K. Ritsert, R. Huber, D. Turk R. Ladenstein, K. Schmidt-Bäse and A. Bacher** — 151–167

The 2.0 Å Crystal Structure of *Scapharca* Tetrameric Hemoglobin: Cooperative Dimers within an Allosteric Tetramer — **W. E. Royer, Jr, K. S. Heard D. J. Harrington and E. Chiancone** — 168–186

Refined Crystal Structure of Recombinant Murine Interferon-β at 2.15 Å Resolution — **T. Senda, S.-I. Saitoh and Y. Mitsui** — 187–207

Elucidation of Crystal Packing by X-ray Diffraction and Freeze-etching Electron Microscopy. Studies on GTP Cyclohydrolase I of *Escherichia coli* — **W. Meining, A. Bacher, L. Bachmann C. Schmid, S. Weinkauf, R. Huber and H. Nar** — 208–218

Corrigendum — 219–220

Author Index — 221

Number 2, 20 October 1995

Communication

GABA Receptor Minigene Rescues Insecticide Resistance Phenotypes in *Drosophila* — **G. E. Stilwell, T. Rocheleau and R. H. ffrench-Constant** — 223–227

Articles

Single Base-pair Precision and Structural Rigidity in a Small IHF-induced DNA Loop — **S. E. Nunes-Düby, L. I. Smith-Mungo and A. Landy** — 228–242

The Amino Terminal Domain of HIV-1 Rev is Required for Discrimination of the RRE from Nonspecific RNA — **T. J. Daly, R. C. Doten, J. R. Rusche and M. Auer** — 243–258

Heterogeneity of *E. coli* RNA Polymerase Revealed by High Pressure — **L. Erijman and R. M. Clegg** — 259–265

Evidence For Coupling of Folding and Function in *trp* Repressor: Physical Characterization of the Superrepressor Mutant AV77 — **R. J. Reedstrom and C. A. Royer** — 266–276

Stabilised Secondary Structure at a Ribosomal Binding Site Enhances Translational Repression in *E. coli* — **C. Brunel, P. Romby, C. Sacerdot M. de Smit, M. Graffe J. Dondon, J. van Duin, B. Ehresmann C. Ehresmann and M. Springer** — 277–290

Plus-strand DNA Synthesis of the Yeast Retrotransposon Ty1 is Initiated at Two Sites, PPT1 Next to the 3' LTR and PPT2 Within the *pol* Gene. PPT1 is Sufficient for Ty1 Transposition — **T. Heyman, B. Agoutin, S. Friant F. X. Wilhelm and M. L. Wilhelm** — 291–303

Effect of Folding on the Export of Ribose-binding Protein Studied with the Genetically Isolated Suppressors for the Signal Sequence Mutation	**T. Song and C. Park**	304–312
The Structure of the Human Immunodeficiency Virus Type-1 TAR RNA Reveals Principles of RNA Recognition by Tat Protein	**F. Aboul-ela, J. Karn and G. Varani**	313–332
High-resolution Structure of the Catalytic Domain of Avian Sarcoma Virus Integrase	**G. Bujacz, M. Jaskólski J. Alexandratos, A. Wlodawer G. Merkel, R. A. Katz and A. M. Skalka**	333–346
The C-terminal Portion of BM-40 (SPARC/ Osteonectin) is an Autonomously Folding and Crystallisable Domain that Binds Calcium and Collagen IV	**P. Maurer, C. Hohenadl, E. Hohenester W. Göhring, R. Timpl and J. Engel**	347–357
6-Pyruvoyl Tetrahydropterin Synthase, An Enzyme With a Novel Type of Active Site Involving Both Zinc Binding and an Intersubunit Catalytic Triad Motif; Site-directed Mutagenesis of the Proposed Active Center, Characterization of the Metal Binding Site and Modelling of Substrate Binding	**D. M. Bürgisser, B. Thöny U. Redweik, D. Hess C. W. Heizmann, R. Huber and H. Nar**	358–369
Comprehensive Analysis of Hydrogen Bonds in Regulatory Protein DNA-Complexes: In Search of Common Principles	**Y. Mandel-Gutfreund, O. Schueler and H. Margalit**	370–382
Author Index		383

Number 3, 27 October 1995

Communications

Framework Residues 71 and 93 of the Chimeric B72.3 Antibody are Major Determinants of the Conformation of Heavy-chain Hypervariable Loops	**J. Xiang, Y. Sha, Z. Jia, L. Prasad and L. T. J. Delbaere**	385–390
A Simple Protocol for Identification of Helical and Mobile Residues in Membrane Proteins	**D. J. Tobias, J. Gesell, M. L. Klein and S. J. Opella**	391–395

Articles

Transcriptional Regulation of *PS-IAA4/5* and *PS-IAA6* Early Gene Expression by Indoleacetic Acid and Protein Synthesis Inhibitors in Pea (*Pisum sativum*)	**T. Koshiba, N. Ballas, L.-M. Wong and A. Theologis**	396–413
The Non-inducible Nature of Super-repressors of the *gal* Operon in *Escherichia coli*	**Y.-N. Zhou, S. Chatterjee, S. Roy and S. Adhya**	414–425
Localization of Sequences Required for Size-specific Splicing of a Small *Drosophila* Intron *in Vitro*	**M. Guo and S. M. Mount**	426–437
Energetics of Coupled Twist and Writhe Changes in Closed Circular pSM1 DNA	**W. R. Bauer, H. Ohtsubo, E. Ohtsubo and C. J. Benham**	438–452
Structure, Thermodynamics and Cooperativity of the Glucocorticoid Receptor DNA-binding Domain in Complex with Different Response Elements. Molecular Dynamics Simulation and Free Energy Perturbation Studies	**M. A. L. Eriksson and L. Nilsson**	453–472

Calculation of Relative Binding Free energies and Configurational Entropies: A Structural and Thermodynamic Analysis of the Nature of Non-polar Binding of Thrombin Inhibitors Based on Hirudin[55–65] — **J. Wang, Z. Szewczuk, S.-Y. Yue Y. Tsuda, Y. Konishi and E. O. Purisima** — 473–492

Disulfide Mutants of Barnase I: Changes in Stability and Structure Assessed by Biophysical Methods and X-ray Crystallography — **J. Clarke, K. Henrick and A. R. Fersht** — 493–504

Disulfide Mutants of Barnase II: Changes in Structure and Local Stability Identified by Hydrogen Exchange — **J. Clarke, A. M. Hounslow and A. R. Fersht** — 505–513

Author Index — 515

Number 4, 3 November 1995

Articles

Helix-destabilizing Activity of φ29 Single-stranded DNA Binding Protein: Effect on the Elongation Rate During Strand Displacement DNA Replication — **M. S. Soengas, C. Gutiérrez and M. Salas** — 517–529

A Model for Transmembrane Signalling by the Aspartate Receptor Based on Random-cassette Mutagenesis and Site-directed Disulfide Cross-linking — **I. N. Maruyama, Y. G. Mikawa and H. I. Maruyama** — 530–546

Radial Mass Analysis of the Flagellar Filament of *Salmonella*: Implications for the Subunit Folding — **I. Yamashita, F. Vonderviszt, Y. Mimori H. Suzuki, K. Oosawa and K. Namba** — 547–558

The Crystal Structure of the Antibody N10–Staphylococcal Nuclease Complex at 2.9 Å Resolution — **P. Bossart-Whitaker, C. Y. Chang J. Novotny, D. C. Benjamin and S. Sheriff** — 559–575

Mechanism of Hydrogen–Deuterium Exchange in *trp* Repressor Studied by ^{1}H-^{15}N NMR — **M. D. Finucane and O. Jardetzky** — 576–589

Determination of the Three-dimensional Solution Structure of Scyllatoxin by ^{1}H Nuclear Magnetic Resonance — **J. C. Martins, F. J. M. Van de Ven and F. A. M. Borremans** — 590–603

Mutations at Positions 153 and 328 in *Escherichia coli* Alkaline Phosphatase Provide Insight Towards the Structure and Function of Mammalian and Yeast Alkaline Phosphatases — **J. E. Murphy, T. T. Tibbitts and E. R. Kantrowitz** — 604–617

Structure-guided Analysis Reveals Nine Sequence Motifs Conserved among DNA Amino-methyltransferases, and Suggests a Catalytic Mechanism for these Enzymes — **T. Malone, R. M. Blumenthal and X. Cheng** — 618–632

Automatic Analysis of Protein Conformational Changes by Multiple Linkage Clustering — **N. S. Boutonnet, M. J. Rooman and S. J. Wodak** — 633–647

Author Index — 649–650

Number 5, 10 November 1995

Communications

Different Subdomains are Most Protected From Hydrogen Exchange in the Molten Globule and Native States of Human α-Lactalbumin — **B. A. Schulman, C. Redfield, Z.-y. Peng C. M. Dobson and P. S. Kim** — 651–657

Site-directed Mutagenesis of Proteolytic Antibody Light Chain — **Q.-S. Gao, M. Sun, A. R. Rees and S. Paul** — 658–664

Articles

Activity of a *C. elegans* GATA Transcription Factor, ELT-1, Expressed in Yeast — **Y.-H. Shim, J. J. Bonner and T. Blumenthal** — 665–676

Functional Redundancy of Promoter Elements Ensures Efficient Transcription of the Human 7SK Gene *in vivo* — **D. C. Boyd, P. C. Turner, N. J. Watkins T. Gerster and S. Murphy** — 677–690

The Sixty Nucleotide OccR Operator Contains a Subsite Essential and Sufficient for OccR Binding and a Second Subsite Required for Ligand-responsive DNA Bending — **L. Wang and S. C. Winans** — 691–702

Genetic Dissection of Intersubunit Contacts Within Human Protein Kinase CK2 — **M. Kusk, C. Bendixen, M. Dunø O. Westergaard and B. Thomsen** — 703–711

The 60 kDa Heat Shock Proteins in the Hyperthermophilic Archaeon *Sulfolobus shibatae* — **H. K. Kagawa, J. Osipiuk, N. Maltsev R. Overbeek, E. Quaite-Randall A. Joachimiak and J. D. Trent** — 712–725

A Double Mutation in Subunit c of the Na^+-specific F_1F_0-ATPase of *Propionigenium modestum* Results in a Switch from Na^+ to H^+-coupled ATP Synthesis in the *Escherichia coli* Host Cells — **G. Kaim and P. Dimroth** — 726–738

Autocatalytic Gene Expression Occurs *via* Transertion and Membrane Domain Formation and Underlies Differentiation in Bacteria: A Model — **V. Norris and M. S. Madsen** — 739–748

Three-dimensional Solution Structure of Bombyxin-II, an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Structural Comparison with Insulin and Relaxin — **K. Nagata, H. Hatanaka, D. Kohda H. Kataoka, H. Nagasawa, A. Isogai H. Ishizaki, A. Suzuki and F. Inagaki** — 749–758

Identification of the Receptor-recognition Surface of Bombyxin-II, an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Critical Importance of the B-chain Central Part — **K. Nagata, H. Hatanaka, D. Kohda H. Kataoka, H. Nagasawa, A. Isogai H. Ishizaki, A. Suzuki and F. Inagaki** — 759–770

An Integrated Kinetic Analysis of Intermediates and Transition States in Protein Folding Reactions — **M. J. Parker, J. Spencer and A. R. Clarke** — 771–786

Thermodynamic Investigation of Hirudin Binding to the Slow and Fast Forms of Thrombin: Evidence for Folding Transitions in the Inhibitor and Protease Coupled to Binding — **Y. M. Ayala, A. Vindigni, M. Nayal R. S. Spolar, M. T. Record, Jr and E. Di Cera** — 787–798

Ionisation of Cysteine Residues at the Termini of Model α-Helical Peptides. Relevance to Unusual Thiol pK_a Values in Proteins of the Thioredoxin Family — **T. Kortemme and T. E. Creighton** — 799–812

Author Index — 813–814

Volume 254

Number 1, 17 November 1995

Communication

Identification in the Human Genome of Mobile Elements Spread by DNA-mediated Transposition — **G. T. Morgan** — 1–5

Articles

Requirement of a 3'-Terminal Stem-loop in *in Vitro* Transcription by an RNA-dependent RNA Polymerase — **C. Song and A. E. Simon** — 6–14

Dynamics of Bacteriophage T4 DNA Polymerase Function: Identification of Amino Acid Residues that Affect Switching between Polymerase and 3' → 5' Exonuclease Activities — **S. A. Stocki, R. L. Nonay and L. J. Reha-Krantz** — 15–28

Anti-cruciform Monoclonal Antibody and Cruciform DNA Interaction — **K. Steinmetzer M. Zannis-Hadjopoulos and G. B. Price** — 29–37

The Mutagenic Processing of Psoralen Photolesions Leaves a Highly Specific Signature at an Endogenous Human Locus — **A. Laquerbe, C. Guillouf E. Moustacchi and D. Papadopoulo** — 38–49

A Theory of DNA Dissociation from the Nucleosome — **N. L. Marky and G. S. Manning** — 50–61

Contribution of Hydrophobic Residues to the Stability of Human Lysozyme: Calorimetric Studies and X-ray Structural Analysis of the Five Isoleucine to Valine Mutants — **K. Takano, K. Ogasahara, H. Kaneda Y. Yamagata, S. Fujii, E. Kanaya M. Kikuchi, M. Oobatake and K. Yutani** — 62–76

Decomposition of Interaction Free Energies in Proteins and Other Complex Systems — **G. P. Brady and K. A. Sharp** — 77–85

Crystal Structure of the SH2 Domain from the Adaptor Protein SHC: A Model for Peptide Binding Based on X-ray and NMR Data — **V. Mikol, G. Baumann M. G. M. Zurini and U. Hommel** — 86–95

Strange Bedfellows: Interactions between Acidic Side-chains in Proteins — **M. M. Flocco and S. L. Mowbray** — 96–105

Author Index — 107

Number 2, 24 November 1995

Communications

Myosin from Alga *Chara*: Unique Structure Revealed by Electron Microscopy — **K. Yamamoto, M. Kikuyama N. Sutoh-Yamamoto, E. Kamitsubo and E. Katayama** — 109–112

Examination of the Structure of the Transthyretin Amyloid Fibril by Image Reconstruction from Electron Micrographs	**L. C. Serpell, M. Sunde, P. E. Fraser P. K. Luther, E. P. Morris, O. Sangren E. Lundgren and C. C. F. Blake**	113–118

Articles

Disparate Replication Properties of Integrated and Extrachromosomal Forms of Bovine Papilloma Virus in ID13 Cells	**K. G. Ten Hagen, J.-B. Ravnan and S. N. Cohen**	119–129
Mechanism of Protein Access to Specific DNA Sequences in Chromatin: A Dynamic Equilibrium Model for Gene Regulation	**K. J. Polach and J. Widom**	130–149
The DNA-binding Domain of the Hexameric Arginine Repressor	**R. Grandori, T. A. Lavoie, M. Pflumm G. Tian, H. Niersbach, W. K. Maas R. Fairman and J. Carey**	150–162
An Interactive Framework for RNA Secondary Structure Prediction with a Dynamical Treatment of Constraints	**C. Gaspin and E. Westhof**	163–174
Mapping of the Active Site Zinc Ligands of Peptide Deformylase	**T. Meinnel, C. Lazennec and S. Blanquet**	175–183
Genomic Organization and Chromosomal Location of the Human dsRNA Adenosine Deaminase Gene: The Enzyme for Glutamate-activated Ion Channel RNA Editing	**Y. Wang, Y. Zeng, J. M. Murray and K. Nishikura**	184–195
Crystal Structure of Diferric Hen Ovotransferrin at 2.4 Å Resolution	**H. Kurokawa, B. Mikami and M. Hirose**	196–207
Three-dimensional Structures of the Fab Fragment of Murine N1G9 Antibody from the Primary Immune Response and of its Complex with (4-Hydroxy-3-Nitrophenyl)acetate	**R. Mizutani, K. Miura, T. Nakayama I. Shimada Y. Arata and Y. Satow**	208–222
The Refined Crystallographic Structure of a DD-Peptidase Penicillin-target Enzyme at 1.6 Å Resolution	**J. A. Kelly and A. P. Kuzin**	223–236
Crystal Structure of Concanavalin B at 1.65 Å Resolution. An "Inactivated" Chitinase from Seeds of *Canavalia ensiformis*	**M. Hennig, J. N. Jansonius A. C. T. van Scheltinga, B. W. Dijkstra and B. Schlesier**	237–246
Solution Structure of the Ribosome-binding Domain of *E. coli* Translation Initiation Factor IF3. Homology with the U1A Protein of the Eukaryotic Spliceosome	**C. Garcia, P.-L. Fortier, S. Blanquet J.-Y. Lallemand and F. Dardel**	247–259
The Structure of the Transition State for Folding of Chymotrypsin Inhibitor 2 Analysed by Protein Engineering Methods: Evidence for a Nucleation-condensation Mechanism for Protein Folding	**L. S. Itzhaki, D. E. Otzen and A. R. Fersht**	260–288
Search for Nucleation Sites in Smaller Fragments of Chymotrypsin Inhibitor 2	**L. S. Itzhaki, J. L. Neira, J. Ruiz-Sanz G. de Prat Gay and A. R. Fersht**	289–304

A Comparison of the pH, Urea, and Temperature-denatured States of Barnase by Heteronuclear NMR: Implications for the Initiation of Protein Folding — **V. L. Arcus, S. Vuilleumier S. M. V. Freund, M. Bycroft and A. R. Fersht** — 305–321

Comparison between the ϕ Distribution of the Amino Acids in the Protein Database and NMR Data Indicates that Amino Acids have Various ϕ Propensities in the Random Coil Conformation — **L. Serrano** — 322–333

Author Index — 335

Number 3, 1 December 1995

Communication

The Gene for Nucleoside Diphosphate Kinase Functions as a Mutator Gene in *Escherichia coli* — **Q. Lu, X. Zhang, N. Almaula C. K. Mathews and M. Inouye** — 337–341

Articles

Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Amino Acid Substitution within the Amino-terminal Assembly Domain — **M. Kimura and A. Ishihama** — 342–349

Tat Functions to Stimulate the Elongation Properties of Transcription Complexes Paused by the Duplicated TAR RNA Element of Human Immunodeficiency Virus 2 — **L. F. García-Martínez, G. Mavankal P. Peters, F. Wu-Baer and R. B. Gaynor** — 350–363

Electron Microscopic Visualization of RecT Protein and its Complexes with DNA — **R. J. Thresher, A. M. Makhov S. D. Hall, R. Kolodner and J. D. Griffith** — 364–371

Analysis of Deletions Induced in the Genome of Mammalian Cells by Ionizing Radiation — **F. Hutchinson** — 372–380

Determination of Sequence Specificity between a Plasmid Replication Initiator Protein and the Origin of Replication — **C. D. Thomas, T. T. Nikiforov B. A. Connolly and W. V. Shaw** — 381–391

CDR Walking Mutagenesis for the Affinity Maturation of a Potent Human Anti-HIV-1 Antibody into the Picomolar Range — **W.-P. Yang, K. Green, S. Pinz-Sweeney A. T. Briones, D. R. Burton and C. F. Barbas III** — 392–403

Lipid Location in Deoxycholate-treated Purple Membrane at 2.6 Å — **N. Grigorieff, E. Beckmann and F. Zemlin** — 404–415

The Effect of Temperature on the Structure of Vinblastine-induced Polymers of Purified Tubulin: Detection of a Reversible Conformational Change — **E. Nogales, F. J. Medrano G. P. Diakun G. R. Mant E. Towns-Andrews and J. Bordas** — 416–430

Refined Crystal Structures of Unligated Adenylosuccinate Synthetase from *Escherichia coli* — **M. M. Silva, B. W. Poland C. R. Hoffman, H. J. Fromm and R. B. Honzatko** — 431–446

Bacillus thuringiensis CrylA(a) Insecticidal Toxin: Crystal Structure and Channel Formation — **P. Grochulski, L. Masson, S. Borisova M. Pusztai-Carey, J.-L. Schwartz R. Brousseau and M. Cygler** — 447–464

Automated Assignment of Simulated and Experimental NOESY Spectra of Proteins by Feedback Filtering and Self-correcting Distance Geometry — **Ch. Mumenthaler and W. Braun** — 465–480

Mechanism of Protein Stabilization by Disulfide Bridges: Calorimetric Unfolding Studies on Disulfide-deficient Mutants of the α-Amylase Inhibitor Tendamistat — **T. Vogl, R. Brengelmann, H.-J. Hinz M. Scharf, M. Lötzbeyer and J. W. Engels** — 481–496

Canonical Structure Repertoire of the Antigen-binding Site of Immunoglobulins Suggests Strong Geometrical Restrictions Associated to the Mechanism of Immune Recognition — **E. Vargas-Madrazo, F. Lara-Ochoa and J. C. Almagro** — 497–504

Preferential Heterodimeric Parallel Coiled-coil Formation by Synthetic Max and c-Myc Leucine Zippers: A Description of Putative Electrostatic Interactions Responsible for the Specificity of Heterodimerization — **P. Lavigne, L. H. Kondejewski M. E. Houston Jr, F. D. Sönnichsen B. Lix, B. D. Sykes, R. S. Hodges and C. M. Kay** — 505–520

Author Index — 521

Number 4, 8 December 1995

Review Article

First Glimpses at Structure-function Relationships of the Nucleocapsid Protein of Retroviruses — **J.-L. Darlix, M. Lapadat-Tapolsky H. de Rocquigny and B. P. Roques** — 523–537

Communications

The Mitochondrial ClpB Homolog Hsp78 Cooperates with Matrix Hsp70 in Maintenance of Mitochondrial Function — **M. Moczko, B. Schönfisch W. Voos N. Pfanner and J. Rassow** — 538–543

A Novel Basis for Capsid Stabilization by Antiviral Compounds — **D. K. Phelps and C. B. Post** — 544–551

Articles

Regulation of *codBA* Operon Expression in *Escherichia coli* by UTP-dependent Reiterative Transcription and UTP-sensitive Transcriptional Start Site Switching — **F. Qi and C. L. Turnbough Jr** — 552–565

Adjacent Upstream Superhelical Writhe Influences an *Escherichia coli* Promoter as Measured by *in Vivo* Strength and *in Vitro* Open Complex Formation — **Y. Hirota and T. Ohyama** — 566–578

Determination of DNA Persistence Length by Cryo-electron Microscopy. Separation of the Static and Dynamic Contributions to the Apparent Persistence Length of DNA — **J. Bednar, P. Furrer, V. Katritch A. Z. Stasiak, J. Dubochet and A. Stasiak** — 579–591

Appendix: Persistence Length of DNA Molecules Confined to a Thin Liquid Layer — **V. Katritch, J. Bednar, P. Furrer F. Pinol-i-Margalef, M. Kunt A. Vologodskii, A. Stasiak and J. Dubochet** — 591–594

Mutations in the Gene Encoding the 34 kDa Subunit of Yeast Replication Protein A Cause Defective S Phase Progression	**C. Santocanale, H. Neecke M. P. Longhese, G. Lucchini and P. Plevani**	595–607
Dissection of the Core and Auxiliary Sequences in the Vegetative Replication Origin of Promiscuous Plasmid RK2	**D. S. Shah, M. A. Cross, D. Porter and C. M. Thomas**	608–622
The Structure of a Novel DNA Duplex Formed by Human Centromere d(TGGAA) Repeats with Possible Implications for Chromosome Attachment during Mitosis	**L. Zhu, S.-H. Chou and B. R. Reid**	623–637
Solution Structure of a DNA Quadruplex Containing the Fragile X Syndrome Triplet Repeat	**A. Kettani, R. A. Kumar and D. J. Patel**	638–656
Crystal Structure of a bZIP/DNA Complex at 2.2 Å: Determinants of DNA Specific Recognition	**W. Keller, P. König and T. J. Richmond**	657–667
Three-dimensional Dimer Structure of the λ-Cro Repressor in Solution as Determined by Heteronuclear Multidimensional NMR	**H. Matsuo, M. Shirakawa and Y. Kyogoku**	668–680
Solution Structure of the GTPase Activating Domain of α_s	**D. R. Benjamin, D. W. Markby H. R. Bourne and I. D. Kuntz**	681–691
Solution Structure of the HU Protein from *Bacillus stearothermophilus*	**H. Vis, M. Mariani, C. E. Vorgias K. S. Wilson, R. Kaptein and R. Boelens**	692–703
Refined Solution Structure and Dynamics of the DNA-binding Domain of the Heat Shock Factor from *Kluyveromyces lactis*	**F. F. Damberger, J. G. Pelton C. Liu, H. Cho, C. J. Harrison H. C. M. Nelson and D. E. Wemmer**	704–719
Kinetic and Structural Characterization of Mutations of Glycine 216 in α-Lytic Protease: A New Target for Engineering Substrate Specificity	**J. E. Mace and D. A. Agard**	720–736
High Helical Propensity of the Peptide Fragments Derived from β-Lactoglobulin, a Predominantly β-sheet Protein	**D. Hamada, Y. Kuroda, T. Tanaka and Y. Goto**	737–746
Vibrational Raman Optical Activity of α-Lactalbumin: Comparison with Lysozyme, and Evidence for Native Tertiary Folds in Molten Globule States	**G. Wilson, S. J. Ford, A. Cooper L. Hecht, Z. Q. Wen and L. D. Barron**	747–760
Complex Salt Bridges in Proteins: Statistical Analysis of Structure and Function	**B. Musafia, V. Buchner and D. Arad**	761–770
Molecular Dynamics Simulation of *E. coli* Ribonuclease H_1 in Solution: Correlation with NMR and X-ray Data and Insights into Biological Function	**M. Philippopoulos and C. Lim**	771–792
Author Index		793–794

Number 5, 15 December 1995

Communications

In vitro Binding of Ciliary Neurotrophic Factor to its Receptors: Evidence for the Formation of an IL-6-type Hexameric Complex	**A. De Serio, R. Graziani, R. Laufer G. Ciliberto and G. Paonessa**	795–800
The Meaning of Component Analysis: Decomposition of the Free Energy in Terms of Specific Interactions	**S. Boresch and M. Karplus**	801–807

Articles

Kinetics of RNA Polymerase Initiation and Pausing at the Lambda Late Gene Promoter *in vivo*	**M. Kainz and J. W. Roberts**	808–814
Structural and Functional Dissections of Transcription Termination Factor Rho by Random Mutagenesis	**Y. Miwa, T. Horiguchi and K. Shigesada**	815–837
The Involvement of Two Distinct Regions of 23 S Ribosomal RNA in tRNA Selection	**M. O'Connor and A. E. Dahlberg**	838–847
The Action of Pokeweed Antiviral Protein and Ricin A-chain on Mutants in the α-Sarcin Loop of *Escherichia coli* 23S Ribosomal RNA	**A. Marchant and M. R. Hartley**	848–855
Modelling Viral Evolution *in Vitro* Using exo$^-$ Klenow Polymerase: Continuous Selection of Strand Displacement Amplified DNA that Binds an Oligodeoxynucleotide to Form a Triple-helix	**N. G. Walter**	856–868
Targeted Disruption of *01H1* Encoding a Particular H1 Histone Variant Causes Changes in Protein Patterns in the DT40 Chicken B Cell Line	**K. Seguchi, Y. Takami and T. Nakayama**	869–880
The Ribosomal DNA Loci in *Plasmodium falciparum* Accumulate Mutations Independently	**M. J. Rogers, G. A. McConkey, J. Li and T. F. McCutchan**	881–891
Binding of Mouse and Human Fibulin-2 to Extracellular Matrix Ligands	**T. Sasaki, W. Göhring, T.-C. Pan M.-L. Chu and R. Timpl**	892–899
The Binding of 2-Deoxy-D-glucose 6-Phosphate to Glycogen Phosphorylase *b*: Kinetic and Crystallographic Studies	**N. G. Oikonomakos, S. E. Zographos L. N. Johnson, A. C. Papageorgiou and K. R. Acharya**	900–917
The Refined X-ray Structure of Muconate Lactonizing Enzyme from *Pseudomonas putida* PRS2000 at 1.85 Å Resolution	**S. Helin, P. C. Kahn, Bh. L. Guha D. G. Mallows and A. Goldman**	918–941
Crystal Structure of the Catalytic Subunit of Human Protein Phosphatase 1 and Its Complex with Tungstate	**M.-P. Egloff, P. T. W. Cohen P. Reinemer and D. Barford**	942–959
Partially Folded States of Proteins: Characterization by X-ray Scattering	**S. Doniach, J. Bascle, T. Garel and H. Orland**	960–967
Conformational Pathway of the Polypeptide Chain of Chymotrypsin Inhibitor-2 Growing from its N Terminus *in vitro*. Parallels with the Protein Folding Pathway	**G. de Prat Gay, J. Ruiz-Sanz J. L. Neira, F. J. Corrales, D. E. Otzen A. G. Ladurner and A. R. Fersht**	968–979

Perturbed pK_A-values in the Denatured States of Proteins — **Y.-J. Tan, M. Oliveberg, B. Davis and A. R. Fersht** — 980–992

Steroid Recognition by Chloramphenicol Acetyltransferase: Engineering and Structural Analysis of a High Affinity Fusidic Acid Binding Site — **I. A. Murray, P. A. Cann, P. J. Day J. P. Derrick, M. J. Sutcliffe W. V. Shaw and A. G. W. Leslie** — 993–1005

Author Index — 1007–1008

Keyword Index

14-3-3
Expression and Structural Analysis of 14-3-3 Proteins, **245**, 375–384.

AAV
Rescue and Replication Signals of the Adeno-associated Virus 2 Genome, **250**, 573–580.

Abasic sites
The Action of *Escherichia coli* Endonuclease III on Multiply Damaged Sites in DNA, **249**, 914–922.
Novel Mutagenic Properties of Abasic Sites in *Saccharomyces cerevisiae*, **251**, 229–236.

Abrin-a
Crystal Structure of Abrin-a at 2.14 Å, **250**, 354–367.

Abrus precatorius
Crystal Structure of Abrin-a at 2.14 Å, **250**, 354–367.

Accessibility
Algorithms for Evaluating the Long-range Accessibility of Protein Surfaces, **249**, 804–815.

Accessible surface
The Volume of Atoms on the Protein Surface: Calculated from Simulation, using Voronoi Polyhedra, **249**, 955–966.

Accuracy
Application of ^{1}H NMR Chemical Shifts to Measure the Quality of Protein Structures, **247**, 541–546.
Ribosome Mutants with Altered Accuracy Translate with Reduced Processivity, **248**, 551–561.
The Complexity and Accuracy of Discrete State Models of Protein Structure, **249**, 493–507.

***N*-2-acetylaminofluorene**
N-2-aminofluorene and *N*-2 acetylaminofluorene Adducts: The Local Sequence Context of an Adduct and its Chemical Structure Determine its Replication Properties, **249**, 903–913.
Sequence Determinants for −2 Frameshift Mutagenesis at *Nar*I-derived Hot Spots, **252**, 507–513.

Acid denaturation
Acid and Thermal Denaturation of Barnase Investigated by Molecular Dynamics Simulations, **252**, 672–708.
Perturbed pK_A-values in the Denatured States of Proteins, **254**, 980–992.

Actin
Structural Dynamics of F-actin: I. Changes in the C-Terminus, **245**, 582–597.
Structural Dynamics of F-actin II. Cooperativity in Structural Transitions, **245**, 598–607.
Rigor Cross-bridges Bind to Two Actin Monomers in Thin Filaments of Rabbit Psoas Muscle, **248**, 294–307.
Steric-blocking by Tropomyosin Visualized in Relaxed Vertebrate Muscle Thin Filaments, **251**, 191–196.
Structural Changes in Actin-Tropomyosin During Muscle Regulation: Computer Modelling of Low-Angle X-ray Diffraction Data, **252**, 611–632.

Actin-binding protein
Structure of Severin Domain 2 in Solution, **247**, 21–27.

***trans*-acting**
A Supprescin from a Phytopathogenic Fungus Deactivates Transcription of a Plant Defense Gene Encoding Phenylalanine Ammonia-lyase, **249**, 513–519.

α-actinin
Association of Structural Repeats in the α-Actinin Rod Domain. Alignment of Inter-subunit Interactions, **252**, 227–234.

Actin-tropomyosin binding
An Atomic Model of the Unregulated Thin Filament Obtained by X-ray Fiber Diffraction on Oriented Actin-Tropomyosin Gels, **246**, 108–119.

Activation energy
A Theory of DNA Dissociation from the Nucleosome, **254**, 50–61.

Active invasion
Mechanism of Protein Access to Specific DNA Sequences in Chromatin: A Dynamic Equilibrium Model for Gene Regulation, **254**, 130–149.

Active site
Functional Significance of Arginine 15 in the Active Site of Human Class Alpha Glutathione Transferase A1-1, **247**, 765–773.
Mapping of the Active Site Zinc Ligands of Peptide Deformylase, **254**, 175–183.

Active site mutants
Crystal Structure of a Pyrimidine Dimer-specific Excision Repair Enzyme from Bacteriophage T4: Refinement at 1.45 Å and X-ray Analysis of the Three Active Site Mutants, **249**, 360–375.
Glutathione Transferases with Novel Active Sites Isolated by Phage Display from a Library of Random Mutants, **250**, 115–122.

Acto-myosin binding
An Atomic Model of the Unregulated Thin Filament Obtained by X-ray Fiber Diffraction on Oriented Actin-Tropomyosin Gels, **246**, 108–119.

Additivity effects
CDR Walking Mutagenesis for the Affinity Maturation of a Potent Human Anti-HIV-1 Antibody into the Picomolar Range, **254**, 392–403.

Adenine binding
CH/π Interaction in the Packing of the Adenine Ring in Protein Structures, **251**, 9–14.

Adeno
Visualization of TBP Oligomers Binding and Bending the HIV-1 and Adeno Promoters, **246**, 576–584.

Adeno-associated virus
Rescue and Replication Signals of the Adeno-associated Virus 2 Genome, **250**, 573–580.

***S*-adenosyl-L-methionine**
Structure-guided Analysis Reveals Nine Sequence Motifs Conserved among DNA Amino-methyl-transferases, and Suggests a Catalytic Mechanism for these Enzymes, **253**, 618–632.

Adenovirus
Activation of Expression of Multiple Subfamilies of Human *Alu* Elements by Adenovirus Type 5 and Herpes Simplex Virus Type 1, **248**, 513–524.
The Secondary Structure of the Adenovirus-2 L4 Polyadenylation Domain: Evidence for a Hairpin Structure Exposing the AAUAAA Signal in its Loop, **248**, 525–540.

Adenovirus VA RNA
Functional Characterization of the RNA-Binding Domain and Motif of the Double-stranded RNA-dependent Protein Kinase DAI (PKR), **249**, 29–44.

Adenylyl cyclase
Solution Structure of the GTPase Activating Domain of α_o, **254**, 681–691.

***Adh* proximal promoter**
A Transcriptional Role for Conserved Footprinting Sequences within the Larval Promoter of a *Drosophila* Alcohol Dehydrogenase Gene, **249**, 259–269.

Adjacent overlapping binding sites
Solution Structure of Mithramycin Dimers Bound to Partially Overlapping Sites on DNA, **251**, 674–689.

AdoMet-dependent methyltransferases
Universal Catalytic Domain Structure of AdoMet-dependent Methyltransferases, **247**, 16–20.

ADP-ribosylation
The Three-dimensional Crystal Structure of Cholera Toxin, **251**, 563–573.

Aerobic metabolism
New Archaebacterial Genes Coding for Redox Proteins: Implications for the Evolution of Aerobic Metabolism, **250**, 202–210.

Aeromonas
Tyrosine Phosphorylation of the Tetragonal Paracrystalline Array of *Aeromonas hydrophila*: Molecular Cloning and High-level Expression of the S-layer Protein Gene, **245**, 568–581.

Aeromonas sulmonicida
Molecular Analysis of an A-protein Secretion Mutant of *Aeromonas salmonicida* Reveals a Surface Layer-specific Protein Secretion Pathway, **248**, 316–327.

Affinity maturation
High-affinity Antigen Binding by Chelating Recombinant Antibodies (CRAbs), **246**, 369–375.
Three-dimensional Structure of the Fab Fragment of Murine N1G9 Antibody from the Primary Immune Response and of Its Complex with (4-Hydroxy-3-Nitrophenyl) acetate, **254**, 208–222.

Affinity selection
A Conformationally Homogeneous Combinatorial Peptide Library, **247**, 154–160.

ϖ-agatoxin IVA
Three-dimensional Solution Structure of the Calcium Channel Antagonist ϖ-Agatoxin IVA: Consensus Molecular Folding of Calcium Channel Blockers, **250**, 659–671.

Agrobacterium tumefaciens
High Angle and Ligand-induced Low Angle DNA Bends Incited by OccR Lie in the Same Plane with OccR Bound to the Interior Angle, **253**, 32–38.

AIDS
High-resolution Structure of the Catalytic Domain of Avian Sarcoma Virus Integrase, **253**, 333–346.

Alanine
Alanine Scanning Mutagenesis of the α-Helix 115-123 of Phage T4 Lysozyme: Effects on Structure, Stability and the Binding of Solvent, **246**, 317–330.

A-layer
Molecular Analysis of an A-protein Secretion Mutant of *Aeromonas salmonicida* Reveals a Surface Layer-specific Protein Secretion Pathway, **248**, 316–327.

Albumin
Salmon HNF1: cDNA Sequence, Evolution, Tissue Specificity and Binding to the Salmon Serum Albumin Promoter, **247**, 1–10.

Alchemical simulations
The Meaning of Component Analysis: Decomposition of the Free Energy in Terms of Specific Interactions, **254**, 801–807.

Alcohol dehydrogenase
A Transcriptional Role for Conserved Footprinting Sequences within the Larval Promoter of a *Drosophila* Alcohol Dehydrogenase Gene, **249**, 259–269.
Crystal Structure of *Escherichia coli* QOR Quinone Oxidoreductase Complexed with NADPH, **249**, 785–799.

ALF1
E-Box Variants Direct Formation of Distinct Complexes with the Basic Helix-Loop-Helix Protein ALF1, **249**, 564–575.

Alignment, structural
Average Core Structures and Variability Measures for Protein Families: Application to the Immunoglobulins, **251**, 161–175.

Alkali metal ion binding sites
Structural and Mechanistic Analysis of Two Refined Crystal Structures of the Pyridoxal Phosphate-dependent Enzyme Dialkylglycine Decarboxylase, **245**, 151–179.

Allophycocyanin
Evolution of the Phycobiliproteins, **248**, 79–96.
Isolation, Crystallization, Crystal Structure Analysis and Refinement of Allophycocyanin for the Cyanobacterium *Spirulina platensis* at 2.3 Å Resolution, **249**, 424–440.

Allosteric effector
Core RNA Polymerase and Promoter DNA Interactions of Purified Domains of σ^N: Bipartite Functions, **248**, 781–803.

Allosteric inhibition
The Binding of 2-Deoxy-glucose-6-phosphate to Glycogen Phosphorylase b: Kinetic and Crystallographic studies, **253**, 114–131.
The Binding of 2-Deoxy-d-glucose 6-Phosphate to Glycogen Phosphorylase *b*: Kinetic and Crystallographic Studies, **254**, 900–917.

Allosteric regulation
Hypercooperativity Induced by Interface Mutations in the Phosphofructokinase from *Escherichia coli*, **246**, 248–253.
Slow Ligand-induced Transitions in the Alllosteric Phosphofructokinase from *Escherichia coli*, **249**, 478–492.

Allosteric repressors
The DNA-binding Domain of the Hexameric Arginine Repressor, **254**, 150–162.

Allostery
Ligand Binding to Wild-type and E-B13Q Mutant Insulins: A Three-state Allosteric Model System Showing Half-site Reactivity, **245**, 324–330.
Intramolecular Transmission of the ATP Regulatory Signal in *Escherichia coli* Aspartate Transcarbamylase: Specific Involvement of a Clustered Set of Amino Acid Interactions at an Interface Between Regulatory and Catalytic Subunits, **246**, 132–143.

Intrinsic Activity at the Molecular Level: E. J. Ariëns' Concept Visualized, **248**, 845–855.
Thermodynamics of RNA Unfolding: Stabilization of a Ribosomal RNA Tertiary Structure by Thiostrepton and Ammonium Ion, **249**, 231–238.
X-ray Scattering Titration of the Quaternary Structure Transition of Aspartate Transcarbamylase with a Bisubstrate Analogue: Influence of Nucleotide Effectors, **251**, 243–255.
The 2.0 Å Crystal Structure of *Scapharca* Tetrameric Hemoglobin: Cooperative Dimers within an Allosteric Tetramer, **253**, 168–186.
Thermodynamic Investigation of Hirudin Binding to the Slow and Fast Forms of Thrombin: Evidence for Folding Transitions in the Inhibitor and Protease Coupled to Binding, **253**, 787–798.

Alpha helix
see α-helix.

Alpha sarcin
see α-sarcin loop.

Alternative splicing
Differential Regulation of Hox C6 in the Appendages of Adult Urodeles and Anurans, **249**, 879–889.
β-Tropomyosin Pre-mRNA Folding Around a Muscle-specific Exon Interferes with Several Steps of Spliceosome Assembly, **251**, 591–602.
Genome Structure, Mapping and Expression of the Tropomyosin Gene *tmy-1* of *Caenorhabditis elegans*, **251**, 603–613.

***Alu* element**
Repetitive *Alu* Elements form a Cruciform Structure that Regulates the Function of the Human CD8α T Cell-specific Enhancer, **246**, 63–73.
Activation of Expression of Multiple Subfamilies of Human *Alu* Elements by Adenovirus Type 5 and Herpes Simplex Virus Type 1, **248**, 513–524.

***Alu* subfamilies**
Dispersion and Insertion Polymorphism in Two Small Subfamilies of Recently Amplified Human *Alu* Repeats, **247**, 418–427.
Activation of Expression of Multiple Subfamilies of Human *Alu* Elements by Adenovirus Type 5 and Herpes Simplex Virus Type 1, **248**, 513–524.

Alzheimer's disease
Self-association of β-Amyloid Peptide (1–40) in Solution and Binding to Lipid Membranes, **252**, 633–642.

Amber suppression
Informational Suppression to Investigate Structural Functional and Evolutionary Aspects of the *Erwinia chrysanthemi* Cellulase EGZ, **246**, 82–94.

Amino acid interactions
Strange Bedfellows: Interactions between Acidic Side-chains in Proteins, **254**, 96–105.

Amino acid matrices substitutions
Informational Suppression to Investigate Structural Functional and Evolutionary Aspects of the *Erwinia chrysanthemi* Cellulase EGZ, **246**, 82–94.

Amino acid sequence
Structural Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Structural Domains Identified by Proteolytic Cleavage, **248**, 723–728.
A Sequence Property Approach to Searching Protein Databases, **251**, 390–399.
Structure-guided Analysis Reveals Nine Sequence Motifs Conserved among DNA Amino-methyl-transferases, and Suggests a Catalytic Mechanism for these Enzymes, **253**, 618–632.

Aminoacyl-tRNA synthetase
Evidence that Uncharged tRNA Can Inhibit a Programmed Translational Frameshift in *Escherichia coli*, **251**, 210–216.
Solution Structure of the Anticodon-binding Domain of *Escherichia coli* Lysyl-tRNA Synthetase and Studies of its Interaction with $tRNA^{Lys}$, **253**, 100–113.

γ-aminobutyric acid (GABA) receptor
GABA Receptor Minigene Rescues Insecticide Resistance Phenotypes in *Drosophila*, **253**, 223–227.

Aminopeptidase A
carP, Involved in Pyrimidine Regulation of the *Escherichia coli* Carbamoylphosphate Synthetase Operon Encodes a Sequence-specific DNA-binding Protein Identical to XerB and PepA, also Required for Resolution of ColEI Multimers, **250**, 392–406.

Ammonium ion
Stabilization of a Ribosomal RNA Tertiary Structure by Ribosomal Protein L11, **249**, 319–331.

Amphiphilic helices
The Products of Gene I and the Overlapping in-Frame Gene XI are Required for Filamentous Phage Assembly, **248**, 627–638.

Amplification
Bacteriophage T4 Gene *17* Amplification Mutants: Evidence for Initiation by the T4 Terminase Subunit gp16, **247**, 523–528.
Mutational Analysis of the Sequence-specific Recombination Box for Amplification of Gene *17* of Bacteriophage T4, **247**, 604–617.

α-amylase
Crystal Structure of Calcium-depleted *Bacillus licheniformis* α-amylase at 2.2 Å Resolution, **246**, 545–549.
The Crystal Structure of Porcine Pancreatic α-Amylase in Complex with the Microbial Inhibitor Tendamistat, **247**, 99–110.

Amyloid
Examination of the Structure of the Transthyretin Amyloid Fibril by Image Reconstruction from Electron Micrographs, **254**, 113–118.

β-amyloid peptide
X-ray Diffraction of Scrapie Prion Rods and PrP Peptides, **252**, 412–422.
Self-association of β-Amyloid Peptide (1–40) in Solution and Binding to Lipid Membranes, **252**, 633–642.

Angiotensin
High Resolution Crystal Structures of Recombinant Human Renin in Complex with Polyhydroxymonoamide Inhibitors, **250**, 211–222.

Annelids
Structural Comparison of Cuticle and Interstitial Collagens from Annelids Living in Shallow Sea-water and at Deep-sea Hydrothermal Vents, **246**, 284–294.

ANS
The Folding Mechanism of Barstar: Evidence for Multiple Pathways and Multiple Intermediates, **247**, 1013–1027.

Antibacterial and antitumor protein
Crystal Structure of Abrin-a at 2.14 Å, **250**, 354–367.

Antibiotic resistance
The Complex Formed Between Tet Repressor and Tetracycline-Mg^{2+} Reveals Mechanism of Antibiotic Resistance, **247**, 260–280.

Antibiotics
Fine Structure of the Peptidyl Transferase Centre on 23 S-like rRNAs Deduced from Chemical Probing of Antibiotic-Ribosome Complexes, **247**, 224–235.
Thermodynamics of RNA Unfolding: Stabilization of a Ribosomal RNA Tertiary Structure by Thiostrepton and Ammonium Ion, **249**, 231–238.

Antibodies
see also Monoclonal antibodies, Immunoglobulins.
Tetravalent Miniantibodies with High Avidity Assembling in *Escherichia coli*, **246**, 28–34.
Selection and Application of Human Single Chain Fv Antibody Fragments from a Semi-synthetic Phage Antibody Display Library with Designed CDR3 regions, **248**, 97–105.
Immunoglobulin Mutant Library Genetically Screened for Folding Stability Exploiting Bacterial Signal Transduction, **251**, 471–476.
Framework Residues 71 and 93 of the Chimeric B72.3 Antibody are Major Determinants of the Conformation of Heavy-chain Hypervariable Loops, **253**, 385–390.
The Crystal Structure of the Antibody N10–Staphylococcal Nuclease Complex at 2.9 Å Resolution, **253**, 559–575.
Site-directed Mutagenesis of Proteolytic Antibody Light Chain, **253**, 658–664.
Anti-cruciform Monoclonal Antibody and Cruciform DNA Interaction, **254**, 29–37.

Antibody technology
High-affinity Antigen Binding by Chelating Recombinant Antibodies (CRAbs), **246**, 369–375.

Antibody–antigen interaction
Mutations in the Complementarity-determining Regions do not cause Differences in Free Energy during the Process of Formation of the Activated Complex between an Antibody and the Corresponding Protein Antigen, **248**, 729–732.

Antibody–antigen interactions
Three-dimensional Structure of the Fab Fragment of Murine N1G9 Antibody from the Primary Immune Response and of Its Complex with (4-Hydroxy-3-Nitrophenyl) acetate, **254**, 208–222.

Antibody–protein complexes
The Crystal Structure of the Antibody N10–Staphylococcal Nuclease Complex at 2.9 Å Resolution, **247**, 559–575.

Anticodon
Glycine Codon Discrimination and the Nucleotide in Position 32 of the Anticodon Loop, **247**, 191–196.

Anticodon mediated aminoacylation
The Presence of a D-Stem but not a T-Stem is Essential for Triggering Aminoacylation upon Anticodon Binding in Yeast Methionine tRNA, **249**, 45–58.

Anticodon nuclease
Phage T4-coded Stp: Double-Edged Effector of Coupled DNA and tRNA-Restriction Systems, **249**, 857–868.

Antigen
Structure of an Antibody–Lysozyme Complex Unexpected Effect of a Conservative Mutation, **245**, 261–274.
The Crystal Structure of the Antibody N10–Staphylococcal Nuclease Complex at 2.9 Å Resolution, **253**, 559–575.

Antigen-antibody complex
see Antibody-antigen complexes.

Antigen-antibody complexes
Canonical Structure Repertoire of the Antigen-binding Site of Immunoglobulins Suggests Strong Geometrical Restrictions Associated to the Mechanism of Immune Recognition, **254**, 497–504.

Antigen-antibody interaction,
see Antibody-antigen interactions, **246.**

Antigen-binding site
Structural Repertoire in V_H Pseudogenes of Immunoglobulins: Comparison with Human Germline Genes and Human Amino Acid Sequences, **246**, 74–81.

Antiparallel β-sheet twist
Free Energy Determinants of Secondary Structure Formation: II. Antiparallel β-Sheets, **252**, 366–376.

Antisense RNA
IS *10* Antisense Control *in Vivo* is Affected by Mutations Throughout the Region of Complementarity Between the Interacting RNAs, **246**, 585–594.
Mechanism of Post-segregational Killing: Secondary Structure Analysis of the Entire Hok mRNA from Plasmid R1 Suggests a Fold-back Structure that Prevents Translation and Antisense RNA Binding, **247**, 859–873.

Antiterminator
Kinetics of RNA Polymerase Initiation and Pausing at the Lambda Late Gene Promoter *in vivo*, **254**, 808–814.

Antiviral compounds
A Sialic Acid-derived Phosphonate Analog Inhibits Different Strains of Influenza Virus Neuraminidase with Different Efficiencies, **245**, 623–624.
Structural Studies on Human Rhinovirus 14 Drug-resistant Compensation Mutants, **253**, 61–73.
A Novel Basis for Capsid Stabilization by Antiviral Compounds, **254**, 544–551.

Apamin
Determination of the Three-dimensional Solution Structure of Scyllatoxin by ^1H Nuclear Magnetic Resonance, **253**, 590–603.

Apomyoglobin
Structural Characterization of the Molten Globule and Native States of Apomyoglobin by Solution X-ray Scattering, **249**, 215–228.
Thermodynamic Stability of the Molten Globule States of Apomyoglobin, **250**, 223–238.
Intrinsic Stability of Individual α Helices Modulates Structure and Stability of the Apomyoglobin Molten Globule Form, **252**, 122–132.

APPI
The 1.6 Å Structure of Kunitz-type Domain from the α3 Chain of Human Type VI Collagen, **246**, 609–617.

Aquaporin-CHIP
Structure of the Osmo-regulated H_2O-channel, AQP-CHIP, in Projection at 3.5 Å Resolution, **251**, 413–420.

Aquo-met myoglobin
Reptile Heme Protein Structure: X-ray Crystallographic Study of the Aquo-met and Cyano-met Derivatives of the Loggerhead Sea Turtle (*Caretta caretta*) Myoglobin at 2.0 Å Resolution, **247**, 459–465.

Arabidopsis thaliana
The *PS-IAA4/5*-like Family of Early Auxin-inducible mRNAs in *Arabidopsis thaliana*, **251**, 533–549.

Archaea
The Archaeal *dnaK-dnaJ* Gene Cluster: Organization and Expression in the Methanogen *Methanosarcina mazei*, **250**, 191–201.
The 60 kDa Heat Shock Proteins in the Hyperthermophilic Archaeon *Sulfolobus shibatae*, **253**, 712–725.

Archaebacteria
Tetrabrachion: A Filamentous Archaebacterial Surface Protein Assembly of Unusual Structure and Extreme Stability, **245**, 385–401.
DNA-binding Surface of the Sso7d Protein from *Sulfolobus solfataricus*, **247**, 840–846.
New Archaebacterial Genes Coding for Redox Proteins: Implications for the Evolution of Aerobic Metabolism, **250**, 202–210.

Architectural motif
A Study of Four-helix Bundles: Investigating Protein Folding *via* Similar Architectural Motifs in Protein Cores and in Subunit Interfaces, **248**, 151–161.

Arginine
Complex Salt Bridges in Proteins: Statistical Analysis of Structure and Function, **254**, 761–770.

Arginine catabolism
Expression of the *rocDEF* Operon Involved in Arginine Catabolism in *Bacillus subtilis*, **249**, 843–856.

Aromatic interactions
Investigation of the Structural Components Governing the Polarity-dependent Refolding of a CD4-binding Peptide From gp 120, **250**, 507–513.

Aromatic residues
The Physical Properties of Local Interactions of Tyrosine Residues in Peptides and Unfolded Proteins, **245**, 251–260.

Artificial intelligence
Identification of Protein Coding Regions in Genomic DNA, **248**, 1–18.

Ascomycetes
A single Amino Acid Change in a Pathway-specific Transcription Factor Results in Differing Degrees of Constitutivity, Hyperinducibility and Derepression of Several Structural Genes, **249**, 693–699.

Aspartate
The Refined Structures of Goose Lysozyme and its Complex with a Bound Trisaccharide Show that the 'Goose-type' Lysozymes Lack a Catalytic Aspartate Residue, **245**, 54–68.

Aspartate aminotransferases
Crystal Structure of the Closed Form of Chicken Cytosolic Aspartate Aminotransferase at 1.9 Å Resolution, **247**, 111–124.

Aspartate transcarbamylase
Intramolecular Transmission of the ATP Regulatory Signal in *Escherichia coli* Aspartate Transcarbamylase: Specific Involvement of a Clustered Set of Amino Acid Interactions at an Interface Between Regulatory and Catalytic Subunits, **246**, 132–143.
Allosteric Regulation of Carbamoylphosphate Synthetase-Aspartate Transcarbamylase Multifunctional Protein of *Saccharomyces cerevisiae*: Selection, Mapping and Identification of Missense Mutations Define Three Regions Involved in Feedback Inhibition by UTP, **248**, 639–652.
X-ray Scattering Titration of the Quaternary Structure Transition of Aspartate Transcarbamylase with a Bisubstrate Analogue: Influence of Nucleotide Effectors, **251**, 243–255.

Aspartic protease
Crystal and Molecular Structures of Human Progastricsin at 1.62 Å Resolution, **247**, 466–485.
High Resolution Crystal Structures of Recombinant Human Renin in Complex with Polyhydroxymonoamide Inhibitors, **250**, 211–222.
Thermodynamic Mapping of the Inhibitor Site of the Aspartic Protease Endothiapepsin, **252**, 337–350.

Assembly
Crystal Structure of the Human Cell Cycle Protein CksHs1: Single Domain Fold with Similarity to Kinase N-lobe Domain, **249**, 835–842.
The Capsid Size-determining Protein Sid Forms an External Scaffold on Phage P4 Procapsids, **251**, 59–75.

Assessing model structures
Atomic Environment Energies in Proteins Defined from Statistics of Accessible and Contact Surface Areas, **249**, 675–690.

Association properties
Monomer–dimer Equilibrium of the pSC101 RepA Protein, **250**, 309–314.

Asymmetric unit membrane
Towards the Molecular Architecture of the Asymmetric Unit Membrane of the Mammalian Urinary Bladder Epithelium: A Closed "Twisted Ribbon" Structure, **248**, 887–900.

Atomic contact areas
Atomic Environment Energies in Proteins Defined from Statistics of Accessible and Contact Surface Areas, **249**, 675–690.

Atomic environment energies
Atomic Environment Energies in Proteins Defined from Statistics of Accessible and Contact Surface Areas, **249**, 675–690.

Atomic fluctuations
Fluctuation and Cross-correlation Analysis of Protein Motions Observed in Nanosecond Molecular Dynamics Simulations, **252**, 492–503.

Atomic force microscopy
Atomic Force Microscopy of Cholera Toxin B-oligomers Bound to Bilayers of Biologically Relevant Lipids, **248**, 507–512.
Force-induced Conformational Change of Bacteriorhodopsin, **249**, 239–243.

ATP
Interaction of Terminase, the DNA Packaging Enzyme of Phage λ, with its *cos* DNA Substrate, **252**, 31–46.

ATP hydrolysis
ATP Hydrolysis is Required for DNA Cleavage by *Eco*PI Restriction Enzyme, **247**, 559–567.

ATPase
The Origins and Consequences of Asymmetry in the Chaperonin Reaction Cycle, **249**, 138–152.

Analysis of *E. coli* Rho Factor: Mutations Affecting Secondary-site Interactions, **251**, 30–40.

F_1F_0-ATPase
A Double Mutation in Subunit c of the Na^+-specific F_1F_0-ATPase of *Propionigenium modestum* Results in a Switch from Na^+ to H^+-coupled ATP Synthesis in the *Escherichia coli* Host Cells, **253**, 726–738.

F_1-ATPase homology
Structural and Functional Dissections of Transcription Termination Factor Rho by Random Mutagenesis, **254**, 815–837.

ATP-dependent protease
Homology in Structural Organization Between *E. coli* ClpAP Protease and the Eukaryotic 26 S Proteasome, **250**, 587–594.

A-tract
Solution Conformation of a Bizelesin A-tract Duplex Adduct: DNA–DNA Cross-linking of an A-tract Straightens Out Bent DNA, **252**, 86–101.

ATR-FTIR
Structural Model of the Phospholamban Ion Channel Complex in Phospholipid Membranes, **248**, 824–834.

Attachment sites
Identifying Determinants of Recombination Specificity: Construction and Characterization of Chimeric Bacteriophage Integrases, **252**, 163–177.
Identifying Determinants of Recombination Specificity: Construction and Characterization of Mutant Bacteriophage Integrases, **252**, 178–188.

Automated assignment
Automated Assignment of Simulated and Experimental NOESY Spectra of Proteins by Feedback Filtering and Self-correcting Distance Geometry, **254**, 465–480.

Autoprocessing
Folding Mediated by an Intramolecular Chaperone: Autoprocessing Pathway of the Precursor Resolved *via* a Substrate Assisted Catalysis Mechanism, **247**, 390–395.
Folding Pathway Mediated by an Intramolecular Chaperone: Characterization of the Structural Changes in Pro-subtilisin E Coincident with Autoprocessing, **252**, 25–30.

Autoregulation
Stabilised Secondary Structure at a Ribosomal Binding Site Enhances Translational Repression in *E. coli*, **253**, 277–290.

Auxin
The *PS-IAA4/5*-like Family of Early Auxin-inducible mRNAs in *Arabidopsis thaliana*, **251**, 533–549.
Transcriptional Regulation of *PS-IAA4/5* and *PS-IAA6* Early Gene Expression by Indoleacetic Acid and Protein Synthesis Inhibitors in Pea (*Pisum sativum*), **253**, 396–413.

Avian adenovirus
The Avian Adenovirus Penton: Two Fibres and One Base, **252**, 379–385.

Axonemes
Re-examination of the Polarity of Microtubules and Sheets Decorated with Kinesin Motor Domain, **251**, 329–333.

B helix
Intrinsic Stability of Individual α Helices Modulates Structure and Stability of the Apomyoglobin Molten Globule Form, **252**, 122–132.

α/β Parallel proteins
Structural Analysis of Peptides Encompassing All α-Helices of Three α/β Parallel Proteins: Che-Y, Flavodoxin and P21-Ras: Implications for α-Helix stability and the Folding of α/β Parallel Proteins, **247**, 648–669.

B800-850
Two-dimensional Crystallization and Preliminary Structure Analysis of Light Harvesting II (B800-850) Complex From the Purple Bacterium *Rhodovulum sulfidophilum*, **250**, 1–10.

B/A core
Tetravalent Miniantibodies with High Avidity Assembling in *Escherichia coli*, **246**, 28–34.

Bacillus licheniformis
Crystal Structure of Calcium-depleted *Bacillus licheniformis* α-amylase at 2.2 Å Resolution, **246**, 545–549.

Bacillus stearothermophilus
Stabilization of a Ribosomal RNA Tertiary Structure by Ribosomal Protein L11, **249**, 319–331.

Bacillus subtilis
Dimer Form of Phosphorylated Spo0A, a Transcriptional Regulator, Stimulates the *Spo0F* Transcription at the Initiation of Sporulation in *Bacillus subtilis*, **250**, 11–23.
Structural Analysis of the *Bacillus subtilis* δ Factor: A Protein Polyanion which Displaces RNA from RNA Polymerase, **252**, 189–202.

Bacillus thuringiensis
Bacillus thuringiensis CrylA(a) Insecticidal Toxin: Crystal Structure and Channel Formation, **254**, 447–464.

Backbone contacts
E-Box Variants Direct Formation of Distinct Complexes with the Basic Helix-Loop-Helix Protein ALF1, **249**, 564–575.

Backbone disordering
Partially Folded States of Proteins: Characterization by X-ray Scattering, **254**, 960–967.

Bacteria
A Zinc-binding Region in the β′ Subunit of RNA Polymerase is Involved in Antitermination of Early Transcription of Phage HK022, **248**, 768–780.
Autocatalytic Gene Expression Occurs *via* Transertion and Membrane Domain Formation and Underlies Differentiation in Bacteria: A Model, **253**, 739–748.

Bacterial bioluminescence
Structural Refinement of the Non-fluorescent Flavoprotein from *Photobacterium leiognathi* at 1.60 Å Resolution, **249**, 195–214.

Bacterial chemotaxis
Crystal Structure of the Catalytic Domain of the Chemotaxis Receptor Methylesterase, CheB, **250**, 276–290.
Structural Effects of Mutations in *Salmonella typhimurium* Flagellar Switch Complex, **251**, 400–412.

Bacterial conjugation
Nicking Activity of TrwC Directed Against the Origin of Transfer of the IncW Plasmid R388, **246**, 54–62.

Bacterial flagellum
The Structure of the R-type Straight Flagellar Filament of *Salmonella* at 9 Å Resolution by Electron Cryomicroscopy, **249**, 69–87.
Structure of Bacterial Flagellar Filaments at 11 Å Resolution: Packing of the α-Helices, **249**, 88–110.
Structural Organization and Assembly of Flagellar Hook Protein from *Salmonella typhimurium*, **251**, 520–532.
Radial Mass Analysis of the Flagellar Filament of *Salmonella*: Implications for the Subunit Folding, **253**, 547–558.

Bacteriophage assembly
Mutational Analysis of the Prohead Binding Domain of the Large Subunit of Terminase, the Bacteriophage λ DNA Packaging Enzyme, **245**, 126–140.
Specific Interaction of Terminase, the DNA Packaging Enzyme of Bacteriophage λ, with the Portal Protein of the Prohead, **245**, 141–150.
Structural Transitions During Bacteriophage HK97 Head Assembly, **247**, 618–635.
Genetic Basis of Bacteriophage HK97 Prohead Assembly, **247**, 636–647.
Headful Packaging Revisited: The Packaging of more than one DNA Molecule into a Bacteriophage P1 Head, **249**, 176–184.
Location of Filamentous Phage Minor Coat Proteins in Phage and in Infected Cells, **250**, 496–506.
Assembly *in Vitro* of Bacteriophage HK97 Proheads, **253**, 74–85.

Bacteriophage f1
Location of Filamentous Phage Minor Coat Proteins in Phage and in Infected Cells, **250**, 496–506.

Bacteriophage HK022
Phage HK022 Nun Protein Arrests Transcription on Phage λ DNA *in vitro* and Competes with the Phage λ N Antitermination Protein, **247**, 428–442.

Bacteriophage HK97
Proteolytic and Conformational Control of Virus Capsid Maturation: The Bacteriophage HK97 System, **253**, 86–99.

Bacteriophage lambda
Phage HK022 Nun Protein Arrests Transcription on Phage λ DNA *in vitro* and Competes with the Phage λ N Antitermination Protein, **247**, 428–442.
Assembly of Functional Bacteriophage Lambda Virions Incorporating C-Terminal Peptide or Protein Fusions with the Major Tail Protein, **248**, 497–506.
A Zinc-binding Region in the β′ Subunit of RNA Polymerase is Involved in Antitermination of Early Transcription of Phage HK022, **248**, 768–780.
Interaction of Terminase, the DNA Packaging Enzyme of Phage λ, with its *cos* DNA Substrate, **252**, 31–46.
Identifying Determinants of Recombination Specificity: Construction and Characterization of Chimeric Bacteriophage Integrases, **252**, 163–177.
Identifying Determinants of Recombination Specificity: Construction and Characterization of Mutant Bacteriophage Integrases, **252**, 178–188.

Bacteriophage M13
Packing of Coat Protein Amphipathic and Transmembrane Helices in Filamentous Bacteriophage M13: Role of Small Residues in Protein Oligomerization, **252**, 6–14.

Bacteriophage Mu
The Zinc coordination Site of the Bacteriophage Mu Translational Activator protein, Com, **247**, 753–764.
Mutual Stabilisation of Bacteriophage Mu Repressor and Histone-like Proteins in a Nucleoprotein Structure, **249**, 332–341.

Bacteriophage N4
The Bacteriophage N4-coded Single-stranded DNA-binding Protein (N4SSB) is the Transcriptional Activator of *Escherichia coli* RNA Polymerase at N4 Late Promoters, **246**, 461–471.

Bacteriophage P1
Headful Packaging Revisited: The Packaging of more than one DNA Molecule into a Bacteriophage P1 Head, **249**, 176–184.

Bacteriophage P22
Mutations that Stabilize Folding Intermediates of Phage P22 Tailspike Protein: Folding *in vivo* and *in vitro*, Stability, and Structural Context, **249**, 185–194.

Bacteriophage P4
The Capsid Size-determining Protein Sid Forms an External Scaffold on Phage P4 Procapsids, **251**, 59–75.

Bacteriophage QB
A Complete Plasmid-based Complementation System for RNA Coliphage Qβ: Three Proteins of Bacteriophages Qβ (Group III) and SP (Group IV) can be Interchanged, **249**, 283–297.

Bacteriophage SPP1
The Small Subunit of the Terminase Enzyme of *Bacillus subtilis* Bacteriophage SPP1 forms a Specialized Nucleoprotein Complex with the Packaging Initiation Region, **252**, 386–398.

Bacteriophage T3
Structural and Functional Domains of the Large Subunit of the Bacteriophage T3 DNA Packaging Enzyme: importance of the C-terminal Region in Prohead Binding, **245**, 633–644.

Bacteriophage T4
Selection of a Remote Cleavage Site by I-*Tev*I, the *td* Intron-encoded Endonuclease, **247**, 197–210.
Bacteriophage T4 Gene *17* Amplification Mutants: Evidence for Initiation by the T4 Terminase Subunit gp16, **247**, 523–528.
Mutational Analysis of the Sequence-specific Recombination Box for Amplification of Gene *17* of Bacteriophage T4, **247**, 604–617.
Crystal Structure of a Pyrimidine Dimer-specific Excision Repair Enzyme from Bacteriophage T4: Refinement at 1.45 Å and X-ray Analysis of the Three Active Site Mutants, **249**, 360–375.
Dynamics of Bacteriophage T4 DNA Polymerase Function: Identification of Amino Acid Residues that Affect Switching between Polymerase and 3′ → 5′ Exonuclease Activities, **254**, 15–28.

Bacteriophage Φ29
Helix-destabilizing Activity of Φ29 Single-stranded DNA Binding Protein: Effect on the Elongation Rate During Strand Displacement DNA Replication, **253**, 517–529.

Bacteriophage Φ6
In vitro Packaging of the Single-stranded RNA Genomic Precursors of the Segmented Double-stranded RNA Bacteriophage φ6: The Three Segments Modulate Each Other's Packaging Efficiency, **246**, 420–423.
RNA Binding, Packaging and Polymerase Activities of the Different Incomplete Polymerase Complex Particles of dsRNA Bacteriophage Φ6, **249**, 545–554.

Bacteriorhodopsin
Force-induced Conformational Change of Bacteriorhodopsin, **249**, 239–243.
Structure and Fluctuations of Bacteriorhodopsin in the Purple Membrane: A Molecular Dynamics Study, **250**, 94–111.
Lipid Location in Deoxycholate-treated Purple Membrane at 2.6 Å, **254**, 404–415.

Barnase
Acid and Thermal Denaturation of Barnase Investigated by Molecular Dynamics Simulations, **252**, 672–708.
Disulfide Mutants of Barnase I: Changes in Stability and Structure Assessed by Biophysical Methods and X-ray Crystallography, **253**, 493–504.
Disulfide Mutants of Barnase II: Changes in Structure and Local Stability Identified by Hydrogen Exchange, **253**, 505–513.
The Structure of the Transition State for Folding of Chymotrypsin Inhibitor 2 Analysed by Protein Engineering Methods: Evidence for a Nucleation-condensation Mechanism for Protein Folding, **254**, 260–288.

(α/β)-barrel
Crystal Structure of Calcium-depleted *Bacillus licheniformis* α-amylase at 2.2 Å Resolution, **246**, 545–549.
Crystal Structure of Concanavalin B at 1.65 Å Resolution. An "Inactivated" Chitinase from Seeds of *Canavalia ensiformis*, **254**, 237–246.
The Refined X-ray Structure of Muconate Lactonizing Enzyme from *Pseudomonas putida* PRS2000 at 1.85 Å Resolution, **254**, 918–941.

Barstar
The Folding Mechanism of Barstar: Evidence for Multiple Pathways and Multiple Intermediates, **247**, 1013–1027.

Base sequence dependence
B-DNA Twisting Correlates with Base-pair Morphology, **247**, 34–48.

Base specific recognition
Structure, Thermodynamics and Cooperativity of the Glucocorticoid Receptor DNA-binding Domain in Complex with Different Response Elements. Molecular Dynamics Simulation and Free Energy Perturbation Studies, **253**, 453–472.

Base substitutions
Effects of Base Substitutions on the Binding of a DNA-bending Protein, **253**, 1–7.

Basement membranes
Structural Characterization of Two Variants of Fibulin-1 that Differ in Nidogen Affinity, **245**, 241–250.

Base-pair parameters
The Assessment of the Geometry of Dinucleotide Steps in Double-Helical DNA; a New Local Calculation Scheme, **251**, 648–664.

Base-triples
Identification of Base-triples in RNA using Comparative Sequence Analysis, **248**, 27–43.

Basic Helix-loop-Helix protein
E-Box Variants Direct Formation of Distinct Complexes with the Basic Helix-Loop-Helix Protein ALF1, **249**, 564–575.

Basic pancreatic trypsin inhibitor
Internal Mobility of the Basic Pancreatic Trypsin Inhibitor in Solution: A Comparison of NMR Spin Relaxation Measurements and Molecular Dynamics Simulations, **246**, 356–365.

Basic tail
A Basic Tail Increases Repression by Dimeric Lac Repressor, **247**, 396–403.

Beta-amyloid,
see β-amyloid peptide.

Beta-pleated sheet,
see β-sheet.

Beta-turn
Solution Structure of the HU Protein from *Bacillus stearothermophilus*, **254**, 692–703.

B-factors
Fluctuation and Cross-correlation Analysis of Protein Motions Observed in Nanosecond Molecular Dynamics Simulations, **252**, 492–503.
Molecular Dynamics Simulation of *E. coli* Ribonuclease H_1 in Solution: Correlation with NMR and X-ray Data and Insights into Biological Function, **254**, 771–792.

bHLH protein,
see Basic Helix-loop-Helix protein.

Bilayers
Atomic Force Microscopy of Cholera Toxin B-oligomers Bound to Bilayers of Biologically Relevant Lipids, **248**, 507–512.

Bile pigments
Structure Determination of the Biliverdin Apomyoglobin Complex: Crystal Structure Analysis of Two Crystal Forms at 1.4 and 1.5 Å Resolution, **247**, 326–337.

Biliverdin
Structure Determination of the Biliverdin Apomyoglobin Complex: Crystal Structure Analysis of Two Crystal Forms at 1.4 and 1.5 Å Resolution, **247**, 326–337.

Binding
Mechanism of Protein Access to Specific DNA Sequences in Chromatin: A Dynamic Equilibrium Model for Gene Regulation, **254**, 130–149.

Binding affinity
Framework Residues 71 and 93 of the Chimeric B72.3 Antibody are Major Determinants of the Conformation of Heavy-chain Hypervariable Loops, **253**, 385–390.

Binding mutants
Human Interleukin-4 and Variant R88Q: Phasing X-ray Diffraction Data by Molecular Replacement Using X-ray and Nuclear Magnetic Resonance Models, **247**, 360–372.

Binding of cross-bridges to two actin monomers
Rigor Cross-bridges Bind to Two Actin Monomers in Thin Filaments of Rabbit Psoas Muscle, **248**, 294–307.

Binding protein
Purification, Crystallisation and Preliminary X-ray Analysis of Penicillin Binding Protein 4 from *Escherichia coli*, a Protein Related to Class A β-Lactamases, **247**, 149–153.

Bioselectively
The Crystal Structure of Cruzain: A Therapeutic Target for Chagas' Disease, **247**, 251–259.

Biosynthesis of riboflavin
Studies on the Lumazine Synthase/Riboflavin Synthase Complex of *Bacillus subtilis*: Crystal Structure Analysis of Reconstituted, Icosahedral β-subunit Capsids with Bound Substrate Analogue Inhibitor at 2.4 Å Resolution, **253**, 151–167.

Biotechnology
Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. II Helix Macrodipole Effects and Rational Modification of the Helical Content of Natural Peptides, **245**, 275–296.

Bisintercalation through minor groove
Solution Structure of a Quinomycin Bisintercalator-DNA Complex, **246**, 164–179.

Bizelesin
Solution Conformation of a Bizelesin A-tract Duplex Adduct: DNA–DNA Cross-linking of an A-tract Straightens Out Bent DNA, **252**, 86–101.

BmGATA gene
Developmental Regulation of a Silkworm Gene Encoding Multiple GATA-type Transcription Factors by Alternative Splicing, **246**, 43–53.

Bombyx mori
Production of a Chimeric Fibroin Light-chain Polypeptide in a Fibroin Secretion-deficient Naked Pupa Mutant of the Silkworm *Bombyx mori*, **251**, 217–228.

Bombyxin
Identification of the Receptor-recognition Surface of Bombyxin-II, an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Critical Importance of the B-chain Central Part, **253**, 759–770.

Bordetella
In Vivo Characterization of the Unorthodox BvgS Two-component Sensor Protein of *Bordetella pertussis*, **248**, 596–610.

Bound water
Detection of Long-lived Bound Water Molecules in Complexes of Human Dihydrofolate Reductase with Methotrexate and NADPH, **247**, 294–308.
Contributions of Tryptophan 24 and Glutamate 30 to Binding Long-lived Water Molecules in the Ternary Complex of Human Dihydrofolate Reductase with Methotrexate and NADPH Studied by Site-directed Mutagenesis and Nuclear Magnetic Resonance Spectroscopy, **247**, 309–325.

Bovine pancreatic trypsin inhibitor
Protein Hydration Dynamics in Aqueous Solution: A Comparison of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin by Oxygen-17 Spin Relaxation Dispersion, **245**, 682–697.
Hydrogen Exchange and Protein Hydration: The Deuteron Spin Relaxation Dispersions of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin, **245**, 698–709.
The 1.6 Å Structure of Kunitz-type Domain from the α3 Chain of Human Type VI Collagen, **246**, 609–617.
Contribution of Individual Side-chains to the Stability of BPTI Examined by Alanine-scanning Mutagenesis, **249**, 388–397.
Refolding of Bovine Pancreatic Trypsin Inhibitor *via* Non-native Disulphide Intermediates, **249**, 463–477.

Bovine Papilloma Virus (BPV)
Disparate Replication Properties of Integrated and Extrachromosomal Forms of Bovine Papilloma Virus in ID13 Cells, **254**, 119–129.

Branched DNA
Two Inequivalent Folding Isomers of the Three-way DNA Junction with Unpaired Bases: Sequence-dependence of the Folded Conformation, **251**, 507–519.

Brown algae
The Mitochondrial LSU rDNA of the Brown Alga *Pylaiella littoralis* Reveals α-Proteobacterial Features and is Split by Four Group IIB Introns with an Atypical Phylogeny, **251**, 378–389.

Brownian dynamics
Algorithms for Evaluating the Long-range Accessibility of Protein Surfaces, **249**, 804–815.

Buried salt bridge
Preferential Heterodimeric Parallel Coiled-coil Formation by Synthetic Max and c-Myc Leucine Zippers: A Description of Putative Electrostatic Interactions Responsible for the Specificity of Heterodimerization, **254**, 505–520.

bZIP/GCN4
Crystal Structure of a bZIP/DNA Complex at 2.2 Å: Determinants of DNA Specific Recognition, **254**, 657–667.

C – H···O hydrogen bonds
The Occurrence of C – H···O Hydrogen Bonds in Proteins, **252**, 248–262.

C + G content variation
Distinctive Sequence Features in Protein Coding, Genic Non-coding, and Intergenic Human DNA, **253**, 51–60.

c-*fos*
UV Light as a Footprinting Agent: Modulation of UV-induced DNA Damage by Transcription Factors Bound at the Promoters of Three Human Genes, **249**, 714–728.

c-*jun*
UV Light as a Footprinting Agent: Modulation of UV-induced DNA Damage by Transcription Factors Bound at the Promoters of Three Human Genes, **249**, 714–728.

c-*myc* DNA
In vitro Replication of Plasmids Containing Human c-*myc* DNA, **245**, 92–109.

^{13}C-labeling
The Structure of an RNA Pseudoknot that Causes Efficient Frameshifting in Mouse Mammary Tumor Virus, **247**, 963–978.

C_2H_2
A Single Amino Acid Substitution in Zinc Finger 2 of Adr1p Changes its Binding Specificity at two Positions in UAS1, **251**, 1–8.

Caenorhabditis elegans
β-Tubulin Genes from the Parasitic Nematode *Haemonchus contortus* Modulate Drug Resistance in *Caenorhabditis elegans*, **246**, 500–510.
The *tpa-1* Gene of *Caenorhabditis elegans* Encodes Two Proteins Similar to Ca^{2+}-independent Protein Kinase Cs: Evidence by Complete Genomic and Complementary DNA Sequences of the *tpa-1* Gene, **251**, 477–485.
Genome Structure, Mapping and Expression of the Tropomyosin Gene *tmy-1* of *Caenorhabditis elegans*, **251**, 603–613.
Activity of a *C. elegans* GATA Transcription Factor, ELT-1, Expressed in Yeast, **253**, 665–676.

Caged compound
X-ray Crystal Structure Analysis of the Catalytic Domain of the Oncogene Product $p21^{H\text{-}ras}$ Complexed with Caged GTP and Mant dGppNHp, **253**, 132–150.

Calbindin D_{9k}
Solution Structure of $(Cd^{2+})_1$-calbindin D_{9k} Reveals Details of the Stepwise Structural Changes along the Apo → $(Ca^{2+})^{II}_1$ → $(Ca^{2+})^{I,II}_2$ Binding Pathway, **252**, 102–121.

Calcium
Ligand-Induced Changes in the Conformational Stability of Bovine Trypsinogen and Their Implications for the Protein Function, **247**, 701–716.
Determination of the Three-dimensional Solution Structure of Scyllatoxin by ^{1}H Nuclear Magnetic Resonance, **253**, 590–603.

Calcium affinity
The C-terminal Portion of BM-40 (SPARC/Osteonectin) is an Autonomously Folding and Crystallisable Domain that Binds Calcium and Collagen IV, **253**, 347–357.

Calcium binding
The Unfolding Thermodynamics of c-Type Lysozymes: A Calorimetric Study of the Heat Denaturation of Equine Lysozyme, **252**, 447–459.
Vibrational Raman Optical Activity of α-Lactalbumin: Comparison with Lysozyme, and Evidence for Native Tertiary Folds in Molten Globule States, **254**, 747–760.

Calcium binding proteins
Determination of the Solution Structure of Apo Calbindin D_{9k} by NMR Spectroscopy, **249**, 441–462.

Calcium channel
Solution Structure of ϖ-Conotoxin MVIIC, a High Affinity Ligand of P-type Calcium Channels using ^{1}H NMR Spectroscopy and Complete Relaxation Matrix Analysis, **248**, 106–124.

Calcium channel blocker
Three-dimensional Solution Structure of the Calcium Channel Antagonist ϖ-Agatoxin IVA: Consensus Molecular Folding of Calcium Channel Blockers, **250**, 659–671.

Calcium regulation
Structural Model of the Phospholamban Ion Channel Complex in Phospholipid Membranes, **248**, 824–834.

Calorimetry
Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. III Temperature and pH Dependence, **245**, 297–308.
Domain Structure, Stability and Domain–Domain Interactions in Recombinant Factor XIII, **248**, 414–430.
Interactions Between Type III Domains in the 110 kDa Cell-binding Fragment of Fibronectin, **248**, 611–626.
Thermodynamics of an Intramolecular DNA Triple Helix: A Calorimetric and spectroscopic Study of the pH and Salt Dependence of Thermally Induced Structural Transitions, **248**, 679–695.
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. I. Hydrophobic Replacements at the Position of Met103, **249**, 625–635.
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. II. Replacements at the Interface of Dimer Formation, Val13, **249**, 636–645.
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. III. Replacements of a Hyper-exposed Residue, Met73, **249**, 646–653.
Selective Chain Recognition in the C-terminal αHelical Coiled-coil Region of Laminin, **250**, 64–73.
Thermodynamic Mapping of the Inhibitor Site of the Aspartic Protease Endothiapepsin, **252**, 337–350.
Contribution of Hydrophobic Residues to the Stability o Human Lysozyme: Calorimetric Studies and X-ray Structural Analysis of the Five Isoleucine to Valine Mutants, **254**, 62–76.

Cancer chemotherapy
Towards Structure-based Drug Design: Crystal Structure of a Multisubstrate Adduct Complex of Glycinamide Ribonucleotide Transformylase at 1.96 Å Resolution **249**, 153–175.

Canonical structure
Structural Repertoire in V_H Pseudogenes o Immunoglobulins: Comparison with Human Germline Genes and Human Amino Acid Sequences, **246**, 74–81
Canonical Structure Repertoire of the Antigen-binding Site of Immunoglobulins Suggests Strong Geometrical Restrictions Associated to the Mechanism of Immune Recognition, **254**, 497–504.

Capsid
The Capsid Size-determining Protein Sid Forms an External Scaffold on Phage P4 Procapsids, **251**, 59–75.
Proteolytic and Conformational Control of Virus Capsid Maturation: The Bacteriophage HK97 System, **253** 86–99.

carAB
Pyrimidine Regulation of the *Escherichia coli* and *Salmonella typhimurium carAB* Operons: CarP and Integration Host Factor (IHF) Modulate the Methylation Status of a GATC Site Present in the Control Region, **250**, 383–391.
carP, Involved in Pyrimidine Regulation of the *Escherichia coli* Carbamoylphosphate Synthetase Operon Encodes a Sequence-specific DNA-binding Protein Identical to XerB and PepA, also Required for Resolution of ColE Multimers, **250**, 392–406.

Carbamoylphosphate synthetase
Allosteric Regulation of Carbamoylphosphate Synthetase-Aspartate Transcarbamylase Multifunctional Protein of *Saccharomyces cerevisiae* Selection, Mapping and Identification of Missense Mutations Define Three Regions Involved in Feedback Inhibition by UTP, **248**, 639–652.

Carboxy terminus
β-Tubulin Folding is Modulated by the Isotype-specific Carboxy-terminal Domain, **246**, 628–636.

Carboxylate pK_A-values
Perturbed pK_A-values in the Denatured States of Proteins **254**, 980–992.

Cardiac glycoside
Structure and Specificity of the Anti-Digoxin Antibody 40-50, **248**, 344–360.

carP
Pyrimidine Regulation of the *Escherichia coli* and *Salmonella typhimurium carAB* Operons: CarP and Integration Host Factor (IHF) Modulate the Methylation Status of a GATC Site Present in the Control Region, **250**, 383–391.
carP, Involved in Pyrimidine Regulation of the *Escherichia coli* Carbamoylphosphate Synthetase Operon Encodes a Sequence-specific DNA-binding Protein Identical to XerB and PepA, also Required for Resolution of ColE Multimers, **250**, 392–406.

Casein kinase II
Genetic Dissection of Intersubunit Contacts Within Human Protein Kinase CK2, **253**, 703–711.

Catalase
Crystal Structure of *Proteus mirabilis* PR Catalase With and Without Bound NADPH, **249**, 933–954.

Catalysis
Folding Mediated by an Intramolecular Chaperone: Autoprocessing Pathway of the Precursor Resolved *via* a Substrate Assisted Catalysis Mechanism, **247**, 390–395.
A Residue to Residue Hydrogen Bond Mediates the Nucleotide Specificity of Ribonuclease A, **252**, 328–336.

Catalytic center
Substrate Specificity and Assembly of the Catalytic Center Derived from two Structures of Ligated Uridylate Kinase, **246**, 522–530.

Catalytic mechanism
Structure-guided Analysis Reveals Nine Sequence Motifs Conserved among DNA Amino-methyl-transferases, and Suggests a Catalytic Mechanism for these Enzymes, **253**, 618–632.

Catalytic RNA
Rapid Crystallization of Chemically Synthesized Hammerhead RNAs using a Double Screening Procedure, **250**, 327–332.
Modification of Primary Structures of Hairpin Ribozymes for Probing Active Conformations, **252**, 296–304.
Dissecting and Analyzing the Secondary Structure Domains of Group I Introns through the use of Chimeric Intron Constructs, **252**, 583–595.

Catalytic triad
6-Pyruvoyl Tetrahydropterin Synthase, An Enzyme With a Novel Type of Active Site Involving Both Zinc Binding and an Intersubunit Catalytic Triad Motif; Site-directed Mutagenesis of the Proposed Active Center, Characterization of the Metal Binding Sit and Modelling of Substrate Binding, **253**, 358–369.

Catenated dimer
Synthesis of Simian Virus 40 C-family catenated dimers *in Vivo* in the Presence of ICRF-193, **247**, 835–839.

Caulobacter
Use of Flow Cytometry to Identify a Caulobacter 4.5 S RNA Temperature-sensitive Mutant Defective in the Cell Cycle, **251**, 346–365.

Cavities in proteins
Proline in a Transmembrane Helix Compensates for Cavities in the Photosynthetic Reaction Center, **252**, 472–482.
Contribution of Hydrophobic Residues to the Stability of Human Lysozyme: Calorimetric Studies and X-ray Structural Analysis of the Five Isoleucine to Valine Mutants, **254**, 62–76.

CCA end
Kinetics and Thermodynamics of the RNase P RNA Cleavage Reaction: Analysis of tRNA 3'-end Variants, **247**, 161–172.

CD
The Order of Secondary Structure Elements does not Determine the Structure of a Protein but does Affect its Folding Kinetics, **247**, 670–681.
Experimental Analysis of the Schellman Motif, **251**, 150–160.

CD8α
Repetitive *Alu* Elements form a Cruciform Structure that Regulates the Function of the Human CD8α T Cell-specific Enhancer, **246**, 63–73.

CDC37
The *KIN28* Gene is Required both for RNA Polymerase II Mediated Transcription and Phosphorylation of the Rpb1p CTD, **249**, 535–544.

CDR conformation
Framework Residues 71 and 93 of the Chimeric B72.3 Antibody are Major Determinants of the Conformation of Heavy-chain Hypervariable Loops, **253**, 385–390.

Cell cycle
Crystal Structure of the Human Cell Cycle Protein CksHs1: Single Domain Fold with Similarity to Kinase N-lobe Domain, **249**, 835–842.
Use of Flow Cytometry to Identify a Caulobacter 4.5 S RNA Temperature-sensitive Mutant Defective in the Cell Cycle, **251**, 346–365.
Mutations in the Gene Encoding the 34 kDA Subunit of Yeast Replication Protein A Cause Defective S Phase Progression, **254**, 595–607.

Cell-free translation
Translation of Synonymous Codons in Family Boxes by *Mycoplasma capricolum* tRNAs with Unmodified Uridine or Adenosine at the First Anticodon Position, **251**, 486–492.

Cellular retinoic acid binding protein I (CRABPI)
Crystal Structure of Cellular Retinoic Acid Binding Protein I Shows Increased Access to the Binding Cavity due to formation of an Intermolecular β-Sheet, **252**, 433–446.

Cellulase
Informational Suppression to Investigate Structural Functional and Evolutionary Aspects of the *Erwinia chrysanthemi* Cellulase EGZ, **246**, 82–94.
Multiple Crystal Forms of Endoglucanase CelD: Signal Peptide Residues Modulate Lattice Formation, **248**, 225–232.

CELO
The Avian Adenovirus Penton: Two Fibres and One Base, **252**, 379–385.

Centromere
Centromeric Dodeca-satellite DNA Sequences Form Fold-back Structures, **245**, 8–21.
Functional Interaction between the *CSE2* Gene Product and Centromeres in *Saccharomyces cerevisiae*, **248**, 255–263.
The Structure of a Novel DNA Duplex Formed by Human Centromere d(TGGAA) Repeats with Possible Implications for Chromosome Attachment during Mitosis, **254**, 623–637.

CH/π interaction
CH/π Interaction in the Packing of the Adenine Ring in Protein Structures, **251**, 9–14.

Chaperone
The Role of ATP in the Functional Cycle of the DnaK Chaperone System, **249**, 126–137.
Elongation and Folding of Nascent Ricin Chains as Peptidyl-tRNA on Ribosomes: The Effect of Amino Acid Deletions on these Processes, **252**, 203–212.

Chaperonin
The Origins and Consequences of Asymmetry in the Chaperonin Reaction Cycle, **249**, 138–152.
Chaperonins can Catalyse the reversal of Early Aggregation Steps when a Protein Misfolds, **250**, 581–586.

The 60 kDa Heat Shock Proteins in the Hyperthermophilic Archaeon *Sulfolobus shibatae*, **253**, 712–725.

Chara corallina
Myosin from Alga *Chara*: Unique Structure Revealed by Electron Microscopy, **254**, 109–112.

Chelate effect
High-affinity Antigen Binding by Chelating Recombinant Antibodies (CRAbs), **246**, 369–375.

Chemical probing
An Intramolecular Triplex Structure From Non-mirror Repeated Sequence Containing Both *Py:* Pu·Py and *Pu:* Pu·Py Triads, **245**, 499–507.
N-2-aminofluorene and *N*-2 acetylaminofluorene Adducts: The Local Sequence Context of an Adduct and its Chemical Structure Determine its Replication Properties, **249**, 903–913.
Structural Changes in Base-paired Region 28 in 16 S rRNA Close to the Decoding Region of the 30 S Ribosomal Subunit are Correlated to Changes in tRNA Binding, **250**, 407–419.

Chemical shift
Application of ^{1}H NMR Chemical Shifts to Measure the Quality of Protein Structures, **247**, 541–546.
Comparison between the ϕ Distribution of the Amino Acids in the Protein Database and NMR Data Indicates that Amino Acids have Various ϕ Propensities in the Random Coil Conformation, **254**, 322–333.

Chemotactic Che Y protein
Three-Dimensional Structure of Chemotactic Che Y Protein in Aqueous solution by Nuclear Magnetic Resonance Methods, **247**, 717–725.
Cold Denaturation of CheY, **249**, 529–534.
Investigating the Structural Determinants of the p21-like Triphosphate and Mg^{2+} Binding Site, **249**, 654–664.

Chemotaxis
A Model for Transmembrane Signalling by the Aspartate Receptor Based on Random-cassette Mutagenesis and Site-directed Disulfide Cross-linking, **253**, 530–546.

Chimaeric enzymes
Identifying Determinants of Recombination Specificity: Construction and Characterization of Chimeric Bacteriophage Integrases, **252**, 163–177.
Steroid Recognition by Chloramphenicol Acetyltransferase: Engineering and Structural Analysis of a High Affinity Fusidic Acid Binding Site, **254**, 993–1005.

Chimeric fibroin L-chain gene
Production of a Chimeric Fibroin Light-chain Polypeptide in a Fibroin Secretion-deficient Naked Pupa Mutant of the Silkworm *Bombyx mori*, **251**, 217–228.

Chironomus
Polymorphic SINEs in Chironomids with DNA Derived from the R2 Insertion Site, **245**, 34–42.

Chitinase
Crystal Structure of Concanavalin B at 1.65 Å Resolution. An "Inactivated" Chitinase from Seeds of *Canavalia ensiformis*, **254**, 237–246.

Chlamydomonas reinhardtii
The Structure of Chloroplast Cytochrome *c6* at 1.9 Å Resolution: Evidence for Functional Oligomerization, **250**, 627–647.

Chloramphenicol acetyltransferase
Steroid Recognition by Chloramphenicol Acetyltransferase: Engineering and Structural Analysis of a High Affinity Fusidic Acid Binding Site, **254**, 993–1005.

Chloroplast
Complete Sequence of the Maize Chloroplast Genome: Gene Content, Hotspots of Divergence and Fine Tuning of Genetic Information by Transcript Editing, **251**, 614–628.

Cholera toxin
Atomic Force Microscopy of Cholera Toxin B-oligomers Bound to Bilayers of Biologically Relevant Lipids, **248**, 507–512.
The 2.4 Å Crystal Structure of Cholera Toxin B Subunit Pentamer: Choleragenoid, **251**, 550–562.
The Three-dimensional Crystal Structure of Cholera Toxin, **251**, 563–573.

Choleragenoid
The 2.4 Å Crystal Structure of Cholera Toxin B Subunit Pentamer: Choleragenoid, **251**, 550–562.
The Three-dimensional Crystal Structure of Cholera Toxin, **251**, 563–573.

Chondrus crispus
Complete Sequence of the Mitochondrial DNA of the Rhodophyte *Chondrus crispus* (Gigartinales). Gene Content and Genome Organization, **250**, 484–495.

Chromatin
Electrostatic Mechanism of Nucleosome Spacing, **252**, 305–313.
Homodimers of Chromosomal Proteins HMG-14 and HMG-17 in Nucleosome Cores, **252**, 423–432.
Mechanism of Protein Access to Specific DNA Sequences in Chromatin: A Dynamic Equilibrium Model for Gene Regulation, **254**, 130–149.

Chromosome 1
Genomic Organization and Chromosomal Location of the Human dsRNA Adenosine Deaminase Gene: The Enzyme for Glutamate-activated Ion Channel RNA Editing, **254**, 184–195.

Chromosome segregation
Functional Interaction between the *CSE2* Gene Product and Centromeres in *Saccharomyces cerevisiae*, **248**, 255–263.

Chymotrypsin inhibitor 2 (CI2)
The Structure of the Transition State for Folding of Chymotrypsin Inhibitor 2 Analysed by Protein Engineering Methods: Evidence for a Nucleation-condensation Mechanism for Protein Folding, **254**, 260–288.
Search for Nucleation Sites in Smaller Fragments of Chymotrypsin Inhibitor 2, **254**, 289–304.

CI2
Conformational Pathway of the Polypeptide Chain of Chymotrypsin Inhibitor-2 Growing from its N Terminus *in vitro*. Parallels with the Protein Folding Pathway, **254**, 968–979.

Ciliary Neurotrophic Factor (CNTF)
In vitro Binding of Ciliary Neurotrophic Factor to its Receptors: Evidence for the Formation of an IL-6-type Hexameric Complex, **254**, 795–800.

Circular dichroism
CRP-DNA Complexes: Inducing the *A*-like Form in the Binding Sites with an Extended Central Spacer, **245**, 228–240.

An Equilibrium Partially Folded State of Human Lysozyme at Low pH, **246**, 384–389.
Structural Analysis of Peptides Encompassing All α-Helices of Three α/β Parallel Proteins: Che-Y, Flavodoxin and P21-Ras: Implications for α-Helix stability and the Folding of α/β Parallel Proteins, **247**, 648–669.
Stability of α-Helices in a Molten Globule State of Cytochrome *c* by Hydrogen-Deuterium Exchange and Two-Dimensional NMR Spectroscopy, **247**, 682–688.
Cold Denaturation of CheY, **249**, 529–534.
Stabilization of the α-Helical Coiled-coil Domain in Laminin by C-terminal Disulfide Bonds, **250**, 74–79.
Investigation of the Structural Components Governing the Polarity-dependent Refolding of a CD4-binding Peptide From gp 120, **250**, 507–513.
Conformational Properties of Four Peptides Spanning the Sequence of Hen Lysozyme, **252**, 483–491.
Search for Nucleation Sites in Smaller Fragments of Chymotrypsin Inhibitor 2, **254**, 289–304.

Circular DNA
A Stable Interaction between Separated Pyrimidine·Purine Tracts in Circular DNA, **252**, 283–288.

Circular permutation
The Order of Secondary Structure Elements does not Determine the Structure of a Protein but does Affect its Folding Kinetics, **247**, 670–681.

***Cis*-element**
A Supprescin from a Phytopathogenic Fungus Deactivates Transcription of a Plant Defense Gene Encoding Phenylalanine Ammonia-lyase, **249**, 513–519.

Cisplatin
Interaction between Cisplatin-modified DNA and the HMG Boxes of HMG 1: DNase I Footprinting and Circular Dichroism, **246**, 243–247.

Classification
Ancestral, Mammalian-wide Subfamilies of LINE-1 Repetitive Sequences, **246**, 403–419.
Rigor and Relaxed Outer Dynein Arms in Replicas of Cryofixed Motile Flagella, **250**, 52–63.
Average Core Structures and Variability Measures for Protein Families: Application to the Immunoglobulins, **251**, 161–175.

Cleavable platelet receptor
Conformational Transitions Linked to Active Site Ligation in Human Thrombin: Effect on the Interaction with Fibrinogen and the Cleavable platelet receptor, **245**, 447–458.

Cleavage reagent
Regions of 23 S Ribosomal RNA Proximal to Transfer RNA bound at the P and E Sites, **252**, 572–582.

Cliques
An Interactive Framework for RNA Secondary Structure Prediction with a Dynamical Treatment of Constraints, **254**, 163–174.

Closed form
Crystal Structure of the Closed Form of Chicken Cytosolic Aspartate Aminotransferase at 1.9 Å Resolution, **247**, 111–124.

Clp family
The Mitochondrial ClpB Homolog Hsp78 Cooperates with Matrix Hsp70 in Maintenance of Mitochondrial Function, **254**, 538–543.

Clp protease
Homology in Structural Organization Between *E. coli* ClpAP Protease and the Eukaryotic 26 S Proteasome, **250**, 587–594.

Coat proteins
Location of Filamentous Phage Minor Coat Proteins in Phage and in Infected Cells, **250**, 496–506.

Coding sequence
Identification of Protein Coding Regions in Genomic DNA, **248**, 1–18.

Codon usage
Consecutive Low-Usage Leucine Codons Block Translation Only When Near the 5' End of a Message in *Escherichia coli*, **245**, 467–473.
Differential Codon Usage for Conserved Amino Acids: Evidence that the Serine Codons TCN were Primordial, **250**, 123–127.
Analysis of Action of the Wobble Adenine on Codon Reading within the Ribosome, **252**, 277–282.

Codon-anticodon recognition
Translation of Synonymous Codons in Family Boxes by *Mycoplasma capricolum* tRNAs with Unmodified Uridine or Adenosine at the First Anticodon Position, **251**, 486–492.

Cofactors
Crystallographic Refinement at 2.3 ↑A Resolution and Refined Model of the Photosynthetic Reaction Centre from *Rhodopseudomonas viridis*, **246**, 431–459.
Crystallographic Structure of a PLP-Dependent Ornithine Decarboxylase from *Lactobacillus* 30a to 3.0 Å Resolution, **252**, 643–655.

Coiled coil
Model Structure of the Ompα Rod, a Parallel Four-stranded Coiled Coil from the Hyperthermophilic Eubacterium *Thermotoga maritima*, **248**, 180–189.
Structural Organization and Assembly of Flagellar Hook Protein from *Salmonella typhimurium*, **251**, 520–532.
Preferential Heterodimeric Parallel Coiled-coil Formation by Synthetic Max and c-Myc Leucine Zippers: A Description of Putative Electrostatic Interactions Responsible for the Specificity of Heterodimerization, **254**, 505–520.

Coil-to-β-sheet transition
Free Energy Determinants of Secondary Structure Formation: II. Antiparallel β-Sheets, **252**, 366–376.

Cold denaturation
Solution X-ray Scattering Analysis of Cold-Heat-, and Urea-denatured States in a Protein, *Streptomyces* Subtilisin Inhibitor, **251**, 95–103.

ColE1
Assessment of Quantitative Models for Plasmid ColE1 Copy Number Control, **248**, 211–219.

Colicin transport
Transmembrane α-Helix Interactions are Required for the Functional Assembly of the *Escherichia coli* Tol Complex, **246**, 1–7.

Collagen
The Kinetics of the Thermal Denaturation of Collagen in Unrestrained Rat Tail Tendon Determined by Differential Scanning Calorimetry, **245**, 437–446.
Structural Comparison of Cuticle and Interstitial Collagens from Annelids Living in Shallow Sea-water and at Deep-sea Hydrothermal Vents, **246**, 284–294.
The 1.6 Å Structure of Kunitz-type Domain from the α3 Chain of Human Type VI Collagen, **246**, 609–617.

Structure of the Type I Collagen Molecule Based on Conformational Energy Computations: The Triple-stranded Helix and the N-terminal Telopeptide, **247**, 69–80.
Simple Physical Model of Collagen Fibrillogenesis Based on Diffusion Limited Aggregation, **247**, 823–831.
Type I Collagen Packing, Conformation of the Triclinic Unit Cell, **248**, 487–493.
Stabilization of Fluid Cholesteric Phases of Collagen to Ordered Gelated Matrices, **251**, 197–202.

Combinatorial mutagenesis
Many Combinations of Amino Acid Sequences in a Conserved Region of the D1 Protein Satisfy Photosystem II Function, **246**, 120–131.

Common fold
Structural Similarity between Two-layer α/β and β-Proteins, **245**, 402–415.

Comparative analysis
Structural Similarity between Two-layer α/β and β-Proteins, **245**, 402–415.
Identification of Base-triples in RNA using Comparative Sequence Analysis, **248**, 27–43.
Pseudoknot in Domain II of 23 S rRNA is Essential for Ribosome Function, **249**, 59–68.

Compensation
Conservation of Salt Bridges in Protein Families, **248**, 125–135.
Mechanism of Protein Stabilization by Disulfide Bridges: Calorimetric Unfolding Studies on Disulfide-deficient Mutants of the α-Amylase Inhibitor Tendamistat, **254**, 481–496.

Compensation for gene disruption
Targeted Disruption of an H3-IV/H3-V Gene Pair Causes Increased Expression of the Remaining H3 Genes in the Chicken DT40 Cell Line, **250**, 420–433.

Competitive inhibition
The 1.9 Å Crystal Structure of a Nucleoside Diphosphate Kinase Complex with Adenosine 3′,5′-Cyclic Monophosphate: Evidence for Competitive Inhibition, **249**, 665–674.
Steroid Recognition by Chloramphenicol Acetyltransferase: Engineering and Structural Analysis of a High Affinity Fusidic Acid Binding Site, **254**, 993–1005.

Competitive selection
Selection and Application of Human Single Chain Fv Antibody Fragments from a Semi-synthetic Phage Antibody Display Library with Designed CDR3 regions, **248**, 97–105.

Complementarity
IS *10* Antisense Control *in Vivo* is Affected by Mutations Throughout the Region of Complementarity Between the Interacting RNAs, **246**, 585–594.

Complete cpDNA sequence
Complete Sequence of the Maize Chloroplast Genome: Gene Content, Hotspots of Divergence and Fine Tuning of Genetic Information by Transcript Editing, **251**, 614–628.

Complete cross-validation
Conformational Variability of Solution Nuclear Magnetic Resonance Structures, **250**, 80–93.

Complete relaxation matrix analysis
Solution Structure of ϖ-Conotoxin MVIIC, a High Affinity Ligand of P-type Calcium Channels using ^{1}H NMR Spectroscopy and Complete Relaxation Matrix Analysis, **248**, 106–124.

Complexity
The Complexity and Accuracy of Discrete State Models of Protein Structure, **249**, 493–507.

Component analysis
The Meaning of Component Analysis: Decomposition of the Free Energy in Terms of Specific Interactions, **254**, 801–807.

Computational biology
Thermodynamic Investigation of Hirudin Binding to the Slow and Fast Forms of Thrombin: Evidence for Folding Transitions in the Inhibitor and Protease Coupled to Binding, **253**, 787–798.

Computer modelling
The Effect of environment on the Stability of an Integral Membrane Helix: Molecular Dynamics Simulations of Surfactant Protein C in Chloroform, Methanol and Water, **247**, 808–822.
Simple Physical Model of Collagen Fibrillogenesis Based on Diffusion Limited Aggregation, **247**, 823–831.
Computer Modeling of Protein Folding: Conformational and Energetic Analysis of Reduced and Detailed Protein Models, **247**, 995–1012.
Predicting Pol II Promoter Sequences using Transcription Factor Binding Sites, **249**, 923–932.
Fluctuation and Cross-correlation Analysis of Protein Motions Observed in Nanosecond Molecular Dynamics Simulations, **252**, 492–503.
Structural Changes in Actin-Tropomyosin During Muscle Regulation: Computer Modelling of Low-Angle X-ray Diffraction Data, **252**, 611–632.
6-Pyruvoyl Tetrahydropterin Synthase, An Enzyme With a Novel Type of Active Site Involving Both Zinc Binding and an Intersubunit Catalytic Triad Motif: Site-directed Mutagenesis of the Proposed Active Center, Characterization of the Metal Binding Sit and Modelling of Substrate Binding, **253**, 358–369.

Condensed DNA
Self-fitting and Self-modifying Properties of the *B*-DNA Molecule, **251**, 629–647.

Conformation
Structure of the Type I Collagen Molecule Based on Conformational Energy Computations: The Triple-stranded Helix and the N-terminal Telopeptide, **247**, 69–80.
The C-terminal Portion of BM-40 (SPARC/Osteonectin) is an Autonomously Folding and Crystallisable Domain that Binds Calcium and Collagen IV, **253**, 347–357.

Conformational change
Conformational Transitions Linked to Active Site Ligation in Human Thrombin: Effect on the Interaction with Fibrinogen and the Cleavable platelet receptor, **245**, 447–458.
Thermodynamics of an Intramolecular DNA Triple Helix: A Calorimetric and spectroscopic Study of the pH and Salt Dependence of Thermally Induced Structural Transitions, **248**, 679–695.
Determination of the Solution Structure of Apo Calbindin D_{9k} by NMR Spectroscopy, **249**, 441–462.
Slow Ligand-induced Transitions in the Allosteric Phosphofructokinase from *Escherichia coli*, **249**, 478–492.
Functional and Spectroscopic Evidence for a Conformational Transition in Ferrous Liganded Human Hemoglobin, **249**, 800–803.

Structure, Dynamics and Energetics of Initiation Sites in Protein Folding: I. Analysis of a 1 ns Molecular Dynamics Trajectory of an Early Folding Unit in Water: The Helix I/Loop I-Fragment of Barnase, **250**, 239–257.
Conformational Transitions in Peptides Containing Two Putative α-Helices of the Prion Protein, **250**, 514–526.
A Theory of DNA Dissociation from the Nucleosome, **254**, 50–61.
The Effect of Temperature on the Structure of Vinblastine-induced Polymers of Purified Tubulin: Detection of a Reversible Conformational Change, **254**, 416–430.
The Binding of 2-Deoxy-D-glucose 6-Phosphate to Glycogen Phosphorylase *b*: Kinetic and Crystallographic Studies, **254**, 900–917.

Conformational entropy
Free Energy Determinants of Secondary Structure Formation: I. α-Helices, **252**, 351–365.

Conformational variability
Conformational Variability of Solution Nuclear Magnetic Resonance Structures, **250**, 80–93.

Conservation
Conservation of Salt Bridges in Protein Families, **248**, 125–135.

Conserved sequence motifs
Universal Catalytic Domain Structure of AdoMet-dependent Methyltransferases, **247**, 16–20.

Constraint satisfaction problems
An Interactive Framework for RNA Secondary Structure Prediction with a Dynamical Treatment of Constraints, **254**, 163–174.

Contact potential
Recognizing Native Folds by the Arrangement of Hydrophobic and Polar Residues, **252**, 709–720.

Context affects
The Efficiency of Translation Termination is Determined by a Synergistic Interplay Between Upstrean and Downstream Sequences in *Saccharomyces cerevisiae*, **251**, 334–345.
Serine at Position 2 in the DNA Recognition Helix of a Cys_2-His_2 Zinc Finger Peptide is Not, in General, Responsible for Base Recognition, **252**, 1–5.

Continuum electrostatics
pH Dependence of Binding Reactions from Free Energy Simulations and Macroscopic Continuum Electrostatic Calculations: Application to 2'GMP/3'GMP Binding to Ribonuclease T_1 and Implications for Catalysis, **247**, 774–807.

Control
Stabilised Secondary Structure at a Ribosomal Binding Site Enhances Translational Repression in *E. coli*, **253**, 277–290.

Control of *repA* expression
Transcription of *repA*, the Gene of the Initiation Protein of the *Pseudomonas* Plasmid pPS10, is Autoregulated by Interactions of the RepA Protein at a Symmetrical Operator, **247**, 211–223.

Conus Magus
Solution Structure of ϖ-Conotoxin MVIIC, a High Affinity Ligand of P-type Calcium Channels using ^1H NMR Spectroscopy and Complete Relaxation Matrix Analysis, **248**, 106–124.

Cooperativity
Ligand Binding to Wild-type and E-B13Q Mutant Insulins: A Three-state Allosteric Model System Showing Half-site Reactivity, **245**, 324–330.
Structural Dynamics of F-actin II. Cooperativity in Structural Transitions, **245**, 598–607.
Hypercooperativity Induced by Interface Mutations in the Phosphofructokinase from *Escherichia coli*, **246**, 248–253.
High Resolution Crystal Structures of Amphibian Red-Cell L Ferritin: Potential Roles for Structural Plasticity and Solvation in Function, **248**, 949–967.
Solution Structure of $(Cd^{2+})_1$-calbindin D_{9k} Reveals Details of the Stepwise Structural Changes along the Apo → $(Ca^{2+})^{II}_1$ → $(Ca^{2+})^{I,II}_2$ Binding Pathway, **252**, 102–121.
The 2.0 Å Crystal Structure of *Scapharca* Tetrameric Hemoglobin: Cooperative Dimers within an Allosteric Tetramer, **253**, 168–186.
Structure, Thermodynamics and Cooperativity of the Glucocorticoid Receptor DNA-binding Domain in Complex with Different Response Elements. Molecular Dynamics Simulation and Free Energy Perturbation Studies, **253**, 453–472.
Mechanism of Protein Access to Specific DNA Sequences in Chromatin: A Dynamic Equilibrium Model for Gene Regulation, **254**, 130–149.
Conformational Pathway of the Polypeptide Chain of Chymotrypsin Inhibitor-2 Growing from its N Terminus *in vitro*. Parallels with the Protein Folding Pathway, **254**, 968–979.

Cooperativity mutants
P22 Arc Repressor: Role of Cooperativity in Repression and Binding to Operators with Altered Half-site Spacing, **249**, 729–742.

CopA
A Model for Copy Number Control of the Plasmid R1, **246**, 472–485.

Copper
Crystal Structure of Reduced Bovine Erythrocyte Superoxide Dismutase at 1.9 Å Resolution, **251**, 282–296.

Core binding
Core RNA Polymerase and Promoter DNA Interactions of Purified Domains of σ^N: Bipartite Functions, **248**, 781–803.

Cos
Interaction of Terminase, the DNA Packaging Enzyme of Phage λ, with its *cos* DNA Substrate, **252**, 31–46.

Covalent duocarmycin–DNA complex
Solution Structure of the Covalent Duocarmycin A–DNA Duplex Complex, **248**, 162–179.

Covalent mitomycin—DNA complex
Solution Structure of the Monoalkylated Mitomycin C-N Complex, **247**, 338–359.

Creatine kinase
Association of Antibody Chains at Different Stages of Folding: Prolyl Isomerization Occurs after Formation of Quaternary Structure, **248**, 190–201.

Crosslinking
Determination of Sequence Specificity between a Plasmid Replication Initiator Protein and the Origin of Replication, **254**, 381–391.

4-thiothymidine crosslinking
Determination of Sequence Specificity between a Plasmid Replication Initiator Protein and the Origin of Replication, **254**, 381–391.

Cross-validation
Conformational Variability of Solution Nuclear Magnetic Resonance Structures, **250**, 80–93.
Mutations at Positions 153 and 328 in *Escherichia coli* Alkaline Phosphatase Provide Insight Towards the Structure and Function of Mammalian and Yeast Alkaline Phosphatases, **253**, 604–617.

CRP
CRP-DNA Complexes: Inducing the *A*-like Form in the Binding Sites with an Extended Central Spacer, **245**, 228–240.

Cruciform DNA
Repetitive *Alu* Elements form a Cruciform Structure that Regulates the Function of the Human CD8α T Cell-specific Enhancer, **246**, 63–73.
DNA Palindromes Adopt a Methylation-resistant Conformation that is Consistent with DNA Cruciform or Hairpin formation *in Vivo*, **252**, 70–85.
Anti-cruciform Monoclonal Antibody and Cruciform DNA Interaction, **254**, 29–37.

Cruzain
The Crystal Structure of Cruzain: A Therapeutic Target for Chagas' Disease, **247**, 251–259.

Cry protein
Bacillus thuringiensis CrylA(a) Insecticidal Toxin: Crystal Structure and Channel Formation, **254**, 447–464.

Cryocrystallography
Preliminary Cryocrystallographic Study of the Mitochondrial Cytochrome bc_1 Complex: Improved Crystallization and Flash-cooling of a Large Membrane Protein, **252**, 15–19.

Cryo-electron microscopy
Three-Dimensional Reconstruction of Mammalian 40 S Ribosomal Subunit Embedded in Ice, **245**, 461–466.
Three-dimensional Structure of Halorhodopsin at 7 Å Resolution, **247**, 726–738.
Structural Plasticity of the Nuclear Pore Complex, **248**, 273–293.
Proteolytic and Conformational Control of Virus Capsid Maturation: The Bacteriophage HK97 System, **253**, 86–99.
Determination of DNA Persistence Length by Cryo-electron Microscopy. Separation of the Static and Dynamic Contributions to the Apparent Persistence Length of DNA, **254**, 579–594.

Crystal structure
Structure of an Antibody–Lysozyme Complex Unexpected Effect of a Conservative Mutation, **245**, 261–274.
Structure of a Retro-binding Peptide Inhibitor Complexed with Human α-Thrombin, **246**, 14–20.
The Crystal Structure of Dihydrodipicolinate Synthase from *Escherichia coli* at 2.5 Å Resolution, **246**, 227–239.
Crystallographic Refinement at 2.3 ↑A Resolution and Refined Model of the Photosynthetic Reaction Centre from *Rhodopseudomonas viridis*, **246**, 431–459.
The Crystal Structure of Holo-glyceraldehyde-3-phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima* at 2.5 Å Resolution, **246**, 511–521.
The Crystal Structure of Cruzain: A Therapeutic Target for Chagas' Disease, **247**, 251–259.
The Complex Formed Between Tet Repressor and Tetracycline-Mg^{2+} Reveals Mechanism of Antibiotic Resistance, **247**, 260–280.
Structure Determination of the Biliverdin Apomyoglobin Complex: Crystal Structure Analysis of Two Crystal Forms at 1.4 and 1.5 Å Resolution, **247**, 326–337.
Crystal and Molecular Structures of Human Progastricsin at 1.62 Å Resolution, **247**, 466–485.
Refined Structure of Cytochrome b_{562} from *Escherichia coli* at 1.4 Å resolution, **247**, 947–962.
The Refined Crystal Structure of an Endochitinase from *Hordeum vulgare* L. Seeds at 1.8 Å Resolution, **248**, 402–413.
Crystal Structure of a Complex Between *Serratia marcescens* Metallo-protease and an Inhibitor from *Erwinia chrysanthemi*, **248**, 653–661.
The Crystal Structure of the N-terminal SH3 Domain of Grb2, **248**, 856–866.
Sequence-dependent Microheterogeneity of Z-DNA: The Crystal and Molecular Structures of d(CACGCG)·d(CGCGTG) and d(CGCACG)·d(CGTGCG), **248**, 918–930.
Structural Refinement of the Non-fluorescent Flavoprotein from *Photobacterium leiognathi* at 1.60 Å Resolution, **249**, 195–214.
Crystal Structure of a Pyrimidine Dimer-specific Excision Repair Enzyme from Bacteriophage T4: Refinement at 1.45 Å and X-ray Analysis of the Three Active Site Mutants, **249**, 360–375.
Investigating the Structural Determinants of the p21-like Triphosphate and Mg^{2+} Binding Site, **249**, 654–664.
Crystal Structure of *Escherichia coli* QOR Quinone Oxidoreductase Complexed with NADPH, **249**, 785–799.
Crystal Structure of the Human Cell Cycle Protein CksHs1: Single Domain Fold with Similarity to Kinase N-lobe Domain, **249**, 835–842.
High Resolution Crystal Structures of Recombinant Human Renin in Complex with Polyhydroxymonoamide Inhibitors, **250**, 211–222.
Protein Flexibility and Adaptability Seen in 25 Crystal Forms of T4 Lysozyme, **250**, 527–552.
Structure of Deoxyhaemoglobin of the Antarctic Fish *Pagothenia bernacchii* with an Analysis of the Structural Basis of the Root Effect by Comparison of the Liganded and Unliganded Haemoglobin Structures, **250**, 648–658.
Crystal Structure of L-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus confusus* at 2.2 Å Resolution. An Example of Strong Asymmetry Between Subunits, **251**, 256–281.
The 2.4 Å Crystal Structure of Cholera Toxin B Subunit Pentamer: Choleragenoid, **251**, 550–562.
The Three-dimensional Crystal Structure of Cholera Toxin, **251**, 563–573.
The Crystal Structure of a Human Nucleoside Diphosphate Kinase, NM23-H2, **251**, 574–587.
Self-fitting and Self-modifying Properties of the *B*-DNA Molecule, **251**, 629–647.
Direct Observation of Two Base-pairing Modes of a Cytosine– Thymine Analogue with Guanine in a DNA *Z*-form Duplex: Significance for Base Analogue Mutagenesis, **251**, 665–673.
Refined Crystal Structure of Ferrocytochrome c_2 from *Rhodopseudomonas viridis* at 1.6 Å Resolution, **252**, 235–247.

Crystallographic Structure of a PLP-Dependent Ornithine Decarboxylase from *Lactobacillus* 30a to 3.0 Å Resolution, **252**, 643–655.
Elucidation of Crystal Packing by X-ray Diffraction and Freeze-etching Electron Microscopy. Studies on GTP Cyclohydrolase I of *Escherichia coli*, **253**, 208–218.
Disulfide Mutants of Barnase I: Changes in Stability and Structure Assessed by Biophysical Methods and X-ray Crystallography, **253**, 493–504.
Three-dimensional Structure of the Fab Fragment of Murine N1G9 Antibody from the Primary Immune Response and of Its Complex with (4-Hydroxy-3-Nitrophenyl) acetate, **254**, 208–222.
Lipid Location in Deoxycholate-treated Purple Membrane at 2.6 Å, **254**, 404–415.
Bacillus thuringiensis CrylA(a) Insecticidal Toxin: Crystal Structure and Channel Formation, **254**, 447–464.
Kinetic and Structural Characterization of Mutations of Glycine 216 in α-Lytic Protease: A New Target for Engineering Substrate Specificity, **254**, 720–736.

ξ-crystallin
Crystal Structure of *Escherichia coli* QOR Quinone Oxidoreductase Complexed with NADPH, **249**, 785–799.

Crystallisation
Expression, Purification and Crystallisation of Phosphorylase Kinase Catalytic Domain, **246**, 376–383.
Effects of Ethyleneglycol Chain Length of Dodecyl Polyethyleneglycol Monoether on the Crystallization of Bovine Heart Cytochrome *c* Oxidase, **246**, 572–575.
Purification, Crystallisation and Preliminary X-ray Analysis of Penicillin Binding Protein 4 from *Escherichia coli*, a Protein Related to Class A β-Lactamases, **247**, 149–153.
Crystallisation of RNA–Protein Complexes II. The Application of Protein Engineering for Crystallisation of the U1A Protein–RNA Complex, **249**, 398–412.
Rapid Crystallization of Chemically Synthesized Hammerhead RNAs using a Double Screening Procedure, **250**, 327–332.
Crystal Structure of Desulforedoxin from *Desulfovibrio gigas* Determined at 1.8 Å Resolution: A Novel Non-heme Iron Protein Structure, **251**, 690–702.
Preliminary Cryocrystallographic Study of the Mitochondrial Cytochrome bc_1 Complex: Improved Crystallization and Flash-cooling of a Large Membrane Protein, **252**, 15–19.
Crystallographic Study of a Cleaved, Non-activatable Form of Porcine Zymogen E, **252**, 20–24.

Crystallised DNA oligomers
The Assessment of the Geometry of Dinucleotide Steps in Double-Helical DNA; a New Local Calculation Scheme, **251**, 648–664.

Crystallographic refinement
Refined Crystal Structure of Spinach Ferredoxin Reductase at 1.7 Å Resolution: Oxidized, Reduced and 2'-Phospho-5'-AMP Bound States, **247**, 125–145.
Refined Crystal Structure of Recombinant Murine Interferon-β at 2.15 Å Resolution, **253**, 187–207.

CSE2
Functional Interaction between the *CSE2* Gene Product and Centromeres in *Saccharomyces cerevisiae*, **248**, 255–263.

C-terminal domain
The *KIN28* Gene is Required both for RNA Polymerase II Mediated Transcription and Phosphorylation of the Rpb1p CTD, **249**, 535–544.

C-terminal fusion
Assembly of Functional Bacteriophage Lambda Virions Incorporating C-Terminal Peptide or Protein Fusions with the Major Tail Protein, **248**, 497–506.

Curved DNA
Adjacent Upstream Superhelical Writhe Influences an *Escherichia coli* Promoter as Measured by *in Vivo* Strength and *in Vitro* Open Complex Formation, **254**, 566–578.

Cyanobacteria
Many Combinations of Amino Acid Sequences in a Conserved Region of the D1 Protein Satisfy Photosystem II Function, **246**, 120–131.
Evolution of the Phycobiliproteins, **248**, 79–96.
Isolation, Crystallization, Crystal Structure Analysis and Refinement of Allophycocyanin for the Cyanobacterium *Spirulina platensis* at 2.3 Å Resolution, **249**, 424–440.

Cyano-met myoglobin
Reptile Heme Protein Structure: X-ray Crystallographic Study of the Aquo-met and Cyano-met Derivatives of the Loggerhead Sea Turtle (*Caretta caretta*) Myoglobin at 2.0 Å Resolution, **247**, 459–465.

Cyclobutane pyrimidine dimers
Intragenic Domains of Strand-specific Repair in *Escherichia coli*, **246**, 264–272.

Cyclodiene insecticides
GABA Receptor Minigene Rescues Insecticide Resistance Phenotypes in *Drosophila*, **253**, 223–227.

Cycloheximide
Transcriptional Regulation of *PS-IAA4/5* and *PS-IAA6* Early Gene Expression by Indoleacetic Acid and Protein Synthesis Inhibitors in Pea (*Pisum sativum*), **253**, 396–413.

Cys6 binuclear Zn cluster
A single Amino Acid Change in a Pathway-specific Transcription Factor Results in Differing Degrees of Constitutivity, Hyperinducibility and Derepression of Several Structural Genes, **249**, 693–699.

Cystatins
The Three-dimensional Solution Structure of Human Stefin A, **246**, 331–343.

Cysteine protease
Alignment/Phylogeny of the Papain Superfamily of Cysteine Proteases, **246**, 273–283.

Cysteine residues
Refolding of Bovine Pancreatic Trypsin Inhibitor *via* Non-native Disulphide Intermediates, **249**, 463–477.
Ionisation of Cysteine Residues at the Termini of Model α-Helical Peptides. Relevance to Unusual Thiol pK_a Values in Proteins of the Thioredoxin Family, **253**, 799–812.
Mapping of the Active Site Zinc Ligands of Peptide Deformylase, **254**, 175–183.

Cytochrome bc_1 complex
Preliminary Cryocrystallographic Study of the Mitochondrial Cytochrome bc_1 Complex: Improved Crystallization and Flash-cooling of a Large Membrane Protein, **252**, 15–19.

Cytochrome *c*
Volumetric Characterizations of the Native, Molten Globule and Unfolded States of Cytochrome *c* at Acidic pH, **250**, 291–306.

Cytochrome c_2
Refined Crystal Structure of Ferrocytochrome c_2 from *Rhodopseudomonas viridis* at 1.6 Å Resolution, **252**, 235–247.

Cytochrome *c6*
The Structure of Chloroplast Cytochrome *c6* at 1.9 Å Resolution: Evidence for Functional Oligomerization, **250**, 627–647.

Cytochrome oxidase
Effects of Ethyleneglycol Chain Length of Dodecyl Polyethyleneglycol Monoether on the Crystallization of Bovine Heart Cytochrome *c* Oxidase, **246**, 572–575.
New Archaebacterial Genes Coding for Redox Proteins: Implications for the Evolution of Aerobic Metabolism, **250**, 202–210.

Cytochromes
Structure and Dynamics of Ferrocytochrome c_{553} from *Desulfovibrio Vulgaris* Studied by NMR Spectroscopy and Restrained Molecular Dynamics, **245**, 661–681.
Refined Structure of Cytochrome b_{562} from *Escherichia coli* at 1.4 Å resolution, **247**, 947–962.

Cytokine
The Solution Structure of the F42A Mutant of Human Interleukin 2, **247**, 979–994.

Cytoplasmic streaming
Myosin from Alga *Chara*: Unique Structure Revealed by Electron Microscopy, **254**, 109–112.

***DA* layers**
Model Structure of the Ompα Rod, a Parallel Four-stranded Coiled Coil from the Hyperthermophilic Eubacterium *Thermotoga maritima*, **248**, 180–189.

Dam methylase
Pyrimidine Regulation of the *Escherichia coli* and *Salmonella typhimurium carAB* Operons: CarP and Integration Host Factor (IHF) Modulate the Methylation Status of a GATC Site Present in the Control Region, **250**, 383–391.
DNA Palindromes Adopt a Methylation-resistant Conformation that is Consistent with DNA Cruciform or Hairpin formation *in Vivo*, **252**, 70–85.

Database search
A Sequence Property Approach to Searching Protein Databases, **251**, 390–399.

d(C-G-G) triplet repeat
Solution Structure of a DNA Quadruplex Containing the Fragile X Syndrome Triplet Repeat, **254**, 638–656.

dCMP-deaminase
Molecular Analysis of Mutations in the *hprt* Gene of V79 Hamster Fibroblasts: Effects of Imbalances in the dCTP, dGTP and dTTP Pools, **252**, 514–521.

dd-peptidase
The Refined Crystallographic Structure of a dd-Peptidase Penicillin-target Enzyme at 1.6 Å Resolution, **254**, 223–236.

Decarboxylase
Crystallographic Structure of a PLP-Dependent Ornithine Decarboxylase from *Lactobacillus* 30a to 3.0 Å Resolution, **252**, 643–655.

Deformed
Homeodomain Proteins: What Governs Their Ability to Recognize Specific DNA Sequences?, **250**, 595–608.

Deformylase
Mapping of the Active Site Zinc Ligands of Peptide Deformylase, **254**, 175–183.

Deletion analysis
Specific Stimulation of *recA*-independent Plasmid Recombination by a DNA Sequence at a Distance, **247**, 890–902.
Genetic Dissection of Intersubunit Contacts Within Human Protein Kinase CK2, **253**, 703–711.

Delta factor
Structural Analysis of the *Bacillus subtilis* δ Factor: A Protein Polyanion which Displaces RNA from RNA Polymerase, **252**, 189–202.

Denaturation
The Kinetics of the Thermal Denaturation of Collagen in Unrestrained Rat Tail Tendon Determined by Differential Scanning Calorimetry, **245**, 437–446.
Domain Structure, Stability and Domain–Domain Interactions in Recombinant Factor XIII, **248**, 414–430.
Interactions Between Type III Domains in the 110 kDa Cell-binding Fragment of Fibronectin, **248**, 611–626.
Desk-top Analysis of the Structural Stability of Various Point Mutations Introduced into Ribonuclease H, **248**, 733–738.
Cold Denaturation of CheY, **249**, 529–534.

2-Deoxy-glucose-6-phosphate
The Binding of 2-Deoxy-glucose-6-phosphate to Glycogen Phosphorylase b: Kinetic and Crystallographic studies, **253**, 114–131.
The Binding of 2-Deoxy-D-glucose 6-Phosphate to Glycogen Phosphorylase *b*: Kinetic and Crystallographic Studies, **254**, 900–917.

Deoxyribonuclease I
The Roles of Arginine 41 and Tyrosine 76 in the Coupling of DNA Recognition to Phosphodiester Bond Cleavage by DNase I: a Study using Site-directed Mutagenesis, **251**, 366–377.

Design principles
Subunit Structure of Regulator Proteins Influences the Design of Gene Circuitry: Analysis of Perfectly Coupled and Completely Uncoupled Circuits, **248**, 739–755.

Designed HCDR3 regions
Selection and Application of Human Single Chain Fv Antibody Fragments from a Semi-synthetic Phage Antibody Display Library with Designed CDR3 regions, **248**, 97–105.

Desolvation
Molecular Recognition of Receptor Sites using a genetic Algorithm with a Description of Desolvation, **245**, 43–53.

Desulforedoxin
Crystal Structure of Desulforedoxin from *Desulfovibrio gigas* Determined at 1.8 Å Resolution: A Novel Non-heme Iron Protein Structure, **251**, 690–702.

Deviations from non-crystallographic symmetry
Crystal Structure of L-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus confusus* at 2.2 Å Resolution. An Example of Strong Asymmetry Between Subunits, **251**, 256–281.

Dialkylglycine decarboxylase
Structural and Mechanistic Analysis of Two Refined Crystal Structures of the Pyridoxal Phosphate-dependent Enzyme Dialkylglycine Decarboxylase, **245**, 151–179.

Dictyostelium
Structure of Severin Domain 2 in Solution, **247**, 21–27.

Differential rate
Kinetics of Expression of Inducible βGalactosidase in Murine Fibroblasts: High Initial Rate Compared to Steady-state Expression, **252**, 289–295.

Differential scanning calorimetry
Thermodynamic Stability of the Molten Globule States of Apomyoglobin, **250**, 223–238.
Mechanism of Protein Stabilization by Disulfide Bridges: Calorimetric Unfolding Studies on Disulfide-deficient Mutants of the α-Amylase Inhibitor Tendamistat, **254**, 481–496.

Differential splicing
The Complete Primary Structure of Human Nebulin and its Correlation to Muscle Structure, **248**, 308–315.

Differentiation
Autocatalytic Gene Expression Occurs *via* Transertion and Membrane Domain Formation and Underlies Differentiation in Bacteria: A Model, **253**, 739–748.

Diffusion limited aggregation
Simple Physical Model of Collagen Fibrillogenesis Based on Diffusion Limited Aggregation, **247**, 823–831.

Dihydrodipicolinate synthase
The Crystal Structure of Dihydrodipicolinate Synthase from *Escherichia coli* at 2.5 Å Resolution, **246**, 227–239.

Dihydrofolate reductase
Detection of Long-lived Bound Water Molecules in Complexes of Human Dihydrofolate Reductase with Methotrexate and NADPH, **247**, 294–308.
Contributions of Tryptophan 24 and Glutamate 30 to Binding Long-lived Water Molecules in the Ternary Complex of Human Dihydrofolate Reductase with Methotrexate and NADPH Studied by Site-directed Mutagenesis and Nuclear Magnetic Resonance Spectroscopy, **247**, 309–325.

Dihydrothymine
The Action of *Escherichia coli* Endonuclease III on Multiply Damaged Sites in DNA, **249**, 914–922.

Dimer formation
Association of Structural Repeats in the α-Actinin Rod Domain. Alignment of Inter-subunit Interactions, **252**, 227–234.

Dimer structure
Structural Analysis of Monomeric Hemichrome and Dimeric Cyanomet Hemoglobins from *Caudina arenicola*, **251**, 421–431.
Three-dimensional Dimer Structure of the λ-Cro Repressor in Solution as Determined by Heteronuclear Multidimensional NMR, **254**, 668–680.

Dimerization kinetics
Dimerization Kinetics of HIV-1 and HIV-2 Reverse Transcriptase: A Two Step Process, **245**, 508–521.

Dimerization specificity
Analysis of the Myc and Max Interaction Specificity with λ Repressor-HLH Domain Fusions, **248**, 541–550.

Discrete model
The Complexity and Accuracy of Discrete State Models of Protein Structure, **249**, 493–507.

Dissociation
Heterogeneity of *E. coli* RNA Polymerase Revealed by High Pressure, **253**, 259–265.

Distance difference matrix
Solution Structure of $(Cd^{2+})_1$-calbindin D_{9k} Reveals Details of the Stepwise Structural Changes along the Apo → $(Ca^{2+})^{II}_1$ → $(Ca^{2+})^{I,II}_2$ Binding Pathway, **252**, 102–121.

Distance geometry
Calculation of Protein Structures with Ambiguous Distance Restraints. Automated Assignment of Ambiguous NOE Crosspeaks and Disulphide Connectivities, **245**, 645–660.
Solution Structure of Human Insulin-like Growth Factor II. Relationship to Receptor and Binding Protein Interactions, **248**, 385–401.
Global Fold Determination from a Small Number of Distance Restraints, **251**, 308–326.
Automated Assignment of Simulated and Experimental NOESY Spectra of Proteins by Feedback Filtering and Self-correcting Distance Geometry, **254**, 465–480.

Distance measurement
NMR Cross-relaxation Investigated by Molecular Dynamics Simulation: A Case Study of Ubiquitin in Solution, **249**, 604–624.

Distance prediction
Global Fold Determination from a Small Number of Distance Restraints, **251**, 308–326.

Disulphide bond
Calculation of Protein Structures with Ambiguous Distance Restraints. Automated Assignment of Ambiguous NOE Crosspeaks and Disulphide Connectivities, **245**, 645–660.
A Molecular Model for the Redox Potential Difference Between Thioredoxin and DsbA, Based on Electrostatics Calculations, **249**, 376–387.
Refolding of Bovine Pancreatic Trypsin Inhibitor *via* Non-native Disulphide Intermediates, **249**, 463–477.
Stabilization of the α-Helical Coiled-coil Domain in Laminin by C-terminal Disulfide Bonds, **250**, 74–79.
Influence of Protein Conformation on Disulfide Bond Formation in the Oxidative Folding of Ribonuclease T_1, **251**, 135–149.
Conformational Properties of Four Peptides Spanning the Sequence of Hen Lysozyme, **252**, 483–491.
Disulfide Mutants of Barnase I: Changes in Stability and Structure Assessed by Biophysical Methods and X-ray Crystallography, **253**, 493–504.
Disulfide Mutants of Barnase II: Changes in Structure and Local Stability Identified by Hydrogen Exchange, **253**, 505–513.
Determination of the Three-dimensional Solution Structure of Scyllatoxin by ^1H Nuclear Magnetic Resonance, **253**, 590–603.
Mechanism of Protein Stabilization by Disulfide Bridges: Calorimetric Unfolding Studies on Disulfide-deficient Mutants of the α-Amylase Inhibitor Tendamistat, **254**, 481–496.

Disulphide-interchange reactions
Efficient Catalysis of Disulfide Formation During Protein Folding with a Single Active-site Cysteine, **247**, 28–33.

DMS protection
Footprint analysis of M.SssI and M.HhaI Methyltransferases Reveals Extensive Interactions with the Substrate DNA Backbone, **248**, 19–26.

***A*-DNA**
CRP-DNA Complexes: Inducing the *A*-like Form in the Binding Sites with an Extended Central Spacer, **245**, 228–240.

Hydration Patterns and Intermolecular Interactions in *A*-DNA Crystal Structures. Implications for DNA Recognition, **248**, 662–678.

B-DNA

B-DNA Twisting Correlates with Base-pair Morphology, **247**, 34–48.

Self-fitting and Self-modifying Properties of the *B*-DNA Molecule, **251**, 629–647.

DNA bending

Site-specific recombination at *res* Sites Containing DNA-binding sequences for both TN21 Resolvase and CAP, **245**, 219–227.

In vitro Analysis of a Constitutively Active Mutant Form of the *Escherichia coli* Global Transcription Factor FNR, **245**, 351–361.

Helical Parameters, Fluctuations, Alternative Hydrogen Bonding, and Bending in Oligonucleotides Containing a Mismatched Base-pair by NOESY Distance Restrained and Distance Free Molecular Dynamics, **246**, 209–226.

Translational Positioning of Nucleosomes on DNA: The Role of Sequence-dependent Isotropic DNA Bending Stiffness, **247**, 918–931.

Dimer Form of Phosphorylated Spo0A, a Transcriptional Regulator, Stimulates the *Spo0F* Transcription at the Initiation of Sporulation in *Bacillus subtilis*, **250**, 11–23.

DNA Bending is an Important Component of Site-specific Recognition by the TATA Binding Protein, **250**, 434–446.

The Role of DNA Bending in Flp-mediated Site-specific Recombination, **251**, 493–506.

Effects of Base Substitutions on the Binding of a DNA-bending Protein, **253**, 1–7.

High Angle and Ligand-induced Low Angle DNA Bends Incited by OccR Lie in the Same Plane with OccR Bound to the Interior Angle, **253**, 32–38.

Single Base-pair Precision and Structural Rigidity in a Small IHF-induced DNA Loop, **253**, 228–242.

The Sixty Nucleotide OccR Operator Contains a Subsite Essential and Sufficient for OccR Binding and a Second Subsite Required for Ligand-responsive DNA Bending, **253**, 691–702.

Determination of DNA Persistence Length by Cryo-electron Microscopy. Separation of the Static and Dynamic Contributions to the Apparent Persistence Length of DNA, **254**, 579–594.

DNA binding

In vitro Analysis of a Constitutively Active Mutant Form of the *Escherichia coli* Global Transcription Factor FNR, **245**, 351–361.

A Single Amino Acid Substitution in Zinc Finger 2 of Adr1p Changes its Binding Specificity at two Positions in UAS1, **251**, 1–8.

The Role of DNA Bending in Flp-mediated Site-specific Recombination, **251**, 493–506.

Characterization of the Interaction between the Lambda Intasome and *att*B, **252**, 47–58.

The Small Subunit of the Terminase Enzyme of *Bacillus subtilis* Bacteriophage SPP1 forms a Specialized Nucleoprotein Complex with the Packaging Initiation Region, **252**, 386–398.

DNA binding domain

Structure Refinement of the Glucocorticoid Receptor-DNA Binding from NMR Data by Relaxation Matrix Calculations, **247**, 689–700.

Structure, Thermodynamics and Cooperativity of the Glucocorticoid Receptor DNA-binding Domain in Complex with Different Response Elements. Molecular Dynamics Simulation and Free Energy Perturbation Studies, **253**, 453–472.

Refined Solution Structure and Dynamics of the DNA-binding Domain of the Heat Shock Factor from *Kluyveromyces lactis*, **254**, 704–719.

DNA binding motifs

Comprehensive Analysis of Hydrogen Bonds in Regulatory Protein DNA-Complexes: Im Search of Common Principles, **253**, 370–382.

DNA binding proteins

Partition Functions of Mini-F Affect Plasmid DNA Topology in *Escherichia coli*, **246**, 390–402.

The Bacteriophage N4-coded Single-stranded DNA-binding Protein (N4SSB) is the Transcriptional Activator of *Escherichia coli* RNA Polymerase at N4 Late Promoters, **246**, 461–471.

Addition of a 29 Residue Carboxyl-terminal Tail Converts a Simple HMG Box-containing Protein into a Transcriptional Activator, **249**, 11–28.

Determination of Sequence Specificity between a Plasmid Replication Initiator Protein and the Origin of Replication, **254**, 381–391.

Solution Structure of the HU Protein from *Bacillus stearothermophilus*, **254**, 692–703.

DNA cleavage

ATP Hydrolysis is Required for DNA Cleavage by *Eco*PI Restriction Enzyme, **247**, 559–567.

Mutation in Cys662 of *Escherichia coli* DNA Topoisomerase I Confers Temperature Sensitivity and Change in DNA Cleavage Selectivity, **250**, 609–616.

DNA Cleavage at Two Recognition Sites by the *Sfi*I Restriction Endonuclease: Salt Dependence of *Cis* and *Trans* Interactions between Distant DNA Sites, **252**, 399–411.

DNA complex

Solution Structure of a Quinomycin Bisintercalator-DNA Complex, **246**, 164–179.

DNA conformation

CRP-DNA Complexes: Inducing the *A*-like Form in the Binding Sites with an Extended Central Spacer, **245**, 228–240.

B-DNA Twisting Correlates with Base-pair Morphology, **247**, 34–48.

Triple-Helix Specific Ligands Stabilize *H*-DNA Conformation, **247**, 847–858.

DNA curvature

Bulge-Induced Bends in RNA: Quantification by Transient Electric Birefringence, **247**, 486–500.

Determination of DNA Persistence Length by Cryo-electron Microscopy. Separation of the Static and Dynamic Contributions to the Apparent Persistence Length of DNA, **254**, 579–594.

DNA deformability

Solution Structure of Mithramycin Dimers Bound to Partially Overlapping Sites on DNA, **251**, 674–689.

DNA deletions

Analysis of Deletions Induced in the Genome of Mammalian Cells by Ionizing Radiation, **254**, 372–380.

DNA denaturation

Energetics of Coupled Twist and Writhe Changes in Closed Circular pSM1 DNA, **253**, 438–452.

DNA distortion
P22 Arc Repressor: Role of Cooperativity in Repression and Binding to Operators with Altered Half-site Spacing, **249**, 729–742.

DNA double-strand breaks
The Action of *Escherichia coli* Endonuclease III on Multiply Damaged Sites in DNA, **249**, 914–922.
Analysis of Deletions Induced in the Genome of Mammalian Cells by Ionizing Radiation, **254**, 372–380.

DNA endonuclease
Selection of a Remote Cleavage Site by I-*Tev*I, the *td* Intron-encoded Endonuclease, **247**, 197–210.

DNA excision
Rescue and Replication Signals of the Adeno-associated Virus 2 Genome, **250**, 573–580.

DNA flexibility
Effects of Base Substitutions on the Binding of a DNA-bending Protein, **253**, 1–7.

DNA folding
A Stable Interaction between Separated Pyrimidine·Purine Tracts in Circular DNA, **252**, 283–288.

***H*-DNA**
An Intramolecular Triplex Structure From Non-mirror Repeated Sequence Containing Both *Py:* Pu·Py and *Pu:* Pu·Py Triads, **245**, 499–507.
Triple-Helix Specific Ligands Stabilize *H*-DNA Conformation, **247**, 847–858.

DNA hydrolysis
The Roles of Arginine 41 and Tyrosine 76 in the Coupling of DNA Recognition to Phosphodiester Bond Cleavage by DNase I: a Study using Site-directed Mutagenesis, **251**, 366–377.

DNA infection
Headful Packaging Revisited: The Packaging of more than one DNA Molecule into a Bacteriophage P1 Head, **249**, 176–184.

DNA looping
A Basic Tail Increases Repression by Dimeric Lac Repressor, **247**, 396–403.
The *Sfi*I Restriction Endonuclease Makes a Four-strand DNA Break at Two Copies of its Recognition Sequence, **248**, 581–595.
DNA Cleavage at Two Recognition Sites by the *Sfi*I Restriction Endonuclease: Salt Dependence of *Cis* and *Trans* Interactions between Distant DNA Sites, **252**, 399–411.

DNA melting
Self-fitting and Self-modifying Properties of the *B*-DNA Molecule, **251**, 629–647.

DNA methylase
An Extended −10 Promoter Alone Directs Transcription of the *Dpn*II Operon of *Streptococcus pneumoniae*, **250**, 144–155.

DNA methylation
Alternating and Non-alternating dG-dC Hexanucleotides Crystallize as Canonical *A*-DNA, **249**, 772–784.

DNA methyltransferase
Structure-guided Analysis Reveals Nine Sequence Motifs Conserved among DNA Amino-methyl-transferases, and Suggests a Catalytic Mechanism for these Enzymes, **253**, 618–632.

DNA minor groove
DNA Bending is an Important Component of Site-specific Recognition by the TATA Binding Protein, **250**, 434–446.
The Roles of Arginine 41 and Tyrosine 76 in the Coupling of DNA Recognition to Phosphodiester Bond Cleavage by DNase I: a Study using Site-directed Mutagenesis, **251**, 366–377.

DNA packaging G1P
The Small Subunit of the Terminase Enzyme of *Bacillus subtilis* Bacteriophage SPP1 forms a Specialized Nucleoprotein Complex with the Packaging Initiation Region, **252**, 386–398.

DNA palindrome
DNA Palindromes Adopt a Methylation-resistant Conformation that is Consistent with DNA Cruciform or Hairpin formation *in Vivo*, **252**, 70–85.

DNA persistence length
Determination of DNA Persistence Length by Cryo-electron Microscopy. Separation of the Static and Dynamic Contributions to the Apparent Persistence Length of DNA, **254**, 579–594.

DNA polymerase
N-2-aminofluorene and *N*-2 acetylaminofluorene Adducts: The Local Sequence Context of an Adduct and its Chemical Structure Determine its Replication Properties, **249**, 903–913.
Dynamics of Bacteriophage T4 DNA Polymerase Function: Identification of Amino Acid Residues that Affect Switching between Polymerase and 3' → 5' Exonuclease Activities, **254**, 15–28.

DNA processing
Self-fitting and Self-modifying Properties of the *B*-DNA Molecule, **251**, 629–647.

DNA quadruplex
Solution Structure of a DNA Quadruplex Containing the Fragile X Syndrome Triplet Repeat, **254**, 638–656.

DNA recognition
Hydration Patterns and Intermolecular Interactions in *A*-DNA Crystal Structures. Implications for DNA Recognition, **248**, 662–678.

DNA repair
Crystal Structure of a Pyrimidine Dimer-specific Excision Repair Enzyme from Bacteriophage T4: Refinement at 1.45 Å and X-ray Analysis of the Three Active Site Mutants, **249**, 360–375.
The Action of *Escherichia coli* Endonuclease III on Multiply Damaged Sites in DNA, **249**, 914–922.
Characteristics of UV-induced Mutation Spectra in Human XP-D/ERCC2 Gene-mutated Xeroderma Pigmentosum and Trichothiodystrophy Cells, **252**, 550–562.

DNA repeat
The Structure of a Novel DNA Duplex Formed by Human Centromere d(TGGAA) Repeats with Possible Implications for Chromosome Attachment during Mitosis, **254**, 623–637.

DNA replication
Determination of the Binding Sites of RepA, a Replication Initiator Protein of the Basic Replicon of the IncN Group Plasmid pCU1, **246**, 595–608.
Synthesis of Simian Virus 40 C-family catenated dimers *in Vivo* in the Presence of ICRF-193, **247**, 835–839.
Rescue and Replication Signals of the Adeno-associated Virus 2 Genome, **250**, 573–580.

Helix-destabilizing Activity of Φ29 Single-stranded DNA Binding Protein: Effect on the Elongation Rate During Strand Displacement DNA Replication, **253**, 517–529.
Dynamics of Bacteriophage T4 DNA Polymerase Function: Identification of Amino Acid Residues that Affect Switching between Polymerase and 3' → 5' Exonuclease Activities, **254**, 15–28.

DNA segregation
Partition Functions of Mini-F Affect Plasmid DNA Topology in *Escherichia coli*, **246**, 390–402.

DNA sequence
The DNA Sequence of Equine Herpesvirus 2, **249**, 520–528.
Distinctive Sequence Features in Protein Coding, Genic Non-coding, and Intergenic Human DNA, **253**, 51–60.

DNA sequencer
Substrate Preferences of Vsr DNA Mismatch Endonuclease and their Consequences for the Evolution of the *Escherichia coli* K-12 Genome, **245**, 1–7.

DNA specificity
Probing the Domain Structure of the Type IC DNA Methyltransferase M.*Eco*R124I by Limited Proteolysis, **250**, 181–190.

DNA structure
Centromeric Dodeca-satellite DNA Sequences Form Fold-back Structures, **245**, 8–21.
Binding of the Junction-resolving Enzyme Bacteriophage T7 Endonuclease I to DNA: Separation of Binding and Catalysis by Mutation, **246**, 95–107.
Solution Structure of an Oncogenic DNA Duplex, the K-*ras* Gene and the Sequence Containing a Central C·A or A·G Mismatch as a Function of pH: Nuclear Magnetic Resonance and Molecular Dynamics Studies, **246**, 194–208.
Ancestral, Mammalian-wide Subfamilies of LINE-1 Repetitive Sequences, **246**, 403–419.
A Novel Group of Families of Short Interspersed Repetitive Elements (SINEs) in *Xenopus*: Evidence of a Specific Target Site for DNA-mediated Transposition of Inverted-repeat SINEs, **248**, 812–823.
Sequence-dependent Microheterogeneity of *Z*-DNA: The Crystal and Molecular Structures of d(CACGCG)·d(CGCGTG) and d(CGCACG)·d(CGTGCG), **248**, 918–930.
Alternating and Non-alternating dG-dC Hexanucleotides Crystallize as Canonical *A*-DNA, **249**, 772–784.
Two Inequivalent Folding Isomers of the Three-way DNA Junction with Unpaired Bases: Sequence-dependence of the Folded Conformation, **251**, 507–519.
DNA Palindromes Adopt a Methylation-resistant Conformation that is Consistent with DNA Cruciform or Hairpin formation *in Vivo*, **252**, 70–85.
Structural Analysis of the RuvC-Holliday Junction Complex Reveals an Unfolded Junction, **252**, 213–226.
The Modular Character of a DNA Junction-resolving Enzyme: A Zinc-binding Motif in bacteriophage T4 Endonuclease VII, **252**, 596–610.
Identification in the Human Genome of Mobile Elements Spread by DNA-mediated Transposition, **254**, 1–5.
Adjacent Upstream Superhelical Writhe Influences an *Escherichia coli* Promoter as Measured by *in Vivo* Strength and *in Vitro* Open Complex Formation, **254**, 566–578.
Determination of DNA Persistence Length by Cryo-electron Microscopy. Separation of the Static and Dynamic Contributions to the Apparent Persistence Length of DNA, **254**, 579–594.

DNA topology
Partition Functions of Mini-F Affect Plasmid DNA Topology in *Escherichia coli*, **246**, 390–402.
Unwinding of Closed Circular DNA by the *Escherichia coli* RuvA and RuvB Recombination/Repair Proteins, **247**, 404–417.

DNA triplexes
A Stable Interaction between Separated Pyrimidine·Purine Tracts in Circular DNA, **252**, 283–288.

DNA unwinding
Helix-destabilizing Activity of Φ29 Single-stranded DNA Binding Protein: Effect on the Elongation Rate During Strand Displacement DNA Replication, **253**, 517–529.

DNA virus
Modelling Viral Evolution *in Vitro* Using exo⁻ Klenow Polymerase: Continuous Selection of Strand Displacement Amplified DNA that Binds an Oligodeoxynucleotide to Form a Triple-helix, **254**, 856–868.

***Z*-DNA**
Sequence-dependent Microheterogeneity of *Z*-DNA: The Crystal and Molecular Structures of d(CACGCG)·d(CGCGTG) and d(CGCACG)·d(CGTGCG), **248**, 918–930.
Direct Observation of Two Base-pairing Modes of a Cytosine– Thymine Analogue with Guanine in a DNA *Z*-form Duplex: Significance for Base Analogue Mutagenesis, **251**, 665–673.

DnaB-dependent DNA replication
Kid, a Small Protein of the *parD* Stability System of Plasmid R1, is an Inhibitor of DNA Replication Acting at the Initiation of DNA Synthesis, **247**, 568–577.

DnaJ
The Role of ATP in the Functional Cycle of the DnaK Chaperone System, **249**, 126–137.

***dnaJ* gene**
The Archaeal *dnaK-dnaJ* Gene Cluster: Organization and Expression in the Methanogen *Methanosarcina mazei*, **250**, 191–201.

***dnaK* gene**
The Archaeal *dnaK-dnaJ* Gene Cluster: Organization and Expression in the Methanogen *Methanosarcina mazei*, **250**, 191–201.

DNA-polymerases
Triple-Helix Specific Ligands Stabilize *H*-DNA Conformation, **247**, 847–858.

DNA-protein interaction
Matching Electrostatic Charge between DNA and Coat Protein in Filamentous Bacteriophage Fibre Diffraction of Charge-deletion Mutants, **245**, 86–91.
Site-specific Recombination at *res* Sites Containing DNA-binding Sequences for both TN21 and TN3 Resolvases, **245**, 208–218.
Site-specific recombination at *res* Sites Containing DNA-binding sequences for both TN21 Resolvase and CAP, **245**, 219–227.
CRP-DNA Complexes: Inducing the *A*-like Form in the Binding Sites with an Extended Central Spacer, **245**, 228–240.
Determination of the Binding Sites of RepA, a Replication Initiator Protein of the Basic Replicon of the IncN Group Plasmid pCU1, **246**, 595–608.

Footprint analysis of M.SssI and M.HhaI Methyltransferases Reveals Extensive Interactions with the Substrate DNA Backbone, **248**, 19–26.
The *Sfi*I Restriction Endonuclease Makes a Four-strand DNA Break at Two Copies of its Recognition Sequence, **248**, 581–595.
The 1.9 Å Crystal Structure of a Nucleoside Diphosphate Kinase Complex with Adenosine 3′,5′-Cyclic Monophosphate: Evidence for Competitive Inhibition, **249**, 665–674.
Nag Repressor–Operator Interactions: Protein–DNA Contacts Cover More Than Two Turns of the DNA Helix, **249**, 890–902.
DNA Bending is an Important Component of Site-specific Recognition by the TATA Binding Protein, **250**, 434–446.
DNA Cleavage at Two Recognition Sites by the *Sfi*I Restriction Endonuclease: Salt Dependence of *Cis* and *Trans* Interactions between Distant DNA Sites, **252**, 399–411.
Electron Microscopic Visualization of RecT Protein and its Complexes with DNA, **254**, 364–371.

DNA-RNA duplex
Requirements for DNA Strand Transfer During Reverse Transcription in Mutant HIV-1 Virions, **252**, 59–69.

DNase I footprinting
A Transcriptional Role for Conserved Footprinting Sequences within the Larval Promoter of a *Drosophila* Alcohol Dehydrogenase Gene, **249**, 259–269.

dNTP imbalance
Molecular Analysis of Mutations in the *hprt* Gene of V79 Hamster Fibroblasts: Effects of Imbalances in the dCTP, dGTP and dTTP Pools, **252**, 514–521.

dNTP pool
The Gene for Nucleoside Diphosphate Kinase Functions as a Mutator Gene in *Escherichia coli*, **254**, 337–341.

Docking
A Geometry-based Suite of Molecular Docking Processes, **248**, 459–477.
Molecular Surface Complementarity at Protein-Protein Interfaces: The Critical Role Played by Surface Normals at Well Placed, Sparse, Points in Docking, **252**, 263–273.

Dodeca-satellite DNA
Centromeric Dodeca-satellite DNA Sequences Form Fold-back Structures, **245**, 8–21.

Domain motions
Automatic Analysis of Protein Conformational Changes by Multiple Linkage Clustering, **253**, 633–647.

Domain organisation
The Structure of the R-type Straight Flagellar Filament of *Salmonella* at 9 Å Resolution by Electron Cryomicroscopy, **249**, 69–87.
Probing the Domain Structure of the Type IC DNA Methyltransferase M.*Eco*R124I by Limited Proteolysis, **250**, 181–190.
Structural Organization and Assembly of Flagellar Hook Protein from *Salmonella typhimurium*, **251**, 520–532.
Radial Mass Analysis of the Flagellar Filament of *Salmonella*: Implications for the Subunit Folding, **253**, 547–558.

Domain realignment
Modification of Primary Structures of Hairpin Ribozymes for Probing Active Conformations, **252**, 296–304.

Domain-domain interaction
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. II. Replacements at the Interface of Dimer Formation, Val13, **249**, 636–645.

Domains
Nucleation, Fiber Growth and Melting, and Domain Formation and Structure in Sickle Cell Hemoglobin Gels, **245**, 710–723.
Domain Structure, Stability and Domain–Domain Interactions in Recombinant Factor XIII, **248**, 414–430.
Core RNA Polymerase and Promoter DNA Interactions of Purified Domains of σ^N: Bipartite Functions, **248**, 781–803.

Domain-specific repair
Intragenic Domains of Strand-specific Repair in *Escherichia coli*, **246**, 264–272.

Domain-switching
Dissecting and Analyzing the Secondary Structure Domains of Group I Introns through the use of Chimeric Intron Constructs, **252**, 583–595.

Donor substrate site
Mapping Important Nucleotides in the Peptidyl Transferase Centre of 23 S rRNA using a Random Mutagenesis Approach, **249**, 1–10.

Double-strand break,
see DNA double-strand breaks.

Double-strand DNA endonuclease
Selection of a Remote Cleavage Site by I-*Tev*I, the *td* Intron-encoded Endonuclease, **247**, 197–210.

Double-stranded RNA
In vitro Packaging of the Single-stranded RNA Genomic Precursors of the Segmented Double-stranded RNA Bacteriophage φ6: The Three Segments Modulate Each Other's Packaging Efficiency, **246**, 420–423.
Functional Characterization of the RNA-Binding Domain and Motif of the Double-stranded RNA-dependent Protein Kinase DAI (PKR), **249**, 29–44.
Genomic Organization and Chromosomal Location of the Human dsRNA Adenosine Deaminase Gene: The Enzyme for Glutamate-activated Ion Channel RNA Editing, **254**, 184–195.

Drosophila
Multiple Interacting Elements Delineate an Ecdysone-dependent Regulatory Region with Secondary Responsive Character, **249**, 298–318.
The HEM Proteins: A Novel Family of Tissue-specific Transmembrane Proteins Expressed from Invertebrates Through Mammals with an Essential Function in Oogenesis, **251**, 41–49.
GABA Receptor Minigene Rescues Insecticide Resistance Phenotypes in *Drosophila*, **253**, 223–227.
Localization of Sequences Required for Size-specific Splicing of a Small *Drosophila* Intron *in Vitro*, **253**, 426–437.

Drosophila melanogaster
Defects in the *Drosophila* Myosin Rod Permit Sarcomere Assembly but Cause Flight Muscle Degeneration, **249**, 111–125.
The Three-dimensional Solution Structure of the NK-2 Homeodomain from *Drosophila*, **251**, 297–307.

Drug design
A Sialic Acid-derived Phosphonate Analog Inhibits Different Strains of Influenza Virus Neuraminidase with Different Efficiencies, **245**, 623–624.

Crystal Structures of a Schistosomal Drug and Vaccine Target: Glutathione S-Transferase from *Schistosoma japonica* and its Complex with the Leading Antischistosomal Drug Praziquantel, **246**, 21–27.
The Crystal Structure of Cruzain: A Therapeutic Target for Chagas' Disease, **247**, 251–259.
Towards Structure-based Drug Design: Crystal Structure of a Multisubstrate Adduct Complex of Glycinamide Ribonucleotide Transformylase at 1.96 Å Resolution, **249**, 153–175.

Drug resistance
β-Tubulin Genes from the Parasitic Nematode *Haemonchus contortus* Modulate Drug Resistance in *Caenorhabditis elegans*, **246**, 500–510.
Structural Studies on Human Rhinovirus 14 Drug-resistant Compensation Mutants, **253**, 61–73.

DsbA protein
Efficient Catalysis of Disulfide Formation During Protein Folding with a Single Active-site Cysteine, **247**, 28–33.
Ionisation of Cysteine Residues at the Termini of Model α-Helical Peptides. Relevance to Unusual Thiol pK_a Values in Proteins of the Thioredoxin Family, **253**, 799–812.

D-stem interaction
The Presence of a D-Stem but not a T-Stem is Essential for Triggering Aminoacylation upon Anticodon Binding in Yeast Methionine tRNA, **249**, 45–58.

Duocarmycin alignment and directionality
Solution Structure of the Covalent Duocarmycin A–DNA Duplex Complex, **248**, 162–179.

Dynamic programming
Identification of Protein Coding Regions in Genomic DNA, **248**, 1–18.
Identification and Analysis of Multigene Families by Comparison of Exon Fingerprints, **249**, 342–359.

Dynamics of DNA polymerase function
Dynamics of Bacteriophage T4 DNA Polymerase Function: Identification of Amino Acid Residues that Affect Switching between Polymerase and 3' → 5' Exonuclease Activities, **254**, 15–28.

Dynamics, stability
Mechanism of Hydrogen–Deuterium Exchange in *trp* Repressor Studied by ^{1}H-^{15}N NMR, **253**, 576–589.

Dynein
Rigor and Relaxed Outer Dynein Arms in Replicas of Cryofixed Motile Flagella, **250**, 52–63.

Early response genes
The *PS-IAA4/5*-like Family of Early Auxin-inducible mRNAs in *Arabidopsis thaliana*, **251**, 533–549.

E-Box
E-Box Variants Direct Formation of Distinct Complexes with the Basic Helix-Loop-Helix Protein ALF1, **249**, 564–575.

Ecdysone response
Multiple Interacting Elements Delineate an Ecdysone-dependent Regulatory Region with Secondary Responsive Character, **249**, 298–318.

ECEPP (Empirical Conformational Energy Program for Peptides)
Structure of the Type I Collagen Molecule Based on Conformational Energy Computations: The Triple-stranded Helix and the N-terminal Telopeptide, **247**, 69–80.

Effectors
Intrinsic Activity at the Molecular Level: E. J. Ariëns' Concept Visualized, **248**, 845–855.

EF-hand
The C-terminal Portion of BM-40 (SPARC/Osteonectin) is an Autonomously Folding and Crystallisable Domain that Binds Calcium and Collagen IV, **253**, 347–357.

EI binding-site
High-resolution Structure of the Phosphorylated Form of the Histidine-containing Phosphocarrier Protein HPr from *Escherichia coli* Determined by Restrained Molecular Dynamics from NMR-NOE Data, **246**, 180–193.

Electron cryomicroscopy
The Structure of the R-type Straight Flagellar Filament of *Salmonella* at 9 Å Resolution by Electron Cryomicroscopy, **249**, 69–87.
Structure of Bacterial Flagellar Filaments at 11 Å Resolution: Packing of the α-Helices, **249**, 88–110.

Electron crystallography
Structure of the Osmo-regulated H_2O-channel, AQP-CHIP, in Projection at 3.5 Å Resolution, **251**, 413–420.

Electron microscopy
Structural Dynamics of F-actin: I. Changes in the C-Terminus, **245**, 582–597.
Structural Dynamics of F-actin II. Cooperativity in Structural Transitions, **245**, 598–607.
Magnesium Cations are Required for the Association of U Small Nuclear Ribonucleoproteins and SR Proteins with Pre-mRNA in 200 S Large Nuclear Ribonucleoprotein Particles, **246**, 254–263.
Visualization of TBP Oligomers Binding and Bending the HIV-1 and Adeno Promoters, **246**, 576–584.
Three-dimensional Structure of Halorhodopsin at 7 Å Resolution, **247**, 726–738.
Three-dimensional Reconstruction of the α_D and β_C-Hemocyanins of *Helix pomatia* from Frozen-Hydrated Specimens, **248**, 431–448.
Towards the Molecular Architecture of the Asymmetric Unit Membrane of the Mammalian Urinary Bladder Epithelium: A Closed "Twisted Ribbon" Structure, **248**, 887–900.
Structures of fd Gene 5 Protein·Nucleic Acid Complexes: A Combined Solution Scattering and Electron Microscopy Study, **249**, 576–594.
Two-dimensional Crystallization and Preliminary Structure Analysis of Light Harvesting II (B800-850) Complex From the Purple Bacterium *Rhodovulum sulfidophilum*, **250**, 1–10.
Steric-blocking by Tropomyosin Visualized in Relaxed Vertebrate Muscle Thin Filaments, **251**, 191–196.
A Stable Interaction between Separated Pyrimidine·Purine Tracts in Circular DNA, **252**, 283–288.
X-ray Diffraction of Scrapie Prion Rods and PrP Peptides, **252**, 412–422.
Elucidation of Crystal Packing by X-ray Diffraction and Freeze-etching Electron Microscopy. Studies on GTP Cyclohydrolase I of *Escherichia coli*, **253**, 208–218.
Examination of the Structure of the Transthyretin Amyloid Fibril by Image Reconstruction from Electron Micrographs, **254**, 113–118.
Lipid Location in Deoxycholate-treated Purple Membrane at 2.6 Å, **254**, 404–415.

Electron transfer
Refined Structure of Cytochrome b_{562} from *Escherichia coli* at 1.4 Å resolution, **247**, 947–962.
Structural Studies on Corn Nitrate Reductase: Refined Structure of the Cytochrome *b* Reductase Fragment at 2.5 Å, its ADP Complex and an Active-site Mutant and Modeling of the Cytochrome *b* Domain, **248**, 931–948.
Crystal Structure of *Proteus mirabilis* PR Catalase With and Without Bound NADPH, **249**, 933–954.
Refined Crystal Structure of Ferrocytochrome c_2 from *Rhodopseudomonas viridis* at 1.6 Å Resolution, **252**, 235–247.

Electron transferase
Refined Crystal Structure of Spinach Ferredoxin Reductase at 1.7 Å Resolution: Oxidized, Reduced and 2'-Phospho-5'-AMP Bound States, **247**, 125–145.

Electrophoresis
β-Tubulin Folding is Modulated by the Isotype-specific Carboxy-terminal Domain, **246**, 628–636.
Two Inequivalent Folding Isomers of the Three-way DNA Junction with Unpaired Bases: Sequence-dependence of the Folded Conformation, **251**, 507–519.

Electrostatic effects
High Resolution Crystal Structures of Amphibian Red-Cell L Ferritin: Potential Roles for Structural Plasticity and Solvation in Function, **248**, 949–967.

Electrostatic interactions
An Atomic Model of the Unregulated Thin Filament Obtained by X-ray Fiber Diffraction on Oriented Actin-Tropomyosin Gels, **246**, 108–119.
Coulombic Interactions Between Partially Charged Main-chain Atoms Not Hydrogen-bonded to Each Other Influence the Conformations of α-Helices and Antiparallel β-Sheet. A New Method for Analysing the Forces Between Hydrogen Bonding Groups in Proteins Includes All the Coulombic Interactions, **248**, 361–373.
Coulombic Attractions Between Partially Charged Main Chain Atoms Stabilise the Right-handed Twist Found in Most β-Strands, **248**, 374–384.
Destabilization of a Protein Helix by electrostatic Interactions, **252**, 133–143.
Electrostatic Mechanism of Nucleosome Spacing, **252**, 305–313.
Ionisation of Cysteine Residues at the Termini of Model α-Helical Peptides. Relevance to Unusual Thiol pK_a Values in Proteins of the Thioredoxin Family, **253**, 799–812.
Preferential Heterodimeric Parallel Coiled-coil Formation by Synthetic Max and c-Myc Leucine Zippers: A Description of Putative Electrostatic Interactions Responsible for the Specificity of Heterodimerization, **254**, 505–520.

3′ end termination
Plus-strand DNA Synthesis of the Yeast Retrotransposon Ty1 is Initiated at Two Sites, PPT1 Next to the 3′ LTR and PPT2 Within the *pol* Gene. PPT1 is Sufficient for Ty1 Transposition, **253**, 291–303.

Endochitinase
The Refined Crystal Structure of an Endochitinase from *Hordeum vulgare* L. Seeds at 1.8 Å Resolution, **248**, 402–413.

Endonuclease, double-stranded DNA
Selection of a Remote Cleavage Site by I-*Tev*I, the *td* Intron-encoded Endonuclease, **247**, 197–210.

Endonuclease III
The Action of *Escherichia coli* Endonuclease III on Multiply Damaged Sites in DNA, **249**, 914–922.

Energy minimisation
Computer Modelling of the α-Helical Coiled Coil: Packing of Side-chains in the Inner Core, **249**, 967–987.

Energy transfer
Isolation, Crystallization, Crystal Structure Analysis and Refinement of Allophycocyanin for the Cyanobacterium *Spirulina platensis* at 2.3 Å Resolution, **249**, 424–440.

Enhancers
A Sequence-induced Superhelical DNA Segment Serves as Transcriptional Enhancer, **246**, 35–42.
Repetitive *Alu* Elements form a Cruciform Structure that Regulates the Function of the Human CD8α T Cell-specific Enhancer, **246**, 63–73.
Functional Redundancy of Promoter Elements Ensures Efficient Transcription of the Human 7SK Gene *in vivo*, **253**, 677–690.

Ensemble-averaged NOE restraints
Conformational Variability of Solution Nuclear Magnetic Resonance Structures, **250**, 80–93.

Enteric bacteria
Constitutive Forms of the Enhancer-binding Protein NtrC: Evidence that Essential Oligomerization Determinants Lie in the Central Activation Domain, **249**, 700–713.

Enterotoxins
The 2.4 Å Crystal Structure of Cholera Toxin B Subunit Pentamer: Choleragenoid, **251**, 550–562.
The Three-dimensional Crystal Structure of Cholera Toxin, **251**, 563–573.

Enzyme
A Residue to Residue Hydrogen Bond Mediates the Nucleotide Specificity of Ribonuclease A, **252**, 328–336.

Enzyme catalysis
Ligand-Induced Changes in the Conformational Stability of Bovine Trypsinogen and Their Implications for the Protein Function, **247**, 701–716.

Enzyme engineering
Glutathione Transferases with Novel Active Sites Isolated by Phage Display from a Library of Random Mutants, **250**, 115–122.

Enzyme evolution
Informational Suppression to Investigate Structural Functional and Evolutionary Aspects of the *Erwinia chrysanthemi* Cellulase EGZ, **246**, 82–94.

Enzyme kinetics
Kinetic and Structural Characterization of Mutations of Glycine 216 in α-Lytic Protease: A New Target for Engineering Substrate Specificity, **254**, 720–736.

Enzyme mechanism
Structural and Mechanistic Analysis of Two Refined Crystal Structures of the Pyridoxal Phosphate-dependent Enzyme Dialkylglycine Decarboxylase, **245**, 151–179.

Epitaxial growth
The Mechanism of Protein Crystal Growth from Lipid Layers, **246**, 308–316.

Epitope mapping
Comprehensive Epitope Analysis of Monoclonal Anti-proenkephalin Antibodies using Phage Display Libraries and Synthetic Peptides: revelation of Antibody Fine Specificities Caused by Somatic Mutations in the Variable Region Genes, **247**, 932–946.
Characterisation of Epitopes on Human p53 using Phage-displayed Peptide Libraries: Insights into Antibody–Peptide Interactions, **248**, 59–78.

Epitopes
Tendamistat as a Scaffold for Conformationally Constrained Phage Peptide Libraries, **250**, 460–470.

EPR spectroscopy
Functional and Spectroscopic Evidence for a Conformational Transition in Ferrous Liganded Human Hemoglobin, **249**, 800–803.

Equatorial analysis
Radial Mass Analysis of the Flagellar Filament of *Salmonella*: Implications for the Subunit Folding, **253**, 547–558.

Equine herpesvirus 2
The DNA Sequence of Equine Herpesvirus 2, **249**, 520–528.

Equine lysozyme
The Unfolding Thermodynamics of c-Type Lysozymes: A Calorimetric Study of the Heat Denaturation of Equine Lysozyme, **252**, 447–459.

Erwinia
Informational Suppression to Investigate Structural Functional and Evolutionary Aspects of the *Erwinia chrysanthemi* Cellulase EGZ, **246**, 82–94.

Escherichia coli
Determination of K_m and k_{cat} for Signal Peptidase I Using a Full Length Secretory Precursor, pro-OmpA-nuclease A, **245**, 311–314.
Intragenic Domains of Strand-specific Repair in *Escherichia coli*, **246**, 264–272.
A Hybrid Sigma Subunit Directs RNA Polymerase to a Hybrid Promoter in *Escherichia coli*, **246**, 563–571.
Ribosome Mutants with Altered Accuracy Translate with Reduced Processivity, **248**, 551–561.
DNA Palindromes Adopt a Methylation-resistant Conformation that is Consistent with DNA Cruciform or Hairpin formation *in Vivo*, **252**, 70–85.
A Model for Transmembrane Signalling by the Aspartate Receptor Based on Random-cassette Mutagenesis and Site-directed Disulfide Cross-linking, **253**, 530–546.
A Double Mutation in Subunit c of the Na^+-specific F_1F_0-ATPase of *Propionigenium modestum* Results in a Switch from Na^+ to H^+-coupled ATP Synthesis in the *Escherichia coli* Host Cells, **253**, 726–738.

***Escherichia coli* promoter**
Adjacent Upstream Superhelical Writhe Influences an *Escherichia coli* Promoter as Measured by *in Vivo* Strength and *in Vitro* Open Complex Formation, **254**, 566–578.

***Escherichia coli* RNA polymerase**
The Transcriptional Activator Protein FIS: DNA Interactions and Cooperative Interactions with RNA Polymerase at the *Escherichia coli rrnB* P1 Promoter, **245**, 197–207.

Estrogen receptor
Structure, Thermodynamics and Cooperativity of the Glucocorticoid Receptor DNA-binding Domain in Complex with Different Response Elements. Molecular Dynamics Simulation and Free Energy Perturbation Studies, **253**, 453–472.

Euglena gracilis
Structures and Expression of *Euglena gracilis* Nuclear *rbcS* Genes Encoding the Small Subunits of the Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase: A Novel Splicing Process for Unusual Intervening Sequences?, **245**, 22–33.

Eukaryotic ribosome
Three-Dimensional Reconstruction of Mammalian 40 S Ribosomal Subunit Embedded in Ice, **245**, 461–466.

Eukaryotic transcription
DNA Bending is an Important Component of Site-specific Recognition by the TATA Binding Protein, **250**, 434–446.

Euler angles
The Assessment of the Geometry of Dinucleotide Steps in Double-Helical DNA; a New Local Calculation Scheme, **251**, 648–664.

Evolution
The Mitochondrial DNA of the Amoeboid Protozoon, *Acanthamoeba castellanii:* Complete Sequence, Gene Content and Genome Organization, **245**, 522–537.
Alignment/Phylogeny of the Papain Superfamily of Cysteine Proteases, **246**, 273–283.
Structural Comparison of Cuticle and Interstitial Collagens from Annelids Living in Shallow Sea-water and at Deep-sea Hydrothermal Vents, **246**, 284–294.
Ancestral, Mammalian-wide Subfamilies of LINE-1 Repetitive Sequences, **246**, 403–419.
A Novel Group of Families of Short Interspersed Repetitive Elements (SINEs) in *Xenopus*: Evidence of a Specific Target Site for DNA-mediated Transposition of Inverted-repeat SINEs, **248**, 812–823.
Differential Codon Usage for Conserved Amino Acids: Evidence that the Serine Codons TCN were Primordial, **250**, 123–127.
The HEM Proteins: A Novel Family of Tissue-specific Transmembrane Proteins Expressed from Invertebrates Through Mammals with an Essential Function in Oogenesis, **251**, 41–49.
The Ribosomal DNA Loci in *Plasmodium falciparum* Accumulate Mutations Independently, **254**, 881–891.

Evolutionary information
Prediction of Protein Secondary Structure by Combining Nearest-neighbor Algorithms and Multiple Sequence Alignments, **247**, 11–15.
SCOP: A Structural Classification of Proteins Database for the Investigation of Sequences and Structures, **247**, 536–540.

EXAFS
The Zinc coordination Site of the Bacteriophage Mu Translational Activator protein, Com, **247**, 753–764.

Exon shuffling
Production of a Chimeric Fibroin Light-chain Polypeptide in a Fibroin Secretion-deficient Naked Pupa Mutant of the Silkworm *Bombyx mori*, **251**, 217–228.

Exon structure
Identification of Protein Coding Regions in Genomic DNA, **248**, 1–18.

Exonuclease
Dynamics of Bacteriophage T4 DNA Polymerase Function: Identification of Amino Acid Residues that Affect Switching between Polymerase and 3' → 5' Exonuclease Activities, **254**, 15–28.

Exposed chemosensory neurons
Exclusive Expression of *C. elegans osm*-3 Kinesin Gene in Chemosensory Neurons Open to the External Environment, **247**, 377–389.

Expression
Determination of the Binding Sites of RepA, a Replication Initiator Protein of the Basic Replicon of the IncN Group Plasmid pCU1, **246**, 595–608.

External force
Fixation of the Quaternary Structures of Human Adult Haemoglobin by Encapsulation in Transparent Porous Silica Gels, **251**, 203–209.

Extracellular matrix
Truncated Profibrillin of a Marfan Patient is of Apparent Similar Size as Fibrillin: Intracellular Retention Leads to over-*N*-glycosylation, **248**, 901–909.
Binding of Mouse and Human Fibulin-2 to Extracellular Matrix Ligands, **254**, 892–899.

F1-F0 ATPase
NCA2, A Second Nuclear Gene Required for the Control of Mitochondrial Synthesis of Subunits 6 and 8 of ATP Synthase in *Saccharomyces Cerevisiae*, **247**, 588–596.

Fab
Structure of an Antibody–Lysozyme Complex Unexpected Effect of a Conservative Mutation, **245**, 261–274.
Association of Antibody Chains at Different Stages of Folding: Prolyl Isomerization Occurs after Formation of Quaternary Structure, **248**, 190–201.
Structure and Specificity of the Anti-Digoxin Antibody 40-50, **248**, 344–360.
Three-dimensional Structure of the Fab Fragment of Murine N1G9 Antibody from the Primary Immune Response and of Its Complex with (4-Hydroxy-3-Nitrophenyl) acetate, **254**, 208–222.

Factor BCFI
Developmental Regulation of a Silkworm Gene Encoding Multiple GATA-type Transcription Factors by Alternative Splicing, **246**, 43–53.

Factor XIII
Domain Structure, Stability and Domain–Domain Interactions in Recombinant Factor XIII, **248**, 414–430.

Family codon boxes
Glycine Codon Discrimination and the Nucleotide in Position 32 of the Anticodon Loop, **247**, 191–196.
Translation of Synonymous Codons in Family Boxes by *Mycoplasma capricolum* tRNAs with Unmodified Uridine or Adenosine at the First Anticodon Position, **251**, 486–492.

Fast kinetics
Slow Ligand-induced Transitions in the Alllosteric Phosphofructokinase from *Escherichia coli*, **249**, 478–492.

Fast-muscle-specific promoter
Myotube-specific Activity of the Human Aldolase A M-promoter Requires an Overlapping Binding Site For NF1 and MEF2 Factors in Addition to a Binding Site (M1) For Unknown Proteins, **253**, 17–31.

Fd
Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein, **248**, 835–844.

Feedback inhibition
Allosteric Regulation of Carbamoylphosphate Synthetase-Aspartate Transcarbamylase Multifunctional Protein of *Saccharomyces cerevisiae*: Selection, Mapping and Identification of Missense Mutations Define Three Regions Involved in Feedback Inhibition by UTP, **248**, 639–652.

Ferredoxin reductase
Refined Crystal Structure of Spinach Ferredoxin Reductase at 1.7 Å Resolution: Oxidized, Reduced and 2'-Phospho-5'-AMP Bound States, **247**, 125–145.

ffs
Use of Flow Cytometry to Identify a Caulobacter 4.5 S RNA Temperature-sensitive Mutant Defective in the Cell Cycle, **251**, 346–365.

Fibre diffractions
Matching Electrostatic Charge between DNA and Coat Protein in Filamentous Bacteriophage Fibre Diffraction of Charge-deletion Mutants, **245**, 86–91.

Fibres
Nucleation, Fiber Growth and Melting, and Domain Formation and Structure in Sickle Cell Hemoglobin Gels, **245**, 710–723.
The Avian Adenovirus Penton: Two Fibres and One Base, **252**, 379–385.

Fibrillogenesis
Simple Physical Model of Collagen Fibrillogenesis Based on Diffusion Limited Aggregation, **247**, 823–831.
Stabilization of Fluid Cholesteric Phases of Collagen to Ordered Gelated Matrices, **251**, 197–202.

Fibrinogen
Conformational Transitions Linked to Active Site Ligation in Human Thrombin: Effect on the Interaction with Fibrinogen and the Cleavable platelet receptor, **245**, 447–458.

Fibrinopeptides A and B
Thrombin-bound Structures of Designed Analogs of Human Fibrinopeptide A Determined by Quantitative Transferred NOE Spectroscopy: A New Structural Basis for Thrombin Specificity, **252**, 656–671.

Fibroblast
Kinetics of Expression of Inducible βGalactosidase in Murine Fibroblasts: High Initial Rate Compared to Steady-state Expression, **252**, 289–295.

Filament structure
The Structure of the R-type Straight Flagellar Filament of *Salmonella* at 9 Å Resolution by Electron Cryomicroscopy, **249**, 69–87.
Structure of Bacterial Flagellar Filaments at 11 Å Resolution: Packing of the α-Helices, **249**, 88–110.
Radial Mass Analysis of the Flagellar Filament of *Salmonella*: Implications for the Subunit Folding, **253**, 547–558.

Filamentous bacteriophage,
see also Bacteriophage.
A Conformationally Homogeneous Combinatorial Peptide Library, **247**, 154–160.
The Products of Gene I and the Overlapping in-Frame Gene XI are Required for Filamentous Phage Assembly, **248**, 627–638.
Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein, **248**, 835–844.

Location of Filamentous Phage Minor Coat Proteins in Phage and in Infected Cells, **250**, 496–506.
Packing of Coat Protein Amphipathic and Transmembrane Helices in Filamentous Bacteriophage M13: Role of Small Residues in Protein Oligomerization, **252**, 6–14.
A Simple Protocol for Identification of Helical and Mobile Residues in Membrane Proteins, **253**, 391–395.

Filamentous thermophilic
Tetrabrachion: A Filamentous Archaebacterial Surface Protein Assembly of Unusual Structure and Extreme Stability, **245**, 385–401.

Finite difference Poisson-Boltzmann equation
Acid and Thermal Denaturation of Barnase Investigated by Molecular Dynamics Simulations, **252**, 672–708.

FIS protein
The Transcriptional Activator Protein FIS: DNA Interactions and Cooperative Interactions with RNA Polymerase at the *Escherichia coli rrnB* P1 Promoter, **245**, 197–207.
Effects of Base Substitutions on the Binding of a DNA-bending Protein, **253**, 1–7.

Fish
Structure of Deoxyhaemoglobin of the Antarctic Fish *Pagothenia bernacchii* with an Analysis of the Structural Basis of the Root Effect by Comparison of the Liganded and Unliganded Haemoglobin Structures, **250**, 648–658.

FK506
Determination of the Differential Effects of Hydrogen Bonding and Water Release on the Binding of FK506 to Native and Tyr82 → Phe82 FKBP-12 Proteins using Free Energy Simulations, **248**, 696–717.

FKBP-12
Determination of the Differential Effects of Hydrogen Bonding and Water Release on the Binding of FK506 to Native and Tyr82 → Phe82 FKBP-12 Proteins using Free Energy Simulations, **248**, 696–717.

Flagella
Rigor and Relaxed Outer Dynein Arms in Replicas of Cryofixed Motile Flagella, **250**, 52–63.
High-speed Rotation and Speed Stability of the Sodium-driven Flagellar Motor in *Vibrio alginolyticus*, **251**, 50–58.
Structural Effects of Mutations in *Salmonella typhimurium* Flagellar Switch Complex, **251**, 400–412.

Flanking mucleotide effects
Sequence Determinants for −2 Frameshift Mutagenesis at *Nar*I-derived Hot Spots, **252**, 507–513.

Flash-cooling
Preliminary Cryocrystallographic Study of the Mitochondrial Cytochrome bc_1 Complex: Improved Crystallization and Flash-cooling of a Large Membrane Protein, **252**, 15–19.

Flavoprotein
Refined Crystal Structure of Spinach Ferredoxin Reductase at 1.7 Å Resolution: Oxidized, Reduced and 2'-Phospho-5'-AMP Bound States, **247**, 125–145.
Structural Studies on Corn Nitrate Reductase: Refined Structure of the Cytochrome *b* Reductase Fragment at 2.5 Å, its ADP Complex and an Active-site Mutant and Modeling of the Cytochrome *b* Domain, **248**, 931–948.
Structural Refinement of the Non-fluorescent Flavoprotein from *Photobacterium leiognathi* at 1.60 Å Resolution, **249**, 195–214.

Flexibility
Helical Parameters, Fluctuations, Alternative Hydrogen Bonding, and Bending in Oligonucleotides Containing a Mismatched Base-pair by NOESY Distance Restrained and Distance Free Molecular Dynamics, **246**, 209–226.

Flexible loop
The Crystal Structures of the SH2 Domain of $p56^{lck}$ Complexed with Two Phosphonopeptides Suggest a Gated Peptide Binding Site, **246**, 344–355.

Flightin
Defects in the *Drosophila* Myosin Rod Permit Sarcomere Assembly but Cause Flight Muscle Degeneration, **249**, 111–125.

Flow cytometry
Use of Flow Cytometry to Identify a Caulobacter 4.5 S RNA Temperature-sensitive Mutant Defective in the Cell Cycle, **251**, 346–365.

Flp
The Role of DNA Bending in Flp-mediated Site-specific Recombination, **251**, 493–506.

Fluorescence
Dimerization Kinetics of HIV-1 and HIV-2 Reverse Transcriptase: A Two Step Process, **245**, 508–521.
Domain Structure, Stability and Domain–Domain Interactions in Recombinant Factor XIII, **248**, 414–430.
Interactions Between Type III Domains in the 110 kDa Cell-binding Fragment of Fibronectin, **248**, 611–626.
X-ray Crystal Structure Analysis of the Catalytic Domain of the Oncogene Product $p21^{H\text{-}ras}$ Complexed with Caged GTP and Mant dGppNHp, **253**, 132–150.
Evidence for Coupling of Folding and Function in *trp* Repressor: Physical Characterization of the Superrepressor Mutant AV77, **253**, 266–276.

Fluorescence recovery after photobleaching
Interaction of Fcγ Receptor Type IIIB with Complement Receptor Type 3 in Fibroblast Transfectants: Evidence from Lateral Diffusion and Resonance Energy Transfer Studies, **247**, 597–603.

FNR
In vitro Analysis of a Constitutively Active Mutant Form of the *Escherichia coli* Global Transcription Factor FNR, **245**, 351–361.
Nitrate and Nitrite Regulation of the Fnr-dependent *aeg-46.5* Promoter of *Escherichia coli* K-12 is Mediated by Competition Between Homologous Response Regulators (NarL and NarP) for a Common DNA-binding Site, **251**, 15–29.

Folate inhibitors
Towards Structure-based Drug Design: Crystal Structure of a Multisubstrate Adduct Complex of Glycinamide Ribonucleotide Transformylase at 1.96 Å Resolution, **249**, 153–175.

Fold recognition
Recognizing Native Folds by the Arrangement of Hydrophobic and Polar Residues, **252**, 709–720.

Folding
Cold Denaturation of CheY, **249**, 529–534.
Electrostatic Mechanism of Nucleosome Spacing, **252**, 305–313.

Folding initiation sites
Structure, Dynamics and Energetics of Initiation Sites in Protein Folding: I. Analysis of a 1 ns Molecular Dynamics Trajectory of an Early Folding Unit in Water: The Helix I/Loop I-Fragment of Barnase, **250**, 239–257.

Conformational Properties of Four Peptides Spanning the Sequence of Hen Lysozyme, **252**, 483–491.

Folding intermediates
Mutations that Stabilize Folding Intermediates of Phage P22 Tailspike Protein: Folding *in vivo* and *in vitro*, Stability, and Structural Context, **249**, 185–194.
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. I. Hydrophobic Replacements at the Position of Met103, **249**, 625–635.
Influence of Protein Conformation on Disulfide Bond Formation in the Oxidative Folding of Ribonuclease T_1, **251**, 135–149.
An Integrated Kinetic Analysis of Intermediates and Transition States in Protein Folding Reactions, **253**, 771–786.

Folding kinetics
The Order of Secondary Structure Elements does not Determine the Structure of a Protein but does Affect its Folding Kinetics, **247**, 670–681.
The Folding Mechanism of Barstar: Evidence for Multiple Pathways and Multiple Intermediates, **247**, 1013–1027.

Folding mechanism
Non-prolyl *cis-trans* Peptide Bond Isomerization as a Rate-determining Step in Protein Unfolding and Refolding, **245**, 69–78.

Folding pathways
Structure of the Type I Collagen Molecule Based on Conformational Energy Computations: The Triple-stranded Helix and the N-terminal Telopeptide, **247**, 69–80.

Folding unit
Structural Similarity between Two-layer α/β and β-Proteins, **245**, 402–415.

Folds
SCOP: A Structural Classification of Proteins Database for the Investigation of Sequences and Structures, **247**, 536–540.

Footprinting
Probing the Structure of a Putative Intermediate in Homologous Recombination: The Third Strand in the Parallel DNA Triplex is in Contact with the Major Groove of the Duplex, **247**, 874–889.
DNA Recognition Site Analysis of *Xenopus* Winged Helix Proteins, **248**, 239–254.
UV Light as a Footprinting Agent: Modulation of UV-induced DNA Damage by Transcription Factors Bound at the Promoters of Three Human Genes, **249**, 714–728.
Interaction of Terminase, the DNA Packaging Enzyme of Phage λ, with its *cos* DNA Substrate, **252**, 31–46.
Anti-cruciform Monoclonal Antibody and Cruciform DNA Interaction, **254**, 29–37.

Force dependence
Force-induced Conformational Change of Bacteriorhodopsin, **249**, 239–243.

Force generation mechanism
Myosin from Alga *Chara*: Unique Structure Revealed by Electron Microscopy, **254**, 109–112.

Fork head
DNA Recognition Site Analysis of *Xenopus* Winged Helix Proteins, **248**, 239–254.

Four-helix bundle
The Solution Structure of the F42A Mutant of Human Interleukin 2, **247**, 979–994.
A Study of Four-helix Bundles: Investigating Protein Folding *via* Similar Architectural Motifs in Protein Cores and in Subunit Interfaces, **248**, 151–161.

Four-way junction
Binding of the Junction-resolving Enzyme Bacteriophage T7 Endonuclease I to DNA: Separation of Binding and Catalysis by Mutation, **246**, 95–107.
Secondary Structure Model for the Last Two Domains of Single-stranded RNA Phage Qβ, **247**, 903–917.

Fragile X syndrome
Solution Structure of a DNA Quadruplex Containing the Fragile X Syndrome Triplet Repeat, **254**, 638–656.

Frameshift mutagenesis
Sequence Determinants for -2 Frameshift Mutagenesis at *Nar*I-derived Hot Spots, **252**, 507–513.

Frameshifting
The Structure of an RNA Pseudoknot that Causes Efficient Frameshifting in Mouse Mammary Tumor Virus, **247**, 963–978.
The Involvement of Two Distinct Regions of 23 S Ribosomal RNA in tRNA Selection, **254**, 838–847.

Framework Residues (FR)
Framework Residues 71 and 93 of the Chimeric B72.3 Antibody are Major Determinants of the Conformation of Heavy-chain Hypervariable Loops, **253**, 385–390.

Free energy
Determination of the Differential Effects of Hydrogen Bonding and Water Release on the Binding of FK506 to Native and Tyr82 → Phe82 FKBP-12 Proteins using Free Energy Simulations, **248**, 696–717.
Calculation of Relative Binding Free energies and Configurational Entropies: A Structural and Thermodynamic Analysis of the Nature of Non-polar Binding of Thrombin Inhibitors Based on Hirudin$^{55-65}$, **253**, 473–492.

Free energy simulations
pH Dependence of Binding Reactions from Free Energy Simulations and Macroscopic Continuum Electrostatic Calculations: Application to 2'GMP/3'GMP Binding to Ribonuclease T_1 and Implications for Catalysis, **247**, 774–807.
Decomposition of Interaction Free Energies in Proteins and Other Complex Systems, **254**, 77–85.
The Meaning of Component Analysis: Decomposition of the Free Energy in Terms of Specific Interactions, **254**, 801–807.

Freeze-etch
Rigor and Relaxed Outer Dynein Arms in Replicas of Cryofixed Motile Flagella, **250**, 52–63.

Frozen-hydrated specimans
Three-dimensional Reconstruction of the α_D and β_C-Hemocyanins of *Helix pomatia* from Frozen-Hydrated Specimens, **248**, 431–448.

Functional activity
Refined Structures of Two Insertion/Deletion Mutants Probe Function of the Maltodextrin Binding Protein, **246**, 8–13.

Functional domains
N-Terminal 33 Amino Acid Residues of *Escherichia coli* RecA Protein Contribute to its Self-assembly, **250**, 471–483.
The DNA-binding Domain of the Hexameric Arginine Repressor, **254**, 150–162.

Fusion protein
Complete ^{1}H Nuclear Magnetic Resonance Assignments and Structural Characterization of a Fusion Protein of the α-Amylase Inhibitor Tendamistat with the Activation Domain of the Human Immunodeficiency Virus Type 1 Tat Protein, **250**, 672–688.

G → A replacements
Intrinsic Stability of Individual α Helices Modulates Structure and Stability of the Apomyoglobin Molten Globule Form, **252**, 122–132.

G protein-coupled receptor
The DNA Sequence of Equine Herpesvirus 2, **249**, 520–528.

G proteins
Solution Structure of the GTPase Activating Domain of α_o, **254**, 681–691.

G·A mismatch
Centromeric Dodeca-satellite DNA Sequences Form Fold-back Structures, **245**, 8–21.

***gal* repressor**
The Non-inducible Nature of Super-repressors of the *gal* Operon in *Escherichia coli*, **253**, 414–425.

Gal1-10
Selection of Ten Base-pair Sequences which Enhance the Response of the Gal1 Minimal Promoter to Murine Hoxa-7 in Yeast, **247**, 173–190.
GABA Receptor Minigene Rescues Insecticide Resistance Phenotypes in *Drosophila*, **253**, 223–227.

Gangliosides
The 2.4 Å Crystal Structure of Cholera Toxin B Subunit Pentamer: Choleragenoid, **251**, 550–562.

Gap penalties
An Assessment of Amino Acid Exchange Matrices in Aligning Protein Sequences: The Twilight Zone Revisited, **249**, 816–831.

Gastropod hemocyanin
Three-dimensional Reconstruction of the α_D and β_C-Hemocyanins of *Helix pomatia* from Frozen-Hydrated Specimens, **248**, 431–448.

GATA transcription factor
Activity of a *C. elegans* GATA Transcription Factor, ELT-1, Expressed in Yeast, **253**, 665–676.

G·C·G·C tetrads
Solution Structure of a DNA Quadruplex Containing the Fragile X Syndrome Triplet Repeat, **254**, 638–656.

GCN4 leucine zipper
Prediction of Quaternary Structure of Coiled Coils. Application to Mutants of the GCN4 Leucine Zipper, **251**, 448–467.

Gel electrophoresis
Energetics of Coupled Twist and Writhe Changes in Closed Circular pSM1 DNA, **253**, 438–452.

2D-Polyacrylamide gel electrophoresis (PAGE)
Targeted Disruption of *01H1* Encoding a Particular H1 Histone Variant Causes Changes in Protein Patterns in the DT40 Chicken B Cell Line, **254**, 869–880.

Gels
Nucleation, Fiber Growth and Melting, and Domain Formation and Structure in Sickle Cell Hemoglobin Gels, **245**, 710–723.
Stabilization of Fluid Cholesteric Phases of Collagen to Ordered Gelated Matrices, **251**, 197–202.

Gene 5 protein
Structures of fd Gene 5 Protein·Nucleic Acid Complexes: A Combined Solution Scattering and Electron Microscopy Study, **249**, 576–594.

7SK gene
Functional Redundancy of Promoter Elements Ensures Efficient Transcription of the Human 7SK Gene *in vivo*, **253**, 677–690.

Gene circuits
Subunit Structure of Regulator Proteins Influences the Design of Gene Circuitry: Analysis of Perfectly Coupled and Completely Uncoupled Circuits, **248**, 739–755.

Gene conversion
Structural Repertoire in V_H Pseudogenes of Immunoglobulins: Comparison with Human Germline Genes and Human Amino Acid Sequences, **246**, 74–81.

Gene disruption
A Yeast RNA Binding Protein that Resembles the Human Autoantigen La, **245**, 81–85.

Gene expression
Tyrosine Phosphorylation of the Tetragonal Paracrystalline Array of *Aeromonas hydrophila*: Molecular Cloning and High-level Expression of the S-layer Protein Gene, **245**, 568–581.
Exclusive Expression of *C. elegans osm*-3 Kinesin Gene in Chemosensory Neurons Open to the External Environment, **247**, 377–389.
Genome Structure, Mapping and Expression of the Tropomyosin Gene *tmy-1* of *Caenorhabditis elegans*, **251**, 603–613.
The Ribosomal DNA Loci in *Plasmodium falciparum* Accumulate Mutations Independently, **254**, 881–891.

Gene identification
Identification of Protein Coding Regions in Genomic DNA, **248**, 1–18.
Distinctive Sequence Features in Protein Coding, Genic Non-coding, and Intergenic Human DNA, **253**, 51–60.

Gene mapping
Complete Sequence of the Mitochondrial DNA of the Rhodophyte *Chondrus crispus* (Gigartinales). Gene Content and Genome Organization, **250**, 484–495.
Genome Structure, Mapping and Expression of the Tropomyosin Gene *tmy-1* of *Caenorhabditis elegans*, **251**, 603–613.

Gene organization
Identification and Analysis of Multigene Families by Comparison of Exon Fingerprints, **249**, 342–359.

Gene regulation
Inhibition of Transcription Initiation by *lac* Repressor, **245**, 331–350.
Triple-Helix Specific Ligands Stabilize *H*-DNA Conformation, **247**, 847–858.
Multiple Interacting Elements Delineate an Ecdysone-dependent Regulatory Region with Secondary Responsive Character, **249**, 298–318.
Short Transcripts of the Ternary Complex Provide Insight into RNA Polymerase II Elongational Pausing, **252**, 522–535.
Mechanism of Protein Access to Specific DNA Sequences in Chromatin: A Dynamic Equilibrium Model for Gene Regulation, **254**, 130–149.

Regulation of *codBA* Operon Expression in *Escherichia coli* by UTP-dependent Reiterative Transcription and UTP-sensitive Transcriptional Start Site Switching, **254**, 552–565.

Genes
A Zinc-binding Region in the β′ Subunit of RNA Polymerase is Involved in Antitermination of Early Transcription of Phage HK022, **248**, 768–780.

Genetic algorithm
Molecular Recognition of Receptor Sites using a genetic Algorithm with a Description of Desolvation, **245**, 43–53.
The Computer Simulation of RNA Folding Pathways Using a Genetic Algorithm, **250**, 37–51.

Genetic analysis
Dynamics of Bacteriophage T4 DNA Polymerase Function: Identification of Amino Acid Residues that Affect Switching between Polymerase and 3′ → 5′ Exonuclease Activities, **254**, 15–28.

Genetic code
Differential Codon Usage for Conserved Amino Acids: Evidence that the Serine Codons TCN were Primordial, **250**, 123–127.

Genetic map
The Mitochondrial DNA of the Amoeboid Protozoon, *Acanthamoeba castellanii:* Complete Sequence, Gene Content and Genome Organization, **245**, 522–537.
Complete Sequence of the Maize Chloroplast Genome: Gene Content, Hotspots of Divergence and Fine Tuning of Genetic Information by Transcript Editing, **251**, 614–628.

Genetic recombination
Site-specific Recombination at *res* Sites Containing DNA-binding Sequences for both TN21 and TN3 Resolvases, **245**, 208–218.
Site-specific recombination at *res* Sites Containing DNA-binding sequences for both TN21 Resolvase and CAP, **245**, 219–227.

Genetic suppression
Sequence-specific Interactions Between Promoter DNA and the RNA Polymerase Sigma Factor E, **253**, 8–16.

Genetics
Genetic Analysis of the Folded Structure of Yeast Mitochondrial Cytochrome *b* by Selection of Intragenic Second-site Revertants, **248**, 804–811.

Genome
A Novel Group of Families of Short Interspersed Repetitive Elements (SINEs) in *Xenopus*: Evidence of a Specific Target Site for DNA-mediated Transposition of Inverted-repeat SINEs, **248**, 812–823.
Distinctive Sequence Features in Protein Coding, Genic Non-coding, and Intergenic Human DNA, **253**, 51–60.

Genome evolution
Identification in the Human Genome of Mobile Elements Spread by DNA-mediated Transposition, **254**, 1–5.

Genome packaging
Specific Interaction of Terminase, the DNA Packaging Enzyme of Bacteriophage λ, with the Portal Protein of the Prohead, **245**, 141–150.

Genome rearrangement
The *Sfi*I Restriction Endonuclease Makes a Four-strand DNA Break at Two Copies of its Recognition Sequence, **248**, 581–595.

Genome sequencing
The Mitochondrial DNA of the Amoeboid Protozoon, *Acanthamoeba castellanii:* Complete Sequence, Gene Content and Genome Organization, **245**, 522–537.

Genomic RNA dimer
First Glimpses at Structure-function Relationships of the Nucleocapsid Protein of Retroviruses, **254**, 523–537.

glnAp2
A Sequence-induced Superhelical DNA Segment Serves as Transcriptional Enhancer, **246**, 35–42.

Globular protein
Stability of α-Helices in a Molten Globule State of Cytochrome *c* by Hydrogen-Deuterium Exchange and Two-Dimensional NMR Spectroscopy, **247**, 682–688.
How Many Protein Folding Motifs are There?, **252**, 144–151.

Globularity
Solution X-ray Scattering Analysis of Cold-Heat-, and Urea-denatured States in a Protein, *Streptomyces* Subtilisin Inhibitor, **251**, 95–103.

Glucocorticoid receptor
Structure Refinement of the Glucocorticoid Receptor-DNA Binding from NMR Data by Relaxation Matrix Calculations, **247**, 689–700.
Structure, Thermodynamics and Cooperativity of the Glucocorticoid Receptor DNA-binding Domain in Complex with Different Response Elements. Molecular Dynamics Simulation and Free Energy Perturbation Studies, **253**, 453–472.

Glucose 6-phosphate
The Binding of 2-Deoxy-glucose-6-phosphate to Glycogen Phosphorylase b: Kinetic and Crystallographic studies, **253**, 114–131.
The Binding of 2-Deoxy-d-glucose 6-Phosphate to Glycogen Phosphorylase *b*: Kinetic and Crystallographic Studies, **254**, 900–917.

GluR channel
Genomic Organization and Chromosomal Location of the Human dsRNA Adenosine Deaminase Gene: The Enzyme for Glutamate-activated Ion Channel RNA Editing, **254**, 184–195.

Glutathione
Influence of Protein Conformation on Disulfide Bond Formation in the Oxidative Folding of Ribonuclease T_1, **251**, 135–149.

Glutathione transferase
Crystal Structures of a Schistosomal Drug and Vaccine Target: Glutathione S-Transferase from *Schistosoma japonica* and its Complex with the Leading Antischistosomal Drug Praziquantel, **246**, 21–27.
Functional Significance of Arginine 15 in the Active Site of Human Class Alpha Glutathione Transferase A1-1, **247**, 765–773.
Glutathione Transferases with Novel Active Sites Isolated by Phage Display from a Library of Random Mutants, **250**, 115–122.

Glycerol
Expression, Purification and Crystallisation of Phosphorylase Kinase Catalytic Domain, **246**, 376–383.

Glycinamide ribonucleotide transformylase (GAR-Tfase)
Towards Structure-based Drug Design: Crystal Structure of a Multisubstrate Adduct Complex of Glycinamide Ribonucleotide Transformylase at 1.96 Å Resolution, **249**, 153–175.

Glycine
Glycine Codon Discrimination and the Nucleotide in Position 32 of the Anticodon Loop, **247**, 191–196.

Glycogen phosphorylase
The Binding of 2-Deoxy-glucose-6-phosphate to Glycogen Phosphorylase b: Kinetic and Crystallographic studies, **253**, 114–131.
The Binding of 2-Deoxy-D-glucose 6-Phosphate to Glycogen Phosphorylase *b*: Kinetic and Crystallographic Studies, **254**, 900–917.

Glycosylation
Truncated Profibrillin of a Marfan Patient is of Apparent Similar Size as Fibrillin: Intracellular Retention Leads to over-*N*-glycosylation, **248**, 901–909.

gp130
In vitro Binding of Ciliary Neurotrophic Factor to its Receptors: Evidence for the Formation of an IL-6-type Hexameric Complex, **254**, 795–800.

Gram-positive bacteria
An Extended −10 Promoter Alone Directs Transcription of the *Dpn*II Operon of *Streptococcus pneumoniae*, **250**, 144–155.

Grb2
The Crystal Structure of the N-terminal SH3 Domain of Grb2, **248**, 856–866.

Group II intron
The Mitochondrial LSU rDNA of the Brown Alga *Pylaiella littoralis* Reveals α-Proteobacterial Features and is Split by Four Group IIB Introns with an Atypical Phylogeny, **251**, 378–389.

Growth factor
Solution Structure of Human Insulin-like Growth Factor II. Relationship to Receptor and Binding Protein Interactions, **248**, 385–401.

Growth rate control
Changes in Conserved Region 3 of *Escherichia coli* σ^{70} Mediate ppGpp-dependent Functions *In Vivo*, **252**, 536–549.

GrpE
The Role of ATP in the Functional Cycle of the DnaK Chaperone System, **249**, 126–137.

G-substituted operators
Proximity Probing of Tet Repressor to *tet* Operator by Dimethylsulfate Reveals Protected and Accessible Functions for each Recognized Base-pair in the Major Groove, **245**, 538–548.

GT-AG rule
Structures and Expression of *Euglena gracilis* Nuclear *rbcS* Genes Encoding the Small Subunits of the Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase: A Novel Splicing Process for Unusual Intervening Sequences?, **245**, 22–33.

G-tetrad alignments
Solution Structure of the *Oxytricha* Telomeric Repeat $d[G_4(T_4G_4)_3]$ G-tetraplex, **251**, 76–94.

G-tetraplex folding topology
Solution Structure of the *Oxytricha* Telomeric Repeat $d[G_4(T_4G_4)_3]$ G-tetraplex, **251**, 76–94.

GTP cyclohydrolase I
Elucidation of Crystal Packing by X-ray Diffraction and Freeze-etching Electron Microscopy. Studies on GTP Cyclohydrolase I of *Escherichia coli*, **253**, 208–218.

GTP-binding protein
X-ray Crystal Structure Analysis of the Catalytic Domain of the Oncogene Product $p21^{H\text{-}ras}$ Complexed with Caged GTP and Mant dGppNHp, **253**, 132–150.

GTP-hydrolyzing enzymes
Refined Crystal Structures of Unligated Adenylosuccinate Synthetase from *Escherichia coli*, **254**, 431–446.

Guanine
A Phase Diagram for Sodium and Potassium Ion Control of Polymorphism in Telomeric DNA, **248**, 233–238.

Guanine 2-amino group
Effects of Base Substitutions on the Binding of a DNA-bending Protein, **253**, 1–7.

***H*-DNA**
An Intramolecular Triplex Structure From Non-mirror Repeated Sequence Containing Both *Py:* Pu·Py and *Pu:* Pu·Py Triads, **245**, 499–507.
Triple-Helix Specific Ligands Stabilize *H*-DNA Conformation, **247**, 847–858.

H1 histone
Targeted Disruption of *01H1* Encoding a Particular H1 Histone Variant Causes Changes in Protein Patterns in the DT40 Chicken B Cell Line, **254**, 869–880.

Haem pocket geometry
The Structure of Deoxy-and Oxy-leghaemoglobin from Lupin, **251**, 104–115.

Haemoglobin
Nucleation, Fiber Growth and Melting, and Domain Formation and Structure in Sickle Cell Hemoglobin Gels, **245**, 710–723.
Structure and Oxygen Affinity of Crystalline DesArg141α Human Hemoglobin A in the T State, **248**, 136–150.
Intrinsic Activity at the Molecular Level: E. J. Ariëns' Concept Visualized, **248**, 845–855.
A Novel Low Oxygen Affinity Recombinant Hemoglobin (α96Val → Trp): Switching Quaternary Structure Without Changing the Ligation State, **248**, 867–882.
A Single Mutation (Thr72 → Ile) at the Subunit Interface is Crucial for the Functional Properties of the Homodimeric Co-operative Haemoglobin from *Scapharca inaequivalvis*, **248**, 910–917.
Functional and Spectroscopic Evidence for a Conformational Transition in Ferrous Liganded Human Hemoglobin, **249**, 800–803.
Structure of Deoxyhaemoglobin of the Antarctic Fish *Pagothenia bernacchii* with an Analysis of the Structural Basis of the Root Effect by Comparison of the Liganded and Unliganded Haemoglobin Structures, **250**, 648–658.
The Structure of Deoxy-and Oxy-leghaemoglobin from Lupin, **251**, 104–115.
Fixation of the Quaternary Structures of Human Adult Haemoglobin by Encapsulation in Transparent Porous Silica Gels, **251**, 203–209.
Structural Analysis of Monomeric Hemichrome and Dimeric Cyanomet Hemoglobins from *Caudina arenicola*, **251**, 421–431.
Mass Spectrometric Composition, Molecular Mass and Oxygen Binding of *Macrobdella decora* Hemoglobin and its Tetramer and Monomer Subunits, **251**, 703–720.
The 2.0 Å Crystal Structure of *Scapharca* Tetrameric Hemoglobin: Cooperative Dimers within an Allosteric Tetramer, **253**, 168–186.

Haemonchus contortus
β-Tubulin Genes from the Parasitic Nematode *Haemonchus contortus* Modulate Drug Resistance in *Caenorhabditis elegans*, **246**, 500–510.

β-hairpin
Unfolding Simulations of the 85–102 β-Hairpin of Barnase, **251**, 432–447.

Half-site
Ligand Binding to Wild-type and E-B13Q Mutant Insulins: A Three-state Allosteric Model System Showing Half-site Reactivity, **245**, 324–330.

Halorhodopsin
Three-dimensional Structure of Halorhodopsin at 7 Å Resolution, **247**, 726–738.

Hammerhead RNA
Rapid Crystallization of Chemically Synthesized Hammerhead RNAs using a Double Screening Procedure, **250**, 327–332.

Hapten
Structure and Specificity of the Anti-Digoxin Antibody 40-50, **248**, 344–360.

Heat shock genes
Multiple Interacting Elements Delineate an Ecdysone-dependent Regulatory Region with Secondary Responsive Character, **249**, 298–318.

Heat shock induction
Short Transcripts of the Ternary Complex Provide Insight into RNA Polymerase II Elongational Pausing, **252**, 522–535.

Heat shock proteins
The Role of ATP in the Functional Cycle of the DnaK Chaperone System, **249**, 126–137.
The 60 kDa Heat Shock Proteins in the Hyperthermophilic Archaeon *Sulfolobus shibatae*, **253**, 712–725.
The Mitochondrial ClpB Homolog Hsp78 Cooperates with Matrix Hsp70 in Maintenance of Mitochondrial Function, **254**, 538–543.

Helical analysis
Structure of Bacterial Flagellar Filaments at 11 Å Resolution: Packing of the α-Helices, **249**, 88–110.

Helical capping motifs
Thrombin-bound Structures of Designed Analogs of Human Fibrinopeptide A Determined by Quantitative Transferred NOE Spectroscopy: A New Structural Basis for Thrombin Specificity, **252**, 656–671.

Helical cytokines
In vitro Binding of Ciliary Neurotrophic Factor to its Receptors: Evidence for the Formation of an IL-6-type Hexameric Complex, **254**, 795–800.

Helical image analysis
The Structure of the R-type Straight Flagellar Filament of *Salmonella* at 9 Å Resolution by Electron Cryomicroscopy, **249**, 69–87.

Helicases
Unwinding of Closed Circular DNA by the *Escherichia coli* RuvA and RuvB Recombination/Repair Proteins, **247**, 404–417.

Helix
Comparison between the ϕ Distribution of the Amino Acids in the Protein Database and NMR Data Indicates that Amino Acids have Various ϕ Propensities in the Random Coil Conformation, **254**, 322–333.

α-helix
Secondary structure prediction, **245**, 180–194.
Alanine Scanning Mutagenesis of the α-Helix 115-123 of Phage T4 Lysozyme: Effects on Structure, Stability and the Binding of Solvent, **246**, 317–330.
Coulombic Interactions Between Partially Charged Main-chain Atoms Not Hydrogen-bonded to Each Other Influence the Conformations of α-Helices and Antiparallel β-Sheet. A New Method for Analysing the Forces Between Hydrogen Bonding Groups in Proteins Includes All the Coulombic Interactions, **248**, 361–373.
Structure of Bacterial Flagellar Filaments at 11 Å Resolution: Packing of the α-Helices, **249**, 88–110.
Investigating the Structural Determinants of the p21-like Triphosphate and Mg^{2+} Binding Site, **249**, 654–664.
Computer Modelling of the α-Helical Coiled Coil: Packing of Side-chains in the Inner Core, **249**, 967–987.
Selective Chain Recognition in the C-terminal αHelical Coiled-coil Region of Laminin, **250**, 64–73.
Stabilization of the α-Helical Coiled-coil Domain in Laminin by C-terminal Disulfide Bonds, **250**, 74–79.
Conformational Transitions in Peptides Containing Two Putative α-Helices of the Prion Protein, **250**, 514–526.
Experimental Analysis of the Schellman Motif, **251**, 150–160.
Destabilization of a Protein Helix by electrostatic Interactions, **252**, 133–143.
High Helical Propensity of the Peptide Fragments Derived from β-Lactoglobulin, a Predominantly β-sheet Protein, **254**, 737–746.

α-helix dipole
Ionisation of Cysteine Residues at the Termini of Model α-Helical Peptides. Relevance to Unusual Thiol pK_a Values in Proteins of the Thioredoxin Family, **253**, 799–812.

α-helix propensity
Stability of α-Helices in a Molten Globule State of Cytochrome *c* by Hydrogen-Deuterium Exchange and Two-Dimensional NMR Spectroscopy, **247**, 682–688.
Free Energy Determinants of Secondary Structure Formation: I. α-Helices, **252**, 351–365.

α-helix stability
Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. II Helix Macrodipole Effects and Rational Modification of the Helical Content of Natural Peptides, **245**, 275–296.
Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. III Temperature and pH Dependence, **245**, 297–308.
Structural Analysis of Peptides Encompassing All α-Helices of Three α/β Parallel Proteins: Che-Y, Flavodoxin and P21-Ras: Implications for α-Helix stability and the Folding of α/β Parallel Proteins, **247**, 648–669.
The Effect of environment on the Stability of an Integral Membrane Helix: Molecular Dynamics Simulations of Surfactant Protein C in Chloroform, Methanol and Water, **247**, 808–822.
Intrinsic Stability of Individual α Helices Modulates Structure and Stability of the Apomyoglobin Molten Globule Form, **252**, 122–132.

β-helix
Mutations that Stabilize Folding Intermediates of Phage P22 Tailspike Protein: Folding *in vivo* and *in vitro*, Stability, and Structural Context, **249**, 185–194.

Helix-coil transition
Free Energy Determinants of Secondary Structure Formation: I. α-Helices, **252**, 351–365.

Helix-helix interaction
Transmembrane α-Helix Interactions are Required for the Functional Assembly of the *Escherichia coli* Tol Complex, **246**, 1–7.

Helix-helix packing
Packing of Coat Protein Amphipathic and Transmembrane Helices in Filamentous Bacteriophage M13: Role of Small Residues in Protein Oligomerization, **252**, 6–14.

Helix-loop-Helix (HLH) domains
Analysis of the Myc and Max Interaction Specificity with λ Repressor-HLH Domain Fusions, **248**, 541–550.

Helix-turn-helix
Proximity Probing of Tet Repressor to *tet* Operator by Dimethylsulfate Reveals Protected and Accessible Functions for each Recognized Base-pair in the Major Groove, **245**, 538–548.
The Complex Formed Between Tet Repressor and Tetracycline-Mg^{2+} Reveals Mechanism of Antibiotic Resistance, **247**, 260–280.
The Three-dimensional Solution Structure of the NK-2 Homeodomain from *Drosophila*, **251**, 297–307.

Helminth
Crystal Structures of a Schistosomal Drug and Vaccine Target: Glutathione S-Transferase from *Schistosoma japonica* and its Complex with the Leading Antischistosomal Drug Praziquantel, **246**, 21–27.

HEM family
The HEM Proteins: A Novel Family of Tissue-specific Transmembrane Proteins Expressed from Invertebrates Through Mammals with an Essential Function in Oogenesis, **251**, 41–49.

Heme
Reptile Heme Protein Structure: X-ray Crystallographic Study of the Aquo-met and Cyano-met Derivatives of the Loggerhead Sea Turtle (*Caretta caretta*) Myoglobin at 2.0 Å Resolution, **247**, 459–465.
Refined Structure of Cytochrome b_{562} from *Escherichia coli* at 1.4 Å resolution, **247**, 947–962.
The Structure of Chloroplast Cytochrome *c6* at 1.9 Å Resolution: Evidence for Functional Oligomerization, **250**, 627–647.

Hemichrome
Structural Analysis of Monomeric Hemichrome and Dimeric Cyanomet Hemoglobins from *Caudina arenicola*, **251**, 421–431.

Hen egg-white lysozyme
Dissection of Protein-Carbohydrate Interactions in Mutant Hen Egg-white Lysozyme Complexes and their Hydrolytic Activity, **247**, 281–293.

Herpes simplex virus type 1
Activation of Expression of Multiple Subfamilies of Human *Alu* Elements by Adenovirus Type 5 and Herpes Simplex Virus Type 1, **248**, 513–524.

Herpesviridae
Molecular Phylogeny and Evolutionary Timescale for the Family of Mammalian Herpesviruses, **247**, 443–458.

Heteroduplex
Anti-cruciform Monoclonal Antibody and Cruciform DNA Interaction, **254**, 29–37.

Heterogeneity
B-DNA Twisting Correlates with Base-pair Morphology, **247**, 34–48.

Heteronuclear NMR of RNA
The Structure of the Human Immunodeficiency Virus Type-1 TAR RNA Reveals Principles of RNA Recognition by Tat Protein, **253**, 313–332.

Heterotrimeric kinesin
Heterodimerization of the Two Motor Subunits of the Heterotrimeric Kinesin, $KRP_{85/95}$, **252**, 157–162.

Heterotropic ligands
Functional and Spectroscopic Evidence for a Conformational Transition in Ferrous Liganded Human Hemoglobin, **249**, 800–803.

High pressure
The Volume of Atoms on the Protein Surface: Calculated from Simulation, using Voronoi Polyhedra, **249**, 955–966.
Thermodynamics of Unfolding of Ribonuclease A under High Pressure. A Study by Proton NMR, **250**, 689–694.
Heterogeneity of *E. coli* RNA Polymerase Revealed by High Pressure, **253**, 259–265.

Hirudin
Efficient Catalysis of Disulfide Formation During Protein Folding with a Single Active-site Cysteine, **247**, 28–33.

Histone
Poly(dA)·Poly(dT) Forms Very Stable Nucleosomes at Higher Temperature, **245**, 559–567.
Electrostatic Mechanism of Nucleosome Spacing, **252**, 305–313.
Targeted Disruption of *01H1* Encoding a Particular H1 Histone Variant Causes Changes in Protein Patterns in the DT40 Chicken B Cell Line, **254**, 869–880.

Histone genes
Targeted Disruption of an H3-IV/H3-V Gene Pair Causes Increased Expression of the Remaining H3 Genes in the Chicken DT40 Cell Line, **250**, 420–433.

HIV,
see Human immunodeficiency virus.

HIV-1 reverse transcriptase
Comprehensive Chemical Modification Interference and Nucleotide Substitution Analysis of an RNA Pseudoknot Inhibitor to HIV-1 Reverse Transcriptase, **247**, 60–68.

HIV-1 Tat
Complete ^1H Nuclear Magnetic Resonance Assignments and Structural Characterization of a Fusion Protein of the α-Amylase Inhibitor Tendamistat with the Activation Domain of the Human Immunodeficiency Virus Type 1 Tat Protein, **250**, 672–688.

HIV-2 LTR
Tat Functions to Stimulate the Elongation Properties of Transcription Complexes Paused by the Duplicated TAR RNA Element of Human Immunodeficiency Virus 2, **254**, 350–363.

HMG proteins
Addition of a 29 Residue Carboxyl-terminal Tail Converts a Simple HMG Box-containing Protein into a Transcriptional Activator, **249**, 11–28.
Mutual Stabilisation of Bacteriophage Mu Repressor and Histone-like Proteins in a Nucleoprotein Structure, **249**, 332–341.
Homodimers of Chromosomal Proteins HMG-14 and HMG-17 in Nucleosome Cores, **252**, 423–432.

HNF1
Salmon HNF1: cDNA Sequence, Evolution, Tissue Specificity and Binding to the Salmon Serum Albumin Promoter, **247**, 1–10.

hok
Mechanism of Post-segregational Killing by *hok*-homologue *pnd* of Plasmid R483: Two Translational Control Elements in the *pnd* mRNA, **249**, 270–282.

Holliday intermediate
Characterization of the Interaction between the Lambda Intasome and *att*B, **252**, 47–58.

Holliday junction
Two Inequivalent Folding Isomers of the Three-way DNA Junction with Unpaired Bases: Sequence-dependence of the Folded Conformation, **251**, 507–519.
Structural Analysis of the RuvC-Holliday Junction Complex Reveals an Unfolded Junction, **252**, 213–226.
The Modular Character of a DNA Junction-resolving Enzyme: A Zinc-binding Motif in bacteriophage T4 Endonuclease VII, **252**, 596–610.

Homeodomain proteins
Homeodomain Proteins: What Governs Their Ability to Recognize Specific DNA Sequences?, **250**, 595–608.

Homodimeric haemoglobin
A Single Mutation (Thr72 → Ile) at the Subunit Interface is Crucial for the Functional Properties of the Homodimeric Co-operative Haemoglobin from *Scapharca inaequivalvis*, **248**, 910–917.

Homologous recombination
Probing the Structure of a Putative Intermediate in Homologous Recombination: The Third Strand in the Parallel DNA Triplex is in Contact with the Major Groove of the Duplex, **247**, 874–889.
A Hotspot for Promoter-dependent Recombination in Polyomavirus DNA, **248**, 220–224.

Homologous sequences
Differential Codon Usage for Conserved Amino Acids: Evidence that the Serine Codons TCN were Primordial, **250**, 123–127.

Homology searching
Identification and Analysis of Multigene Families by Comparison of Exon Fingerprints, **249**, 342–359.

Hook protein
Structural Organization and Assembly of Flagellar Hook Protein from *Salmonella typhimurium*, **251**, 520–532.

Hox
Selection of Ten Base-pair Sequences which Enhance the Response of the Gal1 Minimal Promoter to Murine Hoxa-7 in Yeast, **247**, 173–190.

***P*-HPr**
High-resolution Structure of the Phosphorylated Form of the Histidine-containing Phosphocarrier Protein HPr from *Escherichia coli* Determined by Restrained Molecular Dynamics from NMR-NOE Data, **246**, 180–193.

***HPRT* locus**
The Mutagenic Processing of Psoralen Photolesions Leaves a Highly Specific Signature at an Endogenous Human Locus, **254**, 38–49.

***hprt* mutations**
Molecular Analysis of Mutations in the *hprt* Gene of V79 Hamster Fibroblasts: Effects of Imbalances in the dCTP, dGTP and dTTP Pools, **252**, 514–521.

hsd
Phage T4-coded Stp: Double-Edged Effector of Coupled DNA and tRNA-Restriction Systems, **249**, 857–868.

HSP60
The 60 kDa Heat Shock Proteins in the Hyperthermophilic Archaeon *Sulfolobus shibatae*, **253**, 712–725.

Hsp70
The Role of ATP in the Functional Cycle of the DnaK Chaperone System, **249**, 126–137.

Hsp78
The Mitochondrial ClpB Homolog Hsp78 Cooperates with Matrix Hsp70 in Maintenance of Mitochondrial Function, **254**, 538–543.

HtrI
Mechanism of Photosensory Adaptation in *Halobacterium salinarium*, **246**, 493–499.

HU
Mutual Stabilisation of Bacteriophage Mu Repressor and Histone-like Proteins in a Nucleoprotein Structure, **249**, 332–341.

Human antibodies
Selection and Application of Human Single Chain Fv Antibody Fragments from a Semi-synthetic Phage Antibody Display Library with Designed CDR3 regions, **248**, 97–105.

Human α-thrombin
Structure of a Retro-binding Peptide Inhibitor Complexed with Human α-Thrombin, **246**, 14–20.

Human genome structure
Distinctive Sequence Features in Protein Coding, Genic Non-coding, and Intergenic Human DNA, **253**, 51–60.

Human *HPRT* locus
The Mutagenic Processing of Psoralen Photolesions Leaves a Highly Specific Signature at an Endogenous Human Locus, **254**, 38–49.

Human immunodeficiency virus (HIV)
Dimerization Kinetics of HIV-1 and HIV-2 Reverse Transcriptase: A Two Step Process, **245**, 508–521.
Visualization of TBP Oligomers Binding and Bending the HIV-1 and Adeno Promoters, **246**, 576–584.
Comprehensive Chemical Modification Interference and Nucleotide Substitution Analysis of an RNA Pseudoknot Inhibitor to HIV-1 Reverse Transcriptase, **247**, 60–68.
Bulge-Induced Bends in RNA: Quantification by Transient Electric Birefringence, **247**, 486–500.
Structural Studies of HIV-1 Tat Protein, **247**, 529–535.
The Human Immunodeficiency Virus Long Terminal Repeat Includes a Specialised Initiator Element which is Required for Tat-responsive Transcription, **248**, 562–580.
Evidence for Functional Interaction between the HIV-1 Tat Transactivator and the TATA Box Binding Protein *in Vivo*, **250**, 169–180.
Complete ^{1}H Nuclear Magnetic Resonance Assignments and Structural Characterization of a Fusion Protein of the α-Amylase Inhibitor Tendamistat with the Activation Domain of the Human Immunodeficiency Virus Type 1 Tat Protein, **250**, 672–688.
Formation of Stable and Functional HIV-1 Nucleoprotein Complexes *in Vitro*, **252**, 563–571.
The Amino Terminal Domain of HIV-1 Rev is Required for Discrimination of the RRE from Nonspecific RNA, **253**, 243–258.

The Structure of the Human Immunodeficiency Virus Type-1 TAR RNA Reveals Principles of RNA Recognition by Tat Protein, **253**, 313–332.
Tat Functions to Stimulate the Elongation Properties of Transcription Complexes Paused by the Duplicated TAR RNA Element of Human Immunodeficiency Virus 2, **254**, 350–363.
CDR Walking Mutagenesis for the Affinity Maturation of a Potent Human Anti-HIV-1 Antibody into the Picomolar Range, **254**, 392–403.

Human lysozyme
Contribution of Hydrophobic Residues to the Stability of Human Lysozyme: Calorimetric Studies and X-ray Structural Analysis of the Five Isoleucine to Valine Mutants, **254**, 62–76.

H-X_4-H
A Single Amino Acid Substitution in Zinc Finger 2 of Adr1p Changes its Binding Specificity at two Positions in UAS1, **251**, 1–8.

Hybrid promoter
A Hybrid Sigma Subunit Directs RNA Polymerase to a Hybrid Promoter in *Escherichia coli*, **246**, 563–571.

Hybrid/chimera
A Double Mutation in Subunit c of the Na^+-specific F_1F_0-ATPase of *Propionigenium modestum* Results in a Switch from Na^+ to H^+-coupled ATP Synthesis in the *Escherichia coli* Host Cells, **253**, 726–738.

Hydration
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. III. Replacements of a Hyper-exposed Residue, Met73, **249**, 646–653.

Hydrogen bond
Coulombic Interactions Between Partially Charged Main-chain Atoms Not Hydrogen-bonded to Each Other Influence the Conformations of α-Helices and Antiparallel β-Sheet. A New Method for Analysing the Forces Between Hydrogen Bonding Groups in Proteins Includes All the Coulombic Interactions, **248**, 361–373.
Determination of the Differential Effects of Hydrogen Bonding and Water Release on the Binding of FK506 to Native and Tyr82 → Phe82 FKBP-12 Proteins using Free Energy Simulations, **248**, 696–717.
A Comparison of Neutron Diffraction and Molecular Dynamics Structures: Hydroxyl Group and Water Molecule Orientations in Trypsin, **250**, 553–570.
Complete ^1H Nuclear Magnetic Resonance Assignments and Structural Characterization of a Fusion Protein of the α-Amylase Inhibitor Tendamistat with the Activation Domain of the Human Immunodeficiency Virus Type 1 Tat Protein, **250**, 672–688.
CH/π Interaction in the Packing of the Adenine Ring in Protein Structures, **251**, 9–14.
The Occurrence of C – H···O Hydrogen Bonds in Proteins, **252**, 248–262.
Free Energy Determinants of Secondary Structure Formation: I. α-Helices, **252**, 351–365.
Free Energy Determinants of Secondary Structure Formation: II. Antiparallel β-Sheets, **252**, 366–376.
Comprehensive Analysis of Hydrogen Bonds in Regulatory Protein DNA-Complexes: Im Search of Common Principles, **253**, 370–382.
Strange Bedfellows: Interactions between Acidic Side-chains in Proteins, **254**, 96–105.

Hydrogen exchange
Hydrogen Exchange and Protein Hydration: The Deuteron Spin Relaxation Dispersions of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin, **245**, 698–709.
Solution Dynamics of the *trp* Repressor: A Study of Amide Proton Exchange by T_1 Relaxation, **246**, 618–627.
Local Perturbations by Ligand Binding of Hydrogen Deuterium Exchange Kinetics in a Four-helix Bundle Protein, Acyl Coenzyme A Binding Protein (ACBP), **250**, 695–706.
Disulfide Mutants of Barnase II: Changes in Structure and Local Stability Identified by Hydrogen Exchange, **253**, 505–513.
Mechanism of Hydrogen–Deuterium Exchange in *trp* Repressor Studied by ^1H-^{15}N NMR, **253**, 576–589.
Different Subdomains are Most Protected From Hydrogen Exchange in the Molten Globule and Native States of an α-Lactalbumin, **253**, 651–657.

Hydrophobic clusters
Conserved Structural Features on Protein Surfaces: Small Exterior Hydrophobic Clusters, **249**, 251–258.

Hydrophobic effect
A Continuum Model for Protein–Protein Interactions: Application to the Docking Problem, **250**, 258–275.
Structure, Thermodynamics and Cooperativity of the Glucocorticoid Receptor DNA-binding Domain in Complex with Different Response Elements. Molecular Dynamics Simulation and Free Energy Perturbation Studies, **253**, 453–472.

Hydrophobic interaction
Thermodynamic Stability of the Molten Globule States of Apomyoglobin, **250**, 223–238.
Recognizing Native Folds by the Arrangement of Hydrophobic and Polar Residues, **252**, 709–720.
Calculation of Relative Binding Free energies and Configurational Entropies: A Structural and Thermodynamic Analysis of the Nature of Non-polar Binding of Thrombin Inhibitors Based on Hirudin$^{55-65}$, **253**, 473–492.

Hydrophobicity
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. I. Hydrophobic Replacements at the Position of Met103, **249**, 625–635.
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. II. Replacements at the Interface of Dimer Formation, Val13, **249**, 636–645.
A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. III. Replacements of a Hyper-exposed Residue, Met73, **249**, 646–653.
Contribution of Hydrophobic Residues to the Stability of Human Lysozyme: Calorimetric Studies and X-ray Structural Analysis of the Five Isoleucine to Valine Mutants, **254**, 62–76.

L-2-Hydroxyisocaproate dehydrogenase
Crystal Structure of L-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus confusus* at 2.2 Å Resolution. An Example of Strong Asymmetry Between Subunits, **251**, 256–281.

Hydroxyl radical footprinting
Footprint analysis of M.SssI and M.HhaI Methyltransferases Reveals Extensive Interactions with the Substrate DNA Backbone, **248**, 19–26.
Homeodomain Proteins: What Governs Their Ability to Recognize Specific DNA Sequences?, **250**, 595–608.

Hyperaccurate ribosomes
Evidence that Uncharged tRNA Can Inhibit a Programmed Translational Frameshift in *Escherichia coli*, **251**, 210–216.

Hysteresis
ATP Hydrolysis is Required for DNA Cleavage by *Eco*PI Restriction Enzyme, **247**, 559–567.

Icosahedral
Studies on the Lumazine Synthase/Riboflavin Synthase Complex of *Bacillus subtilis*: Crystal Structure Analysis of Reconstituted, Icosahedral β-subunit Capsids with Bound Substrate Analogue Inhibitor at 2.4 Å Resolution, **253**, 151–167.

ICRF-193
Synthesis of Simian Virus 40 C-family catenated dimers *in Vivo* in the Presence of ICRF-193, **247**, 835–839.

IF-1
Specific Protection of 16 S rRNA by Translational Initiation Factors, **248**, 207–210.

IF-3
Specific Protection of 16 S rRNA by Translational Initiation Factors, **248**, 207–210.

IHF
A Functional Analysis of the Inverted Repeat of the γδ Transposable Element, **247**, 578–587.
Mutual Stabilisation of Bacteriophage Mu Repressor and Histone-like Proteins in a Nucleoprotein Structure, **249**, 332–341.
Pyrimidine Regulation of the *Escherichia coli* and *Salmonella typhimurium carAB* Operons: CarP and Integration Host Factor (IHF) Modulate the Methylation Status of a GATC Site Present in the Control Region, **250**, 383–391.
Single Base-pair Precision and Structural Rigidity in a Small IHF-induced DNA Loop, **253**, 228–242.

Image analysis
Structural Dynamics of F-actin: I. Changes in the C-Terminus, **245**, 582–597.
Structural Dynamics of F-actin II. Cooperativity in Structural Transitions, **245**, 598–607.
Three-dimensional Reconstruction of the α_D and β_C-Hemocyanins of *Helix pomatia* from Frozen-Hydrated Specimens, **248**, 431–448.
Towards the Molecular Architecture of the Asymmetric Unit Membrane of the Mammalian Urinary Bladder Epithelium: A Closed "Twisted Ribbon" Structure, **248**, 887–900.
Homology in Structural Organization Between *E. coli* ClpAP Protease and the Eukaryotic 26 S Proteasome, **250**, 587–594.
Examination of the Structure of the Transthyretin Amyloid Fibril by Image Reconstruction from Electron Micrographs, **254**, 113–118.

Immunoelectron microscopy
The Human Proteasome Subunit HsN3 is Located in the Inner Rings of the Complex Dimer, **248**, 264–272.
Structural Effects of Mutations in *Salmonella typhimurium* Flagellar Switch Complex, **251**, 400–412.

Immunoglobulin Fab
Three-dimensional Structure of the Fab Fragment of Murine N1G9 Antibody from the Primary Immune Response and of Its Complex with (4-Hydroxy-3-Nitrophenyl) acetate, **254**, 208–222.

Immunoglobulins,
see also Antibodies.
A Yeast RNA Binding Protein that Resembles the Human Autoantigen La, **245**, 81–85.
Mapping of the Immunoglobulin Light Chain-binding Site of Protein L, **250**, 128–133.
Average Core Structures and Variability Measures for Protein Families: Application to the Immunoglobulins, **251**, 161–175.
Immunoglobulin Mutant Library Genetically Screened for Folding Stability Exploiting Bacterial Signal Transduction, **251**, 471–476.

Immunoprecipitation,
see also Fab.

***In vitro* packaging**
RNA Binding, Packaging and Polymerase Activities of the Different Incomplete Polymerase Complex Particles of dsRNA Bacteriophage Φ6, **249**, 545–554.

***In vitro* splicing**
Localization of Sequences Required for Size-specific Splicing of a Small *Drosophila* Intron *in Vitro*, **253**, 426–437.

***In vitro* transcription**
A Transcriptional Role for Conserved Footprinting Sequences within the Larval Promoter of a *Drosophila* Alcohol Dehydrogenase Gene, **249**, 259–269.
Crystallization of RNA–Protein Complexes I. Methods for the Large-scale Preparation of RNA Suitable for Crystallographic Studies, **249**, 413–423.

IncW plasmid R388
Nicking Activity of TrwC Directed Against the Origin of Transfer of the IncW Plasmid R388, **246**, 54–62.

Induced-fit
Substrate Specificity and Assembly of the Catalytic Center Derived from two Structures of Ligated Uridylate Kinase, **246**, 522–530.

Inducible genes
Subunit Structure of Regulator Proteins Influences the Design of Gene Circuitry: Analysis of Perfectly Coupled and Completely Uncoupled Circuits, **248**, 739–755.
Kinetics of Expression of Inducible βGalactosidase in Murine Fibroblasts: High Initial Rate Compared to Steady-state Expression, **252**, 289–295.

Inhibition kinetics
Characterization of the Interaction between the Lambda Intasome and *att*B, **252**, 47–58.

Inhibitor complex
The Crystal Structure of Porcine Pancreatic α-Amylase in Complex with the Microbial Inhibitor Tendamistat, **247**, 99–110.
Crystal Structure of the Closed Form of Chicken Cytosolic Aspartate Aminotransferase at 1.9 Å Resolution, **247**, 111–124.
Crystal Structure of a Complex Between *Serratia marcescens* Metallo-protease and an Inhibitor from *Erwinia chrysanthemi*, **248**, 653–661.

Inhibitor design
Thermodynamic Mapping of the Inhibitor Site of the Aspartic Protease Endothiapepsin, **252**, 337–350.

Initiation
A Comparison of the pH, Urea, and Temperature-denatured States of Barnase by Heteronuclear NMR: Implications for the Initiation of Protein Folding, **254**, 305–321.

Initiation factor
Specific Protection of 16 S rRNA by Translational Initiation Factors, **248**, 207–210.
Solution Structure of the Ribosome-binding Domain of *E. coli* Translation Initiation Factor IF3. Homology with the U1A Protein of the Eukaryotic Spliceosome, **254**, 247–259.

Initiator (INR) element
The Human Immunodeficiency Virus Long Terminal Repeat Includes a Specialised Initiator Element which is Required for Tat-responsive Transcription, **248**, 562–580.

Inovirus
Matching Electrostatic Charge between DNA and Coat Protein in Filamentous Bacteriophage Fibre Diffraction of Charge-deletion Mutants, **245**, 86–91.

InRNP particles assembly
Magnesium Cations are Required for the Association of U Small Nuclear Ribonucleoproteins and SR Proteins with Pre-mRNA in 200 S Large Nuclear Ribonucleoprotein Particles, **246**, 254–263.

Insecticide resistance
GABA Receptor Minigene Rescues Insecticide Resistance Phenotypes in *Drosophila*, **253**, 223–227.

Insertion mutant
Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Insertion Analysis of the Amino-terminal Assembly Domain, **248**, 756–767.

Insertion polymorphism
Dispersion and Insertion Polymorphism in Two Small Subfamilies of Recently Amplified Human *Alu* Repeats, **247**, 418–427.

Insights into mitomycin cross-link formation
Solution Structure of the Monoalkylated Mitomycin C-N Complex, **247**, 338–359.

Insulin
Ligand Binding to Wild-type and E-B13Q Mutant Insulins: A Three-state Allosteric Model System Showing Half-site Reactivity, **245**, 324–330.
Three-dimensional Solution Structure of Bombyxin-II an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Structural Comparison with Insulin and Relaxin, **253**, 749–758.
Identification of the Receptor-recognition Surface of Bombyxin-II, an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Critical Importance of the B-chain Central Part, **253**, 759–770.

Integrase
Identifying Determinants of Recombination Specificity: Construction and Characterization of Mutant Bacteriophage Integrases, **252**, 178–188.
High-resolution Structure of the Catalytic Domain of Avian Sarcoma Virus Integrase, **253**, 333–346.

Integration
Disparate Replication Properties of Integrated and Extrachromosomal Forms of Bovine Papilloma Virus in ID13 Cells, **254**, 119–129.

Integration host factor (IHF)
A Functional Analysis of the Inverted Repeat of the γδ Transposable Element, **247**, 578–587.
Mutual Stabilisation of Bacteriophage Mu Repressor and Histone-like Proteins in a Nucleoprotein Structure, **249**, 332–341.
Pyrimidine Regulation of the *Escherichia coli* and *Salmonella typhimurium carAB* Operons: CarP and Integration Host Factor (IHF) Modulate the Methylation Status of a GATC Site Present in the Control Region, **250**, 383–391.
Single Base-pair Precision and Structural Rigidity in a Small IHF-induced DNA Loop, **253**, 228–242.

Interferon-β
Refined Crystal Structure of Recombinant Murine Interferon-β at 2.15 Å Resolution, **253**, 187–207.

Intergenic DNA
Distinctive Sequence Features in Protein Coding, Genic Non-coding, and Intergenic Human DNA, **253**, 51–60.

Interleukin 2
The Solution Structure of the F42A Mutant of Human Interleukin 2, **247**, 979–994.

Interleukin 4
Human Interleukin-4 and Variant R88Q: Phasing X-ray Diffraction Data by Molecular Replacement Using X-ray and Nuclear Magnetic Resonance Models, **247**, 360–372.

Interleukin 6
In vitro Binding of Ciliary Neurotrophic Factor to its Receptors: Evidence for the Formation of an IL-6-type Hexameric Complex, **254**, 795–800.

Interleukin 10
The DNA Sequence of Equine Herpesvirus 2, **249**, 520–528.

Intermediate state
An Equilibrium Partially Folded State of Human Lysozyme at Low pH, **246**, 384–389.

Intermolecular complexes
Solution Structure of the Monoalkylated Mitomycin C-N Complex, **247**, 338–359.
Solution Structure of the Covalent Duocarmycin A–DNA Duplex Complex, **248**, 162–179.
Dissection of the Core and Auxiliary Sequences in the Vegetative Replication Origin of Promiscuous Plasmid RK2, **254**, 608–622.

Internal loops
Characterization of the Pre-mRNA Binding Site for Yeast Ribosomal Protein L32: The Importance of a Purine-rich Internal Loop, **250**, 447–459.

Internal transcribed spacer
The Ribosomal DNA Loci in *Plasmodium falciparum* Accumulate Mutations Independently, **254**, 881–891.

Internal water
Protein Hydration Dynamics in Aqueous Solution: A Comparison of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin by Oxygen-17 Spin Relaxation Dispersion, **245**, 682–697.

Interstrand cross-links
The Mutagenic Processing of Psoralen Photolesions Leaves a Highly Specific Signature at an Endogenous Human Locus, **254**, 38–49.

Intersubunit interactions
Complex Salt Bridges in Proteins: Statistical Analysis of Structure and Function, **254**, 761–770.

Intragenic suppressors
Mutations that Stabilize Folding Intermediates of Phage P22 Tailspike Protein: Folding *in vivo* and *in vitro*, Stability, and Structural Context, **249**, 185–194.

Intramembrane helix-helix interaction
Transmembrane α-Helix Interactions are Required for the Functional Assembly of the *Escherichia coli* Tol Complex, **246**, 1–7.

Intramolecular chaperone
Folding Mediated by an Intramolecular Chaperone: Autoprocessing Pathway of the Precursor Resolved *via* a Substrate Assisted Catalysis Mechanism, **247**, 390–395.
Folding Pathway Mediated by an Intramolecular Chaperone: Characterization of the Structural Changes in Pro-subtilisin E Coincident with Autoprocessing, **252**, 25–30.

Intramolecular signal transmission
Intramolecular Transmission of the ATP Regulatory Signal in *Escherichia coli* Aspartate Transcarbamylase: Specific Involvement of a Clustered Set of Amino Acid Interactions at an Interface Between Regulatory and Catalytic Subunits, **246**, 132–143.

Intron homing
Selection of a Remote Cleavage Site by I-*Tev*I, the *td* Intron-encoded Endonuclease, **247**, 197–210.

Intronic recombination
Production of a Chimeric Fibroin Light-chain Polypeptide in a Fibroin Secretion-deficient Naked Pupa Mutant of the Silkworm *Bombyx mori*, **251**, 217–228.

Introns
Structures and Expression of *Euglena gracilis* Nuclear *rbcS* Genes Encoding the Small Subunits of the Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase: A Novel Splicing Process for Unusual Intervening Sequences?, **245**, 22–33.
Localization of Sequences Required for Size-specific Splicing of a Small *Drosophila* Intron *in Vitro*, **253**, 426–437.

Inversion
Algorithms for Evaluating the Long-range Accessibility of Protein Surfaces, **249**, 804–815.

Invertebrate
Structural Analysis of Monomeric Hemichrome and Dimeric Cyanomet Hemoglobins from *Caudina arenicola*, **251**, 421–431.

Invertebrate insulin-related peptide
Three-dimensional Solution Structure of Bombyxin-II an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Structural Comparison with Insulin and Relaxin, **253**, 749–758.

Ion channel
Membrane Topology of the MotA Protein of *Escherichia coli*, **251**, 237–242.
Bacillus thuringiensis CrylA(a) Insecticidal Toxin: Crystal Structure and Channel Formation, **254**, 447–464.

Ion pairs
The Crystal Structure of Holo-glyceraldehyde-3-phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima* at 2.5 Å Resolution, **246**, 511–521.
Complex Salt Bridges in Proteins: Statistical Analysis of Structure and Function, **254**, 761–770.

Ion transport
High Resolution Crystal Structures of Amphibian Red-Cell L Ferritin: Potential Roles for Structural Plasticity and Solvation in Function, **248**, 949–967.

Ionic strength
Perturbed pK_A-values in the Denatured States of Proteins, **254**, 980–992.

Ionizing radiation
Analysis of Deletions Induced in the Genome of Mammalian Cells by Ionizing Radiation, **254**, 372–380.

Iron
High Resolution Crystal Structures of Amphibian Red-Cell L Ferritin: Potential Roles for Structural Plasticity and Solvation in Function, **248**, 949–967.

Iron transport protein
Crystal Structure of Diferric Hen Ovotransferrin at 2.4 Å Resolution, **254**, 196–207.

Irrigation of muscle with S1
Rigor Cross-bridges Bind to Two Actin Monomers in Thin Filaments of Rabbit Psoas Muscle, **248**, 294–307.

IS*10*
IS *10* Antisense Control *in Vivo* is Affected by Mutations Throughout the Region of Complementarity Between the Interacting RNAs, **246**, 585–594.

Isosteric substitution
Probing the Structure of a Putative Intermediate in Homologous Recombination: The Third Strand in the Parallel DNA Triplex is in Contact with the Major Groove of the Duplex, **247**, 874–889.

Isotropic elasticity theory
Translational Positioning of Nucleosomes on DNA: The Role of Sequence-dependent Isotropic DNA Bending Stiffness, **247**, 918–931.

Isotype
β-Tubulin Folding is Modulated by the Isotype-specific Carboxy-terminal Domain, **246**, 628–636.

Kid assay
Kid, a Small Protein of the *parD* Stability System of Plasmid R1, is an Inhibitor of DNA Replication Acting at the Initiation of DNA Synthesis, **247**, 568–577.

Kinase
Crystal Structure of the Human Cell Cycle Protein CksHs1: Single Domain Fold with Similarity to Kinase N-lobe Domain, **249**, 835–842.

Kinesin
Kinesin and ncd Bind Through a Single Head to Microtubules and Compete for a Shared MT Binding Site, **249**, 763–771.
Re-examination of the Polarity of Microtubules and Sheets Decorated with Kinesin Motor Domain, **251**, 329–333.

Kinesin mutants
Exclusive Expression of *C. elegans osm*-3 Kinesin Gene in Chemosensory Neurons Open to the External Environment, **247**, 377–389.

Kinetics
The Kinetics of the Thermal Denaturation of Collagen in Unrestrained Rat Tail Tendon Determined by Differential Scanning Calorimetry, **245**, 437–446.
Functional and Spectroscopic Evidence for a Conformational Transition in Ferrous Liganded Human Hemoglobin, **249**, 800–803.
An Integrated Kinetic Analysis of Intermediates and Transition States in Protein Folding Reactions, **253**, 771–786.

Kis assay
Kid, a Small Protein of the *parD* Stability System of Plasmid R1, is an Inhibitor of DNA Replication Acting at the Initiation of DNA Synthesis, **247**, 568–577.

Knowledge-based potentials
Atomic Environment Energies in Proteins Defined from Statistics of Accessible and Contact Surface Areas, **249**, 675–690.

KorA regulon
Purification of KorA Protein from Broad Host Range Plasmid RK2: Definition of a Hierarchy of KorA Operators, **253**, 39–50.

$KRP_{85/95}$
Heterodimerization of the Two Motor Subunits of the Heterotrimeric Kinesin, $KRP_{85/95}$, **252**, 157–162.

Kunitz domain
The 1.6 Å Structure of Kunitz-type Domain from the α3 Chain of Human Type VI Collagen, **246**, 609–617.

La homologue
A Yeast RNA Binding Protein that Resembles the Human Autoantigen La, **245**, 81–85.

Labile repressor
Transcriptional Regulation of *PS-IAA4/5* and *PS-IAA6* Early Gene Expression by Indoleacetic Acid and Protein Synthesis Inhibitors in Pea (*Pisum sativum*), **253**, 396–413.

lac
Exclusive Expression of *C. elegans osm*-3 Kinesin Gene in Chemosensory Neurons Open to the External Environment, **247**, 377–389.

***lac* repressor**
Inhibition of Transcription Initiation by *lac* Repressor, **245**, 331–350.

***lac* UV5 promoter**
Inhibition of Transcription Initiation by *lac* Repressor, **245**, 331–350.

lacZ
Kinetics of Expression of Inducible βGalactosidase in Murine Fibroblasts: High Initial Rate Compared to Steady-state Expression, **252**, 289–295.

α-lactalbumin
Different Subdomains are Most Protected From Hydrogen Exchange in the Molten Globule and Native States of an α-Lactalbumin, **253**, 651–657.
Vibrational Raman Optical Activity of α-Lactalbumin: Comparison with Lysozyme, and Evidence for Native Tertiary Folds in Molten Globule States, **254**, 747–760.

β-lactamase
Purification, Crystallisation and Preliminary X-ray Analysis of Penicillin Binding Protein 4 from *Escherichia coli*, a Protein Related to Class A β-Lactamases, **247**, 149–153.

β-lactoglobulin
Secondary structure prediction, **245**, 180–194.
High Helical Propensity of the Peptide Fragments Derived from β-Lactoglobulin, a Predominantly β-sheet Protein, **254**, 737–746.

Lambda
see Bacteriophage lambda.

Laminin
Selective Chain Recognition in the C-terminal αHelical Coiled-coil Region of Laminin, **250**, 64–73.
Stabilization of the α-Helical Coiled-coil Domain in Laminin by C-terminal Disulfide Bonds, **250**, 74–79.

Large subunit
Structural and Functional Domains of the Large Subunit of the Bacteriophage T3 DNA Packaging Enzyme: importance of the C-terminal Region in Prohead Binding, **245**, 633–644.

Laser dark-field microscopy
High-speed Rotation and Speed Stability of the Sodium-driven Flagellar Motor in *Vibrio alginolyticus*, **251**, 50–58.

Lateral diffusion
Interaction of Fcγ Receptor Type IIIB with Complement Receptor Type 3 in Fibroblast Transfectants: Evidence from Lateral Diffusion and Resonance Energy Transfer Studies, **247**, 597–603.

Lattice models
Impact of Local and Non-local Interactions on Thermodynamics and Kinetics of Protein Folding, **252**, 460–471.
Partially Folded States of Proteins: Characterization by X-ray Scattering, **254**, 960–967.

Lennard-Jones
Coulombic Interactions Between Partially Charged Main-chain Atoms Not Hydrogen-bonded to Each Other Influence the Conformations of α-Helices and Antiparallel β-Sheet. A New Method for Analysing the Forces Between Hydrogen Bonding Groups in Proteins Includes All the Coulombic Interactions, **248**, 361–373.

Lesion bypass
N-2-aminofluorene and *N*-2 acetylaminofluorene Adducts: The Local Sequence Context of an Adduct and its Chemical Structure Determine its Replication Properties, **249**, 903–913.

Leucine zipper
Tetravalent Miniantibodies with High Avidity Assembling in *Escherichia coli*, **246**, 28–34.

LF-B1
Salmon HNF1: cDNA Sequence, Evolution, Tissue Specificity and Binding to the Salmon Serum Albumin Promoter, **247**, 1–10.

Ligand affinity
Structure and Oxygen Affinity of Crystalline DesArg141α Human Hemoglobin A in the T State, **248**, 136–150.
A Single Mutation (Thr72 → Ile) at the Subunit Interface is Crucial for the Functional Properties of the Homodimeric Co-operative Haemoglobin from *Scapharca inaequivalvis*, **248**, 910–917.

Ligand binding
Structural and Functional Effects of Apolar Mutations of the Distal Valine in Myoglobin, **245**, 416–436.
Ligand-Induced Changes in the Conformational Stability of Bovine Trypsinogen and Their Implications for the Protein Function, **247**, 701–716.
Slow Ligand-induced Transitions in the Alllosteric Phosphofructokinase from *Escherichia coli*, **249**, 478–492.
Local Perturbations by Ligand Binding of Hydrogen Deuterium Exchange Kinetics in a Four-helix Bundle Protein, Acyl Coenzyme A Binding Protein (ACBP), **250**, 695–706.

The Structure of Deoxy-and Oxy-leghaemoglobin from Lupin, **251**, 104–115.

Light-harvesting complex
Isolation, Crystallization, Crystal Structure Analysis and Refinement of Allophycocyanin for the Cyanobacterium *Spirulina platensis* at 2.3 Å Resolution, **249**, 424–440.

Limb regeneration
Differential Regulation of Hox C6 in the Appendages of Adult Urodeles and Anurans, **249**, 879–889.

LINE-1 family
Ancestral, Mammalian-wide Subfamilies of LINE-1 Repetitive Sequences, **246**, 403–419.

Linear dichroism
Rigor Cross-bridges Bind to Two Actin Monomers in Thin Filaments of Rabbit Psoas Muscle, **248**, 294–307.

Linear free energy relationships
An Integrated Kinetic Analysis of Intermediates and Transition States in Protein Folding Reactions, **253**, 771–786.

Linear tetrapyrroles
Structure Determination of the Biliverdin Apomyoglobin Complex: Crystal Structure Analysis of Two Crystal Forms at 1.4 and 1.5 Å Resolution, **247**, 326–337.

Lipid
Structure and Fluctuations of Bacteriorhodopsin in the Purple Membrane: A Molecular Dynamics Study, **250**, 94–111.
Lipid Location in Deoxycholate-treated Purple Membrane at 2.6 Å, **254**, 404–415.

Lipid binding protein
Crystal Structure of Cellular Retinoic Acid Binding Protein I Shows Increased Access to the Binding Cavity due to formation of an Intermolecular β-Sheet, **252**, 433–446.

Lipid-layer crystallization
The Mechanism of Protein Crystal Growth from Lipid Layers, **246**, 308–316.

Lipid-peptide interaction
Self-association of β-Amyloid Peptide (1–40) in Solution and Binding to Lipid Membranes, **252**, 633–642.

Lipoyl domain
Three-dimensional Structure of a Lipoyl Domain from the Dihydrolipoyl Acetyltransferase Component of the Pyruvate Dehydrogenase Multienzyme Complex of *Escherichia coli*, **248**, 328–343.

Liquid crystals
Stabilization of Fluid Cholesteric Phases of Collagen to Ordered Gelated Matrices, **251**, 197–202.

Liver
Salmon HNF1: cDNA Sequence, Evolution, Tissue Specificity and Binding to the Salmon Serum Albumin Promoter, **247**, 1–10.

L-Lactate dehydrogenase
Crystal Structure of L-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus confusus* at 2.2 Å Resolution. An Example of Strong Asymmetry Between Subunits, **251**, 256–281.

Lobe orientation
Crystal Structure of Diferric Hen Ovotransferrin at 2.4 Å Resolution, **254**, 196–207.

Local motifs
Experimental Analysis of the Schellman Motif, **251**, 150–160.

Local structural environment scoring
Prediction of Protein Secondary Structure by Combining Nearest-neighbor Algorithms and Multiple Sequence Alignments, **247**, 11–15.

Loggerhead sea turtle (*Caretta caretta*) myoglobin
Reptile Heme Protein Structure: X-ray Crystallographic Study of the Aquo-met and Cyano-met Derivatives of the Loggerhead Sea Turtle (*Caretta caretta*) Myoglobin at 2.0 Å Resolution, **247**, 459–465.

Loops connecting helices
Force-induced Conformational Change of Bacteriorhodopsin, **249**, 239–243.

Low oxygen affinity hemoglobin
A Novel Low Oxygen Affinity Recombinant Hemoglobin (α96Val → Trp): Switching Quaternary Structure Without Changing the Ligation State, **248**, 867–882.

LSU rRNA
The Mitochondrial LSU rDNA of the Brown Alga *Pylaiella littoralis* Reveals α-Proteobacterial Features and is Split by Four Group IIB Introns with an Atypical Phylogeny, **251**, 378–389.

Lumazine synthase
Studies on the Lumazine Synthase/Riboflavin Synthase Complex of *Bacillus subtilis*: Crystal Structure Analysis of Reconstituted, Icosahedral β-subunit Capsids with Bound Substrate Analogue Inhibitor at 2.4 Å Resolution, **253**, 151–167.

Lupin leghaemoglobin
The Structure of Deoxy-and Oxy-leghaemoglobin from Lupin, **251**, 104–115.

Lux
Structural Refinement of the Non-fluorescent Flavoprotein from *Photobacterium leiognathi* at 1.60 Å Resolution, **249**, 195–214.

Lysine biosynthesis
The Crystal Structure of Dihydrodipicolinate Synthase from *Escherichia coli* at 2.5 Å Resolution, **246**, 227–239.

Lysine methylation
DNA-binding Surface of the Sso7d Protein from *Sulfolobus solfataricus*, **247**, 840–846.

Lysozyme
The Refined Structures of Goose Lysozyme and its Complex with a Bound Trisaccharide Show that the 'Goose-type' Lysozymes Lack a Catalytic Aspartate Residue, **245**, 54–68.
Structure of an Antibody–Lysozyme Complex Unexpected Effect of a Conservative Mutation, **245**, 261–274.
Alanine Scanning Mutagenesis of the α-Helix 115-123 of Phage T4 Lysozyme: Effects on Structure, Stability and the Binding of Solvent, **246**, 317–330.
High-affinity Antigen Binding by Chelating Recombinant Antibodies (CRAbs), **246**, 369–375.
An Equilibrium Partially Folded State of Human Lysozyme at Low pH, **246**, 384–389.
Dissection of Protein-Carbohydrate Interactions in Mutant Hen Egg-white Lysozyme Complexes and their Hydrolytic Activity, **247**, 281–293.
Protein Flexibility and Adaptability Seen in 25 Crystal Forms of T4 Lysozyme, **250**, 527–552.
The Unfolding Thermodynamics of c-Type Lysozymes: A Calorimetric Study of the Heat Denaturation of Equine Lysozyme, **252**, 447–459.

Contribution of Hydrophobic Residues to the Stability of Human Lysozyme: Calorimetric Studies and X-ray Structural Analysis of the Five Isoleucine to Valine Mutants, **254**, 62–76.
Vibrational Raman Optical Activity of α-Lactalbumin: Comparison with Lysozyme, and Evidence for Native Tertiary Folds in Molten Globule States, **254**, 747–760.

LysR-type regulator
High Angle and Ligand-induced Low Angle DNA Bends Incited by OccR Lie in the Same Plane with OccR Bound to the Interior Angle, **253**, 32–38.
The Sixty Nucleotide OccR Operator Contains a Subsite Essential and Sufficient for OccR Binding and a Second Subsite Required for Ligand-responsive DNA Bending, **253**, 691–702.

α-Lytic protease
Functional Linkage Between the Active Site of α-Lytic Protease and Distant Regions of Structure: Scanning Alanine Mutagenesis of a Surface Loop Affects Activity and Substrate Specificity, **251**, 116–134.
Kinetic and Structural Characterization of Mutations of Glycine 216 in α-Lytic Protease: A New Target for Engineering Substrate Specificity, **254**, 720–736.

M.Hhal methyltransferase
Footprint analysis of M.Sssl and M.Hhal Methyltransferases Reveals Extensive Interactions with the Substrate DNA Backbone, **248**, 19–26.

M.Sssl methyltransferase
Footprint analysis of M.Sssl and M.Hhal Methyltransferases Reveals Extensive Interactions with the Substrate DNA Backbone, **248**, 19–26.

M13 coat protein,
see also Bacteriophage M13.
Packing of Coat Protein Amphipathic and Transmembrane Helices in Filamentous Bacteriophage M13: Role of Small Residues in Protein Oligomerization, **252**, 6–14.

Macrobdella
Mass Spectrometric Composition, Molecular Mass and Oxygen Binding of *Macrobdella decora* Hemoglobin and its Tetramer and Monomer Subunits, **251**, 703–720.

Macromolecular assemblies
Matching Electrostatic Charge between DNA and Coat Protein in Filamentous Bacteriophage Fibre Diffraction of Charge-deletion Mutants, **245**, 86–91.
The Human Proteasome Subunit HsN3 is Located in the Inner Rings of the Complex Dimer, **248**, 264–272.

Magnesium
Thermodynamics of RNA Unfolding: Stabilization of a Ribosomal RNA Tertiary Structure by Thiostrepton and Ammonium Ion, **249**, 231–238.
Stabilization of a Ribosomal RNA Tertiary Structure by Ribosomal Protein L11, **249**, 319–331.
The Effect of Temperature on the Structure of Vinblastine-induced Polymers of Purified Tubulin: Detection of a Reversible Conformational Change, **254**, 416–430.

Major histocompatibility complex (MHC) binding
Ranking Potential Binding Peptides to MHC Molecules by a Computational Threading Approach, **249**, 244–250.

Major tail protein
Assembly of Functional Bacteriophage Lambda Virions Incorporating C-Terminal Peptide or Protein Fusions with the Major Tail Protein, **248**, 497–506.

Malaria
The Ribosomal DNA Loci in *Plasmodium falciparum* Accumulate Mutations Independently, **254**, 881–891.

Malate dehydrogenase
Chaperonins can Catalyse the reversal of Early Aggregation Steps when a Protein Misfolds, **250**, 581–586.

Maltodextrin binding protein
Refined Structures of Two Insertion/Deletion Mutants Probe Function of the Maltodextrin Binding Protein, **246**, 8–13.

Mammalian cells
A Hotspot for Promoter-dependent Recombination in Polyomavirus DNA, **248**, 220–224.
Analysis of Deletions Induced in the Genome of Mammalian Cells by Ionizing Radiation, **254**, 372–380.

Marfan syndrome
Truncated Profibrillin of a Marfan Patient is of Apparent Similar Size as Fibrillin: Intracellular Retention Leads to over-*N*-glycosylation, **248**, 901–909.

Markov chain analysis
Substrate Preferences of Vsr DNA Mismatch Endonuclease and their Consequences for the Evolution of the *Escherichia coli* K-12 Genome, **245**, 1–7.

Mass spectrometry
Crystallisation of RNA–Protein Complexes II. The Application of Protein Engineering for Crystallisation of the U1A Protein–RNA Complex, **249**, 398–412.
Mass Spectrometric Composition, Molecular Mass and Oxygen Binding of *Macrobdella decora* Hemoglobin and its Tetramer and Monomer Subunits, **251**, 703–720.

Maternal lethal
The HEM Proteins: A Novel Family of Tissue-specific Transmembrane Proteins Expressed from Invertebrates Through Mammals with an Essential Function in Oogenesis, **251**, 41–49.

Maturase
Dissecting and Analyzing the Secondary Structure Domains of Group I Introns through the use of Chimeric Intron Constructs, **252**, 583–595.

MEF2
Myotube-specific Activity of the Human Aldolase A M promoter Requires an Overlapping Binding Site For NF1 and MEF2 Factors in Addition to a Binding Site (M1) For Unknown Proteins, **253**, 17–31.

MEF3
Myotube-specific Activity of the Human Aldolase A M promoter Requires an Overlapping Binding Site For NF1 and MEF2 Factors in Addition to a Binding Site (M1) For Unknown Proteins, **253**, 17–31.

Melting temperature
Desk-top Analysis of the Structural Stability of Various Point Mutations Introduced into Ribonuclease H, **248**, 733–738.

Membrane assembly
Membrane Assembly of Circularly Permuted Variants of the *E. coli* Outer Membrane Protein OmpA, **250**, 617–626.

Membrane binding
Myosin from Alga *Chara*: Unique Structure Revealed by Electron Microscopy, **254**, 109–112.

2D Membrane crystals
Towards the Molecular Architecture of the Asymmetric Unit Membrane of the Mammalian Urinary Bladder Epithelium: A Closed "Twisted Ribbon" Structure, **248**, 887–900.

Membrane domains
Autocatalytic Gene Expression Occurs *via* Transertion and Membrane Domain Formation and Underlies Differentiation in Bacteria: A Model, **253**, 739–748.

Membrane protein
Transmembrane α-Helix Interactions are Required for the Functional Assembly of the *Escherichia coli* Tol Complex, **246**, 1–7.
Crystallographic Refinement at 2.3 ↑A Resolution and Refined Model of the Photosynthetic Reaction Centre from *Rhodopseudomonas viridis*, **246**, 431–459.
Effects of Ethyleneglycol Chain Length of Dodecyl Polyethyleneglycol Monoether on the Crystallization of Bovine Heart Cytochrome *c* Oxidase, **246**, 572–575.
Structural Model of the Phospholamban Ion Channel Complex in Phospholipid Membranes, **248**, 824–834.
Two-dimensional Crystallization and Preliminary Structure Analysis of Light Harvesting II (B800-850) Complex From the Purple Bacterium *Rhodovulum sulfidophilum*, **250**, 1–10.
Membrane Topology of the MotA Protein of *Escherichia coli*, **251**, 237–242.
Structure of the Osmo-regulated H_2O-channel, AQP-CHIP, in Projection at 3.5 Å Resolution, **251**, 413–420.
Preliminary Cryocrystallographic Study of the Mitochondrial Cytochrome bc_1 Complex: Improved Crystallization and Flash-cooling of a Large Membrane Protein, **252**, 15–19.
Proline in a Transmembrane Helix Compensates for Cavities in the Photosynthetic Reaction Center, **252**, 472–482.
A Simple Protocol for Identification of Helical and Mobile Residues in Membrane Proteins, **253**, 391–395.

Membrane receptors
An Intact Protein Translocating Machinery is Required for Mitochondrial Import of a Yeast Cytoplasmic tRNA, **245**, 315–323.

Membrane-associated morphogenesis
The Products of Gene I and the Overlapping in-Frame Gene XI are Required for Filamentous Phage Assembly, **248**, 627–638.

Membrane-modelisation
Genetic Analysis of the Folded Structure of Yeast Mitochondrial Cytochrome *b* by Selection of Intragenic Second-site Revertants, **248**, 804–811.

Messenger RNA,
see mRNA.

Metal binding
The Modular Character of a DNA Junction-resolving Enzyme: A Zinc-binding Motif in bacteriophage T4 Endonuclease VII, **252**, 596–610.
6-Pyruvoyl Tetrahydropterin Synthase, An Enzyme With a Novel Type of Active Site Involving Both Zinc Binding and an Intersubunit Catalytic Triad Motif; Site-directed Mutagenesis of the Proposed Active Center, Characterization of the Metal Binding Sit and Modelling of Substrate Binding, **253**, 358–369.
Strange Bedfellows: Interactions between Acidic Side-chains in Proteins, **254**, 96–105.

Metal decoration
Elucidation of Crystal Packing by X-ray Diffraction and Freeze-etching Electron Microscopy. Studies on GTP Cyclohydrolase I of *Escherichia coli*, **253**, 208–218.

Metal ions
Two Inequivalent Folding Isomers of the Three-way DNA Junction with Unpaired Bases: Sequence-dependence of the Folded Conformation, **251**, 507–519.

Metalloenzymes
Crystal Structure of a Complex Between *Serratia marcescens* Metallo-protease and an Inhibitor from *Erwinia chrysanthemi*, **248**, 653–661.
6-Pyruvoyl Tetrahydropterin Synthase, An Enzyme With a Novel Type of Active Site Involving Both Zinc Binding and an Intersubunit Catalytic Triad Motif; Site-directed Mutagenesis of the Proposed Active Center, Characterization of the Metal Binding Sit and Modelling of Substrate Binding, **253**, 358–369.
Mutations at Positions 153 and 328 in *Escherichia coli* Alkaline Phosphatase Provide Insight Towards the Structure and Function of Mammalian and Yeast Alkaline Phosphatases, **253**, 604–617.
Mapping of the Active Site Zinc Ligands of Peptide Deformylase, **254**, 175–183.

Metastable structures
The Computer Simulation of RNA Folding Pathways Using a Genetic Algorithm, **250**, 37–51.

Metastasis suppressor
The Crystal Structure of a Human Nucleoside Diphosphate Kinase, NM23-H2, **251**, 574–587.

Methanogen
The Archaeal *dnaK-dnaJ* Gene Cluster: Organization and Expression in the Methanogen *Methanosarcina mazei*, **250**, 191–201.

Methionyl-tRNA synthetase
The Presence of a D-Stem but not a T-Stem is Essential for Triggering Aminoacylation upon Anticodon Binding in Yeast Methionine tRNA, **249**, 45–58.

2'-Methoxylribose
Comprehensive Chemical Modification Interference and Nucleotide Substitution Analysis of an RNA Pseudoknot Inhibitor to HIV-1 Reverse Transcriptase, **247**, 60–68.

N-6-Methyladenine and N-4-methylcytosine
Universal Catalytic Domain Structure of AdoMet-dependent Methyltransferases, **247**, 16–20.

Methylation
Proximity Probing of Tet Repressor to *tet* Operator by Dimethylsulfate Reveals Protected and Accessible Functions for each Recognized Base-pair in the Major Groove, **245**, 538–548.
Mechanism of Photosensory Adaptation in *Halobacterium salinarium*, **246**, 493–499.
Homeodomain Proteins: What Governs Their Ability to Recognize Specific DNA Sequences?, **250**, 595–608.

C-5-Methylcytosine
Universal Catalytic Domain Structure of AdoMet-dependent Methyltransferases, **247**, 16–20.

Methylesterase
Crystal Structure of the Catalytic Domain of the Chemotaxis Receptor Methylesterase, CheB, **250**, 276–290.

Methyltransferase
Probing the Domain Structure of the Type IC DNA Methyltransferase M.*Eco*R124I by Limited Proteolysis, **250**, 181–190.

mfd
Intragenic Domains of Strand-specific Repair in *Escherichia coli*, **246**, 264–272.

Microheterogeneity
Sequence-dependent Microheterogeneity of Z-DNA: The Crystal and Molecular Structures of d(CACGCG)·d(CGCGTG) and d(CGCACG)·d(CGTGCG), **248**, 918–930.

Microinjection
Visualization of Large DNA Molecules by Electron Microscopy with Polyamines: Application to the Analysis of Yeast Endogenous and Artificial Chromosomes, **246**, 486–492.

Microtubule
Kinesin and ncd Bind Through a Single Head to Microtubules and Compete for a Shared MT Binding Site, **249**, 763–771.
Re-examination of the Polarity of Microtubules and Sheets Decorated with Kinesin Motor Domain, **251**, 329–333.

Mid-step triad
The Assessment of the Geometry of Dinucleotide Steps in Double-Helical DNA; a New Local Calculation Scheme, **251**, 648–664.

Minihelix aminoacylation
The Presence of a D-Stem but not a T-Stem is Essential for Triggering Aminoacylation upon Anticodon Binding in Yeast Methionine tRNA, **249**, 45–58.

Minor groove interactions
Hydration Patterns and Intermolecular Interactions in A-DNA Crystal Structures. Implications for DNA Recognition, **248**, 662–678.

Mismatches
Solution Structure of an Oncogenic DNA Duplex, the K-*ras* Gene and the Sequence Containing a Central C·A or A·G Mismatch as a Function of pH: Nuclear Magnetic Resonance and Molecular Dynamics Studies, **246**, 194–208.

Missing nucleoside experiment
Homeodomain Proteins: What Governs Their Ability to Recognize Specific DNA Sequences?, **250**, 595–608.

Mithramycin dimer-DNA complex
Solution Structure of Mithramycin Dimers Bound to Partially Overlapping Sites on DNA, **251**, 674–689.

Mitochondria
Genetic Analysis of the Folded Structure of Yeast Mitochondrial Cytochrome *b* by Selection of Intragenic Second-site Revertants, **248**, 804–811.
Addition of a 29 Residue Carboxyl-terminal Tail Converts a Simple HMG Box-containing Protein into a Transcriptional Activator, **249**, 11–28.
The Mitochondrial LSU rDNA of the Brown Alga *Pylaiella littoralis* Reveals α-Proteobacterial Features and is Split by Four Group IIB Introns with an Atypical Phylogeny, **251**, 378–389.

Mitochondrial DNA
The Mitochondrial DNA of the Amoeboid Protozoon, *Acanthamoeba castellanii:* Complete Sequence, Gene Content and Genome Organization, **245**, 522–537.
Complete Sequence of the Mitochondrial DNA of the Rhodophyte *Chondrus crispus* (Gigartinales). Gene Content and Genome Organization, **250**, 484–495.

Mitochondrial evolution
Complete Sequence of the Mitochondrial DNA of the Rhodophyte *Chondrus crispus* (Gigartinales). Gene Content and Genome Organization, **250**, 484–495.

Mitochondrial protein import
An Intact Protein Translocating Machinery is Required for Mitochondrial Import of a Yeast Cytoplasmic tRNA, **245**, 315–323.
The Mitochondrial ClpB Homolog Hsp78 Cooperates with Matrix Hsp70 in Maintenance of Mitochondrial Function, **254**, 538–543.

Mitochondrial synthesis
NCA2, A Second Nuclear Gene Required for the Control of Mitochondrial Synthesis of Subunits 6 and 8 of ATP Synthase in *Saccharomyces Cerevisiae*, **247**, 588–596.

Mitomycin alignment and directionality
Solution Structure of the Monoalkylated Mitomycin C-N Complex, **247**, 338–359.

Modeling
Structures of fd Gene 5 Protein·Nucleic Acid Complexes: A Combined Solution Scattering and Electron Microscopy Study, **249**, 576–594.

Modification interference
Comprehensive Chemical Modification Interference and Nucleotide Substitution Analysis of an RNA Pseudoknot Inhibitor to HIV-1 Reverse Transcriptase, **247**, 60–68.

Molecular assembly
Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Insertion Analysis of the Amino-terminal Assembly Domain, **248**, 756–767.
Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Amino Acid Substitution within the Amino-terminal Assembly Domain, **254**, 342–349.

Molecular association
Calculation of Relative Binding Free energies and Configurational Entropies: A Structural and Thermodynamic Analysis of the Nature of Non-polar Binding of Thrombin Inhibitors Based on Hirudin$^{55-65}$, **253**, 473–492.

Molecular chaperone
The Origins and Consequences of Asymmetry in the Chaperonin Reaction Cycle, **249**, 138–152.
Chaperonins can Catalyse the reversal of Early Aggregation Steps when a Protein Misfolds, **250**, 581–586.

Molecular clock
Molecular Phylogeny and Evolutionary Timescale for the Family of Mammalian Herpesviruses, **247**, 443–458.

Molecular compactness
Structural Characterization of the Molten Globule and Native States of Apomyoglobin by Solution X-ray Scattering, **249**, 215–228.

Molecular docking
A Geometry-based Suite of Molecular Docking Processes, **248**, 459–477.

Molecular dynamics
Structural and Functional Effects of Apolar Mutations of the Distal Valine in Myoglobin, **245**, 416–436.

Backbone Dynamics of *Escherichia coli* Ribonuclease HI: Correlations with Structure and Function in an Active Enzyme, **246**, 144–163.

High-resolution Structure of the Phosphorylated Form of the Histidine-containing Phosphocarrier Protein HPr from *Escherichia coli* Determined by Restrained Molecular Dynamics from NMR-NOE Data, **246**, 180–193.

Solution Structure of an Oncogenic DNA Duplex, the K-*ras* Gene and the Sequence Containing a Central C·A or A·G Mismatch as a Function of pH: Nuclear Magnetic Resonance and Molecular Dynamics Studies, **246**, 194–208.

Helical Parameters, Fluctuations, Alternative Hydrogen Bonding, and Bending in Oligonucleotides Containing a Mismatched Base-pair by NOESY Distance Restrained and Distance Free Molecular Dynamics, **246**, 209–226.

Internal Mobility of the Basic Pancreatic Trypsin Inhibitor in Solution: A Comparison of NMR Spin Relaxation Measurements and Molecular Dynamics Simulations, **246**, 356–365.

Molecular Dynamics Simulations of Protein Unfolding and Limited Refolding: Characterization of Partially Unfolded States of Ubiquitin in 60% Methanol and in Water, **247**, 501–520.

Structural Studies of HIV-1 Tat Protein, **247**, 529–535.

The Effect of environment on the Stability of an Integral Membrane Helix: Molecular Dynamics Simulations of Surfactant Protein C in Chloroform, Methanol and Water, **247**, 808–822.

Solution Structure of Human Insulin-like Growth Factor II. Relationship to Receptor and Binding Protein Interactions, **248**, 385–401.

A Novel Low Oxygen Affinity Recombinant Hemoglobin (α96Val → Trp): Switching Quaternary Structure Without Changing the Ligation State, **248**, 867–882.

NMR Cross-relaxation Investigated by Molecular Dynamics Simulation: A Case Study of Ubiquitin in Solution, **249**, 604–624.

The Volume of Atoms on the Protein Surface: Calculated from Simulation, using Voronoi Polyhedra, **249**, 955–966.

Computer Modelling of the α-Helical Coiled Coil: Packing of Side-chains in the Inner Core, **249**, 967–987.

Structure and Fluctuations of Bacteriorhodopsin in the Purple Membrane: A Molecular Dynamics Study, **250**, 94–111.

Structure, Dynamics and Energetics of Initiation Sites in Protein Folding: I. Analysis of a 1 ns Molecular Dynamics Trajectory of an Early Folding Unit in Water: The Helix I/Loop I-Fragment of Barnase, **250**, 239–257.

A Comparison of Neutron Diffraction and Molecular Dynamics Structures: Hydroxyl Group and Water Molecule Orientations in Trypsin, **250**, 553–570.

Unfolding Simulations of the 85–102 β-Hairpin of Barnase, **251**, 432–447.

Fluctuation and Cross-correlation Analysis of Protein Motions Observed in Nanosecond Molecular Dynamics Simulations, **252**, 492–503.

Acid and Thermal Denaturation of Barnase Investigated by Molecular Dynamics Simulations, **252**, 672–708.

A Simple Protocol for Identification of Helical and Mobile Residues in Membrane Proteins, **253**, 391–395.

A Novel Basis for Capsid Stabilization by Antiviral Compounds, **254**, 544–551.

Molecular Dynamics Simulation of *E. coli* Ribonuclease H_1 in Solution: Correlation with NMR and X-ray Data and Insights into Biological Function, **254**, 771–792.

Molecular engineering

Matching Electrostatic Charge between DNA and Coat Protein in Filamentous Bacteriophage Fibre Diffraction of Charge-deletion Mutants, **245**, 86–91.

Molecular evolution

Many Combinations of Amino Acid Sequences in a Conserved Region of the D1 Protein Satisfy Photosystem II Function, **246**, 120–131.

New Archaebacterial Genes Coding for Redox Proteins: Implications for the Evolution of Aerobic Metabolism, **250**, 202–210.

Molecular modelling

A Molecular Model for the Redox Potential Difference Between Thioredoxin and DsbA, Based on Electrostatics Calculations, **249**, 376–387.

Structures of fd Gene 5 Protein·Nucleic Acid Complexes: A Combined Solution Scattering and Electron Microscopy Study, **249**, 576–594.

Global Fold Determination from a Small Number of Distance Restraints, **251**, 308–326.

Preferential Heterodimeric Parallel Coiled-coil Formation by Synthetic Max and c-Myc Leucine Zippers: A Description of Putative Electrostatic Interactions Responsible for the Specificity of Heterodimerization, **254**, 505–520.

Molecular motors

Kinesin and ncd Bind Through a Single Head to Microtubules and Compete for a Shared MT Binding Site, **249**, 763–771.

Structural Effects of Mutations in *Salmonella typhimurium* Flagellar Switch Complex, **251**, 400–412.

Molecular packing

Multiple Crystal Forms of Endoglucanase CelD: Signal Peptide Residues Modulate Lattice Formation, **248**, 225–232.

Molecular phylogeny

Prion Protein Gene Variation Among Primates, **245**, 362–374.

Molecular recognition

Energetics of Protein–Protein Interactions: Analysis of the Barnase–Barstar Interface by Single Mutations and Double Mutant Cycles, **248**, 478–486.

A Continuum Model for Protein–Protein Interactions: Application to the Docking Problem, **250**, 258–275.

CH/π Interaction in the Packing of the Adenine Ring in Protein Structures, **251**, 9–14.

Thermodynamic Mapping of the Inhibitor Site of the Aspartic Protease Endothiapepsin, **252**, 337–350.

Thermodynamic Investigation of Hirudin Binding to the Slow and Fast Forms of Thrombin: Evidence for Folding Transitions in the Inhibitor and Protease Coupled to Binding, **253**, 787–798.

Canonical Structure Repertoire of the Antigen-binding Site of Immunoglobulins Suggests Strong Geometrical Restrictions Associated to the Mechanism of Immune Recognition, **254**, 497–504.

Molecular repertoire

Immunoglobulin Mutant Library Genetically Screened for Folding Stability Exploiting Bacterial Signal Transduction, **251**, 471–476.

Molecular replacement
Human Interleukin-4 and Variant R88Q: Phasing X-ray Diffraction Data by Molecular Replacement Using X-ray and Nuclear Magnetic Resonance Models, **247**, 360–372.
The Crystal Structure of the N-terminal SH3 Domain of Grb2, **248**, 856–866.

Molecular ruler
The Complete Primary Structure of Human Nebulin and its Correlation to Muscle Structure, **248**, 308–315.

Molecular spectrum of mutations
The Mutagenic Processing of Psoralen Photolesions Leaves a Highly Specific Signature at an Endogenous Human Locus, **254**, 38–49.

Molecular surface
A Geometry-based Suite of Molecular Docking Processes, **248**, 459–477.
A Continuum Model for Protein–Protein Interactions: Application to the Docking Problem, **250**, 258–275.
Molecular Surface Complementarity at Protein-Protein Interfaces: The Critical Role Played by Surface Normals at Well Placed, Sparse, Points in Docking, **252**, 263–273.

Molten globule
An Equilibrium Partially Folded State of Human Lysozyme at Low pH, **246**, 384–389.
The Folding Mechanism of Barstar: Evidence for Multiple Pathways and Multiple Intermediates, **247**, 1013–1027.
Structural Characterization of the Molten Globule and Native States of Apomyoglobin by Solution X-ray Scattering, **249**, 215–228.
Thermodynamic Stability of the Molten Globule States of Apomyoglobin, **250**, 223–238.
Folding Pathway Mediated by an Intramolecular Chaperone: Characterization of the Structural Changes in Pro-subtilisin E Coincident with Autoprocessing, **252**, 25–30.
Intrinsic Stability of Individual α Helices Modulates Structure and Stability of the Apomyoglobin Molten Globule Form, **252**, 122–132.
The Unfolding Thermodynamics of c-Type Lysozymes: A Calorimetric Study of the Heat Denaturation of Equine Lysozyme, **252**, 447–459.
Different Subdomains are Most Protected From Hydrogen Exchange in the Molten Globule and Native States of an α-Lactalbumin, **253**, 651–657.
Vibrational Raman Optical Activity of α-Lactalbumin: Comparison with Lysozyme, and Evidence for Native Tertiary Folds in Molten Globule States, **254**, 747–760.

Monoclonal antibodies,
see also Antibodies.
Comprehensive Epitope Analysis of Monoclonal Anti-proenkephalin Antibodies using Phage Display Libraries and Synthetic Peptides: revelation of Antibody Fine Specificities Caused by Somatic Mutations in the Variable Region Genes, **247**, 932–946.
Characterisation of Epitopes on Human p53 using Phage-displayed Peptide Libraries: Insights into Antibody–Peptide Interactions, **248**, 59–78.

Monomeric heme protein
Reptile Heme Protein Structure: X-ray Crystallographic Study of the Aquo-met and Cyano-met Derivatives of the Loggerhead Sea Turtle (*Caretta caretta*) Myoglobin at 2.0 Å Resolution, **247**, 459–465.

Morphogenesis
Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein, **248**, 835–844.
The Capsid Size-determining Protein Sid Forms an External Scaffold on Phage P4 Procapsids, **251**, 59–75.

Morphology
Rigor and Relaxed Outer Dynein Arms in Replicas of Cryofixed Motile Flagella, **250**, 52–63.

Motor
High-speed Rotation and Speed Stability of the Sodium-driven Flagellar Motor in *Vibrio alginolyticus*, **251**, 50–58.
Heterodimerization of the Two Motor Subunits of the Heterotrimeric Kinesin, $KRP_{85/95}$, **252**, 157–162.

mRNA
An Extended −10 Promoter Alone Directs Transcription of the *Dpn*II Operon of *Streptococcus pneumoniae*, **250**, 144–155.

mRNA editing
Complete Sequence of the Maize Chloroplast Genome: Gene Content, Hotspots of Divergence and Fine Tuning of Genetic Information by Transcript Editing, **251**, 614–628.

mRNA secondary structure
Mechanism of Post-segregational Killing: Secondary Structure Analysis of the Entire Hok mRNA from Plasmid R1 Suggests a Fold-back Structure that Prevents Translation and Antisense RNA Binding, **247**, 859–873.

mRNA stability
Mechanism of Post-segregational Killing: Secondary Structure Analysis of the Entire Hok mRNA from Plasmid R1 Suggests a Fold-back Structure that Prevents Translation and Antisense RNA Binding, **247**, 859–873.
Transcriptional Regulation of *PS-IAA4/5* and *PS-IAA6* Early Gene Expression by Indoleacetic Acid and Protein Synthesis Inhibitors in Pea (*Pisum sativum*), **253**, 396–413.

mSos1
The Crystal Structure of the N-terminal SH3 Domain of Grb2, **248**, 856–866.

Mu c repressor,
see also bacteriophage Mu.
Mutual Stabilisation of Bacteriophage Mu Repressor and Histone-like Proteins in a Nucleoprotein Structure, **249**, 332–341.

Mu early operator,
see also bacteriophage Mu.
Mutual Stabilisation of Bacteriophage Mu Repressor and Histone-like Proteins in a Nucleoprotein Structure, **249**, 332–341.

Muconate lactonizing enzyme
The Refined X-ray Structure of Muconate Lactonizing Enzyme from *Pseudomonas putida* PRS2000 at 1.85 Å Resolution, **254**, 918–941.

Multicatalytic proteinase
The Human Proteasome Subunit HsN3 is Located in the Inner Rings of the Complex Dimer, **248**, 264–272.

Multi-conformer refinement
Conformational Variability of Solution Nuclear Magnetic Resonance Structures, **250**, 80–93.

Multidimensional NMR,
see also Nuclear magnetic resonance.

Three-dimensional Dimer Structure of the λ-Cro Repressor in Solution as Determined by Heteronuclear Multidimensional NMR, **254**, 668–680.

Multifunctional protein

Allosteric Regulation of Carbamoylphosphate Synthetase-Aspartate Transcarbamylase Multifunctional Protein of *Saccharomyces cerevisiae*: Selection, Mapping and Identification of Missense Mutations Define Three Regions Involved in Feedback Inhibition by UTP, **248**, 639–652.

Multigene family

The *PS-IAA4/5*-like Family of Early Auxin-inducible mRNAs in *Arabidopsis thaliana*, **251**, 533–549.

Multimeric equilibrium

Prediction of Quaternary Structure of Coiled Coils. Application to Mutants of the GCN4 Leucine Zipper, **251**, 448–467.

Multiple sequence alignment

Prediction of Protein Secondary Structure by Combining Nearest-neighbor Algorithms and Multiple Sequence Alignments, **247**, 11–15.

Recurring Local Sequence Motifs in Proteins, **251**, 176–187.

Multiple substrate kinetics

Substrate Preferences of Vsr DNA˙ Mismatch Endonuclease and their Consequences for the Evolution of the *Escherichia coli* K-12 Genome, **245**, 1–7.

Multiple wavelength anomalous dispersion phasing

Crystal Structure of the Catalytic Subunit of Human Protein Phosphatase 1 and Its Complex with Tungstate, **254**, 942–959.

Multiple-conformation residues

The Refined Crystallographic Structure of a dd-Peptidase Penicillin-target Enzyme at 1.6 Å Resolution, **254**, 223–236.

Multivalency

Tetravalent Miniantibodies with High Avidity Assembling in *Escherichia coli*, **246**, 28–34.

Multiwavelength anomalous diffraction

High-resolution Structure of the Catalytic Domain of Avian Sarcoma Virus Integrase, **253**, 333–346.

Murein

Purification, Crystallisation and Preliminary X-ray Analysis of Penicillin Binding Protein 4 from *Escherichia coli*, a Protein Related to Class A β-Lactamases, **247**, 149–153.

Muscle

Structural Dynamics of F-actin: I. Changes in the C-Terminus, **245**, 582–597.

Rigor Cross-bridges Bind to Two Actin Monomers in Thin Filaments of Rabbit Psoas Muscle, **248**, 294–307.

Muscle mutants

Defects in the *Drosophila* Myosin Rod Permit Sarcomere Assembly but Cause Flight Muscle Degeneration, **249**, 111–125.

Muscle regulation

Steric-blocking by Tropomyosin Visualized in Relaxed Vertebrate Muscle Thin Filaments, **251**, 191–196.

Mutagenesis,

see also Site-directed Mutagenesis.

Hypercooperativity Induced by Interface Mutations in the Phosphofructokinase from *Escherichia coli*, **246**, 248–253.

Alanine Scanning Mutagenesis of the α-Helix 115-123 of Phage T4 Lysozyme: Effects on Structure, Stability and the Binding of Solvent, **246**, 317–330.

Contributions of Tryptophan 24 and Glutamate 30 to Binding Long-lived Water Molecules in the Ternary Complex of Human Dihydrofolate Reductase with Methotrexate and NADPH Studied by Site-directed Mutagenesis and Nuclear Magnetic Resonance Spectroscopy, **247**, 309–325.

A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. I. Hydrophobic Replacements at the Position of Met103, **249**, 625–635.

A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. II. Replacements at the Interface of Dimer Formation, Val13, **249**, 636–645.

A Thermodynamic Study of Mutant Forms of *Streptomyces* Subtilisin Inhibitor. III. Replacements of a Hyper-exposed Residue, Met73, **249**, 646–653.

A Single Amino Acid Substitution in Zinc Finger 2 of Adr1p Changes its Binding Specificity at two Positions in UAS1, **251**, 1–8.

Novel Mutagenic Properties of Abasic Sites in *Saccharomyces cerevisiae*, **251**, 229–236.

Direct Observation of Two Base-pairing Modes of a Cytosine– Thymine Analogue with Guanine in a DNA Z-form Duplex: Significance for Base Analogue Mutagenesis, **251**, 665–673.

Serine at Position 2 in the DNA Recognition Helix of a Cys_2-His_2 Zinc Finger Peptide is Not, in General, Responsible for Base Recognition, **252**, 1–5.

Structural Studies on Human Rhinovirus 14 Drug-resistant Compensation Mutants, **253**, 61–73.

A Double Mutation in Subunit c of the Na^+-specific F_1F_0-ATPase of *Propionigenium modestum* Results in a Switch from Na^+ to H^+-coupled ATP Synthesis in the *Escherichia coli* Host Cells, **253**, 726–738.

Bacillus thuringiensis CrylA(a) Insecticidal Toxin: Crystal Structure and Channel Formation, **254**, 447–464.

Mutant

Isolation of Transcriptionally Active Mutants of T7 RNA Polymerase that do not Support Phage Growth, **250**, 156–168.

Mutant analysis

Refined Structures of Two Insertion/Deletion Mutants Probe Function of the Maltodextrin Binding Protein, **246**, 8–13.

IS *10* Antisense Control *in Vivo* is Affected by Mutations Throughout the Region of Complementarity Between the Interacting RNAs, **246**, 585–594.

The Meaning of Component Analysis: Decomposition of the Free Energy in Terms of Specific Interactions, **254**, 801–807.

Mutant operators

Transcription of *repA*, the Gene of the Initiation Protein of the *Pseudomonas* Plasmid pPS10, is Autoregulated by Interactions of the RepA Protein at a Symmetrical Operator, **247**, 211–223.

Mutant-lysozyme

Structure of an Antibody–Lysozyme Complex Unexpected Effect of a Conservative Mutation, **245**, 261–274.

Mutation

The Mutant Distribution of an RNA Species Replicated by Qβ Replicase, **249**, 754–762.

Sequence Determinants for −2 Frameshift Mutagenesis at *Nar*I-derived Hot Spots, **252**, 507–513.

Disulfide Mutants of Barnase I: Changes in Stability and Structure Assessed by Biophysical Methods and X-ray Crystallography, **253**, 493–504.
Disulfide Mutants of Barnase II: Changes in Structure and Local Stability Identified by Hydrogen Exchange, **253**, 505–513.
The Mutagenic Processing of Psoralen Photolesions Leaves a Highly Specific Signature at an Endogenous Human Locus, **254**, 38–49.
Analysis of Deletions Induced in the Genome of Mammalian Cells by Ionizing Radiation, **254**, 372–380.
The Ribosomal DNA Loci in *Plasmodium falciparum* Accumulate Mutations Independently, **254**, 881–891.

Mutator gene
The Gene for Nucleoside Diphosphate Kinase Functions as a Mutator Gene in *Escherichia coli*, **254**, 337–341.

Myc and Max
Analysis of the Myc and Max Interaction Specificity with λ Repressor-HLH Domain Fusions, **248**, 541–550.

Mycobacterium tuberculosis
X-ray Structure Analysis of the Iron-dependent Superoxide Dismutase from *Mycobacterium tuberculosis* at 2.0 Ångstroms Resolution Reveals Novel Dimer–Dimer Interactions, **246**, 531–544.

Mycoplasma capricolum
Translation of Synonymous Codons in Family Boxes by *Mycoplasma capricolum* tRNAs with Unmodified Uridine or Adenosine at the First Anticodon Position, **251**, 486–492.

Myelin
Order–Disorder Phenomena in Myelinayed Nerve Sheaths: V. Effects of Temperature on Rat Sciatic and Optic Nerves, and Structural Differences between the Two Types of Nerve, **245**, 110–125.

Myogenesis
Myotube-specific Activity of the Human Aldolase A M-promoter Requires an Overlapping Binding Site For NF1 and MEF2 Factors in Addition to a Binding Site (M1) For Unknown Proteins, **253**, 17–31.

Myoglobin
Structural and Functional Effects of Apolar Mutations of the Distal Valine in Myoglobin, **245**, 416–436.
Structure Determination of the Biliverdin Apomyoglobin Complex: Crystal Structure Analysis of Two Crystal Forms at 1.4 and 1.5 Å Resolution, **247**, 326–337.
Reptile Heme Protein Structure: X-ray Crystallographic Study of the Aquo-met and Cyano-met Derivatives of the Loggerhead Sea Turtle (*Caretta caretta*) Myoglobin at 2.0 Å Resolution, **247**, 459–465.

Myosin
Defects in the *Drosophila* Myosin Rod Permit Sarcomere Assembly but Cause Flight Muscle Degeneration, **249**, 111–125.
Computer Modelling of the α-Helical Coiled Coil: Packing of Side-chains in the Inner Core, **249**, 967–987.
Myosin from Alga *Chara*: Unique Structure Revealed by Electron Microscopy, **254**, 109–112.

^{15}N
Local Perturbations by Ligand Binding of Hydrogen Deuterium Exchange Kinetics in a Four-helix Bundle Protein, Acyl Coenzyme A Binding Protein (ACBP), **250**, 695–706.

N protein
Phage HK022 Nun Protein Arrests Transcription on Phage λ DNA *in vitro* and Competes with the Phage λ N Antitermination Protein, **247**, 428–442.

NADPH
Crystal Structure of *Escherichia coli* QOR Quinone Oxidoreductase Complexed with NADPH, **249**, 785–799.
Crystal Structure of *Proteus mirabilis* PR Catalase With and Without Bound NADPH, **249**, 933–954.

NagC repressor
Nag Repressor–Operator Interactions: Protein–DNA Contacts Cover More Than Two Turns of the DNA Helix, **249**, 890–902.

***nagE-B* operator**
Nag Repressor–Operator Interactions: Protein–DNA Contacts Cover More Than Two Turns of the DNA Helix, **249**, 890–902.

Nascent
Conformational Pathway of the Polypeptide Chain of Chymotrypsin Inhibitor-2 Growing from its N Terminus *in vitro*. Parallels with the Protein Folding Pathway, **254**, 968–979.

Native electrophoresis
β-Tubulin Folding is Modulated by the Isotype-specific Carboxy-terminal Domain, **246**, 628–636.

NDP kinase
The 1.9 Å Crystal Structure of a Nucleoside Diphosphate Kinase Complex with Adenosine 3′,5′-Cyclic Monophosphate: Evidence for Competitive Inhibition, **249**, 665–674.

Nearest-neighbor algorithm
Prediction of Protein Secondary Structure by Combining Nearest-neighbor Algorithms and Multiple Sequence Alignments, **247**, 11–15.

Nebulin
The Complete Primary Structure of Human Nebulin and its Correlation to Muscle Structure, **248**, 308–315.

Nematode
β-Tubulin Genes from the Parasitic Nematode *Haemonchus contortus* Modulate Drug Resistance in *Caenorhabditis elegans*, **246**, 500–510.

Neuraminyl phosphonic acid
A Sialic Acid-derived Phosphonate Analog Inhibits Different Strains of Influenza Virus Neuraminidase with Different Efficiencies, **245**, 623–624.

Neurotoxins
Solution Structure of ω-Conotoxin MVIIC, a High Affinity Ligand of P-type Calcium Channels using ^{1}H NMR Spectroscopy and Complete Relaxation Matrix Analysis, **248**, 106–124.

Neutron density
A Comparison of Neutron Diffraction and Molecular Dynamics Structures: Hydroxyl Group and Water Molecule Orientations in Trypsin, **250**, 553–570.

New world toxin
Solution Structure of an Old World-like Neurotoxin from the Venom of the New World Scorpion *Centruroides sculpturatus* Ewing, **248**, 449–458.

Newt
Differential Regulation of Hox C6 in the Appendages of Adult Urodeles and Anurans, **249**, 879–889.

NF1
Myotube-specific Activity of the Human Aldolase A M-promoter Requires an Overlapping Binding Site For NF1 and MEF2 Factors in Addition to a Binding Site (M1) For Unknown Proteins, **253**, 17–31.

***nic* site**
Nicking Activity of TrwC Directed Against the Origin of Transfer of the IncW Plasmid R388, **246**, 54–62.

Nitrate
Nitrate and Nitrite Regulation of the Fnr-dependent *aeg-46.5* Promoter of *Escherichia coli* K-12 is Mediated by Competition Between Homologous Response Regulators (NarL and NarP) for a Common DNA-binding Site, **251**, 15–29.

Nitrate reductase
Structural Studies on Corn Nitrate Reductase: Refined Structure of the Cytochrome *b* Reductase Fragment at 2.5 Å, its ADP Complex and an Active-site Mutant and Modeling of the Cytochrome *b* Domain, **248**, 931–948.

Nitrite
Nitrate and Nitrite Regulation of the Fnr-dependent *aeg-46.5* Promoter of *Escherichia coli* K-12 is Mediated by Competition Between Homologous Response Regulators (NarL and NarP) for a Common DNA-binding Site, **251**, 15–29.

Nitrogen (^{15}N)
Local Perturbations by Ligand Binding of Hydrogen Deuterium Exchange Kinetics in a Four-helix Bundle Protein, Acyl Coenzyme A Binding Protein (ACBP), **250**, 695–706.

Nitrophenol
Three-dimensional Structure of the Fab Fragment of Murine N1G9 Antibody from the Primary Immune Response and of Its Complex with (4-Hydroxy-3-Nitrophenyl) acetate, **254**, 208–222.

NK-2 homeodomain
The Three-dimensional Solution Structure of the NK-2 Homeodomain from *Drosophila*, **251**, 297–307.

NM23
The 1.9 Å Crystal Structure of a Nucleoside Diphosphate Kinase Complex with Adenosine 3′,5′-Cyclic Monophosphate: Evidence for Competitive Inhibition, **249**, 665–674.
The Crystal Structure of a Human Nucleoside Diphosphate Kinase, NM23-H2, **251**, 574–587.

NMR,
see Nuclear magnetic resonance.

NOE
Calculation of Protein Structures with Ambiguous Distance Restraints. Automated Assignment of Ambiguous NOE Crosspeaks and Disulphide Connectivities, **245**, 645–660.

Noesy
Solution Structure of an Old World-like Neurotoxin from the Venom of the New World Scorpion *Centruroides sculpturatus* Ewing, **248**, 449–458.

Non claret disjunctional
Kinesin and ncd Bind Through a Single Head to Microtubules and Compete for a Shared MT Binding Site, **249**, 763–771.

Non-covalent interactions
The Physical Properties of Local Interactions of Tyrosine Residues in Peptides and Unfolded Proteins, **245**, 251–260.
A Residue to Residue Hydrogen Bond Mediates the Nucleotide Specificity of Ribonuclease A, **252**, 328–336.

Non-human primates
Prion Protein Gene Variation Among Primates, **245**, 362–374.

Non-ionic detergent
Effects of Ethyleneglycol Chain Length of Dodecyl Polyethyleneglycol Monoether on the Crystallization of Bovine Heart Cytochrome *c* Oxidase, **246**, 572–575.

Notophthalmus viridescens
Differential Regulation of Hox C6 in the Appendages of Adult Urodeles and Anurans, **249**, 879–889.

NRI-phosphate
A Sequence-induced Superhelical DNA Segment Serves as Transcriptional Enhancer, **246**, 35–42.

Nuclear control
NCA2, A Second Nuclear Gene Required for the Control of Mitochondrial Synthesis of Subunits 6 and 8 of ATP Synthase in *Saccharomyces Cerevisiae*, **247**, 588–596.

Nuclear magnetic resonance (NMR)
The Physical Properties of Local Interactions of Tyrosine Residues in Peptides and Unfolded Proteins, **245**, 251–260.
Structure and Dynamics of Ferrocytochrome c_{553} from *Desulfovibrio Vulgaris* Studied by NMR Spectroscopy and Restrained Molecular Dynamics, **245**, 661–681.
Protein Hydration Dynamics in Aqueous Solution: A Comparison of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin by Oxygen-17 Spin Relaxation Dispersion, **245**, 682–697.
Hydrogen Exchange and Protein Hydration: The Deuteron Spin Relaxation Dispersions of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin, **245**, 698–709.
Backbone Dynamics of *Escherichia coli* Ribonuclease HI: Correlations with Structure and Function in an Active Enzyme, **246**, 144–163.
High-resolution Structure of the Phosphorylated Form of the Histidine-containing Phosphocarrier Protein HPr from *Escherichia coli* Determined by Restrained Molecular Dynamics from NMR-NOE Data, **246**, 180–193.
Solution Structure of an Oncogenic DNA Duplex, the K-*ras* Gene and the Sequence Containing a Central C·A or A·G Mismatch as a Function of pH: Nuclear Magnetic Resonance and Molecular Dynamics Studies, **246**, 194–208.
Helical Parameters, Fluctuations, Alternative Hydrogen Bonding, and Bending in Oligonucleotides Containing a Mismatched Base-pair by NOESY Distance Restrained and Distance Free Molecular Dynamics, **246**, 209–226.
Internal Mobility of the Basic Pancreatic Trypsin Inhibitor in Solution: A Comparison of NMR Spin Relaxation Measurements and Molecular Dynamics Simulations, **246**, 356–365.
Solution Dynamics of the *trp* Repressor: A Study of Amide Proton Exchange by T_1 Relaxation, **246**, 618–627.
Structure of Severin Domain 2 in Solution, **247**, 21–27.
The Sarcin/Ricin Loop, a Molecular RNA, **247**, 81–98.
A Conformationally Homogeneous Combinatorial Peptide Library, **247**, 154–160.
Detection of Long-lived Bound Water Molecules in Complexes of Human Dihydrofolate Reductase with Methotrexate and NADPH, **247**, 294–308.

Contributions of Tryptophan 24 and Glutamate 30 to Binding Long-lived Water Molecules in the Ternary Complex of Human Dihydrofolate Reductase with Methotrexate and NADPH Studied by Site-directed Mutagenesis and Nuclear Magnetic Resonance Spectroscopy, **247**, 309–325.

Human Interleukin-4 and Variant R88Q: Phasing X-ray Diffraction Data by Molecular Replacement Using X-ray and Nuclear Magnetic Resonance Models, **247**, 360–372.

Structural Studies of HIV-1 Tat Protein, **247**, 529–535.

Application of ^{1}H NMR Chemical Shifts to Measure the Quality of Protein Structures, **247**, 541–546.

Structural Analysis of Peptides Encompassing All α-Helices of Three α/β Parallel Proteins: Che-Y, Flavodoxin and P21-Ras: Implications for α-Helix stability and the Folding of α/β Parallel Proteins, **247**, 648–669.

The Order of Secondary Structure Elements does not Determine the Structure of a Protein but does Affect its Folding Kinetics, **247**, 670–681.

An RBD that Does Not Bind RNA: NMR Secondary Structure Determination and Biochemical Properties of the C-terminal RNA Binding domain from the Human U1A protein, **247**, 739–752.

The Zinc coordination Site of the Bacteriophage Mu Translational Activator protein, Com, **247**, 753–764.

DNA-binding Surface of the Sso7d Protein from *Sulfolobus solfataricus*, **247**, 840–846.

The Structure of an RNA Pseudoknot that Causes Efficient Frameshifting in Mouse Mammary Tumor Virus, **247**, 963–978.

The Solution Structure of the F42A Mutant of Human Interleukin 2, **247**, 979–994.

Solution Structure of ϖ-Conotoxin MVIIC, a High Affinity Ligand of P-type Calcium Channels using ^{1}H NMR Spectroscopy and Complete Relaxation Matrix Analysis, **248**, 106–124.

Three-dimensional Structure of a Lipoyl Domain from the Dihydrolipoyl Acetyltransferase Component of the Pyruvate Dehydrogenase Multienzyme Complex of *Escherichia coli*, **248**, 328–343.

Solution Structure of Human Insulin-like Growth Factor II. Relationship to Receptor and Binding Protein Interactions, **248**, 385–401.

Solution Structure of an Old World-like Neurotoxin from the Venom of the New World Scorpion *Centruroides sculpturatus* Ewing, **248**, 449–458.

A Novel Low Oxygen Affinity Recombinant Hemoglobin (α96Val → Trp): Switching Quaternary Structure Without Changing the Ligation State, **248**, 867–882.

Determination of the Solution Structure of Apo Calbindin D_{9k} by NMR Spectroscopy, **249**, 441–462.

NMR Cross-relaxation Investigated by Molecular Dynamics Simulation: A Case Study of Ubiquitin in Solution, **249**, 604–624.

Mapping of the Immunoglobulin Light Chain-binding Site of Protein L, **250**, 128–133.

NMR Structure of a Stable "OB-fold" Sub-domain Isolated from Staphylococcal Nuclease, **250**, 134–143.

Structure of the P1 Helix from Group I Self-splicing Introns, **250**, 333–353.

Conformational Transitions in Peptides Containing Two Putative α-Helices of the Prion Protein, **250**, 514–526.

Complete ^{1}H Nuclear Magnetic Resonance Assignment and Structural Characterization of a Fusion Protein o the α-Amylase Inhibitor Tendamistat with th Activation Domain of the Human Immunodeficienc Virus Type 1 Tat Protein, **250**, 672–688.

Thermodynamics of Unfolding of Ribonuclease A unde High Pressure. A Study by Proton NMR, **250**, 689–694

Local Perturbations by Ligand Binding of Hydroge Deuterium Exchange Kinetics in a Four-helix Bundl Protein, Acyl Coenzyme A Binding Protein (ACBP) **250**, 695–706.

The Three-dimensional Solution Structure of the NK- Homeodomain from *Drosophila*, **251**, 297–307.

Solution Structure of $(Cd^{2+})_1$-calbindin D_{9k} Reveals Detail of the Stepwise Structural Changes along the Apo – $(Ca^{2+})^{II}_1 \rightarrow (Ca^{2+})^{I,II}_2$ Binding Pathway, **252**, 102–121.

Determination of the Folding Topology of the SL1 RNA from *Caenorhabditis elegans* by Multidimensiona Heteronuclear NMR, **252**, 314–327.

Solution Structure of the Anticodon-binding Domain o *Escherichia coli* Lysyl-tRNA Synthetase and Studies o its Interaction with $tRNA^{Lys}$, **253**, 100–113.

A Simple Protocol for Identification of Helical and Mobil Residues in Membrane Proteins, **253**, 391–395.

Mechanism of Hydrogen–Deuterium Exchange in *tr* Repressor Studied by ^{1}H-^{15}N NMR, **253**, 576–589.

Different Subdomains are Most Protected Fron Hydrogen Exchange in the Molten Globule and Nativ States of an α-Lactalbumin, **253**, 651–657.

Three-dimensional Solution Structure of Bombyxin-II a Insulin-like Peptide of the Silkmoth *Bombyx mor* Structural Comparison with Insulin and Relaxin, **253** 749–758.

Identification of the Receptor-recognition Surface o Bombyxin-II, an Insulin-like Peptide of the Silkmot *Bombyx mori*: Critical Importance of the B-chain Centra Part, **253**, 759–770.

Crystal Structure of the SH2 Domain from the Adapto Protein SHC: A Model for Peptide Binding Based o X-ray and NMR Data, **254**, 86–95.

Solution Structure of the Ribosome-binding Domain of *E coli* Translation Initiation Factor IF3. Homology wit the U1A Protein of the Eukaryotic Spliceosome, **254** 247–259.

Search for Nucleation Sites in Smaller Fragments o Chymotrypsin Inhibitor 2, **254**, 289–304.

A Comparison of the pH, Urea, and Temperature denatured States of Barnase by Heteronuclear NMR Implications for the Initiation of Protein Folding, **254** 305–321.

Comparison between the ϕ Distribution of the Amin Acids in the Protein Database and NMR Data Indicate that Amino Acids have Various ϕ Propensities in th Random Coil Conformation, **254**, 322–333.

Automated Assignment of Simulated and Experimenta NOESY Spectra of Proteins by Feedback Filtering an Self-correcting Distance Geometry, **254**, 465–480.

Preferential Heterodimeric Parallel Coiled-coil Formatio by Synthetic Max and c-Myc Leucine Zippers: A Description of Putative Electrostatic Interaction Responsible for the Specificity of Heterodimerization **254**, 505–520.

The Structure of a Novel DNA Duplex Formed by Human Centromere d(TGGAA) Repeats with Possibl Implications for Chromosome Attachment durin Mitosis, **254**, 623–637.

Solution Structure of the GTPase Activating Domain o α_o, **254**, 681–691.

Refined Solution Structure and Dynamics of the DNA-binding Domain of the Heat Shock Factor from *Kluyveromyces lactis*, **254**, 704–719.

Nuclear Overhauser effect
NMR Cross-relaxation Investigated by Molecular Dynamics Simulation: A Case Study of Ubiquitin in Solution, **249**, 604–624.

Nuclear pore complex
Structural Plasticity of the Nuclear Pore Complex, **248**, 273–293.

Nuclear proteins,
see also Nucleoprotein complex.
The *PS-IAA4/5*-like Family of Early Auxin-inducible mRNAs in *Arabidopsis thaliana*, **251**, 533–549.

Nuclease
The Crystal Structure of the Antibody N10–Staphylococcal Nuclease Complex at 2.9 Å Resolution, **253**, 559–575.

Nucleation
Nucleation, Fiber Growth and Melting, and Domain Formation and Structure in Sickle Cell Hemoglobin Gels, **245**, 710–723.
A Comparison of the pH, Urea, and Temperature-denatured States of Barnase by Heteronuclear NMR: Implications for the Initiation of Protein Folding, **254**, 305–321.

Nucleocapsid protein
Formation of Stable and Functional HIV-1 Nucleoprotein Complexes *in Vitro*, **252**, 563–571.
First Glimpses at Structure-function Relationships of the Nucleocapsid Protein of Retroviruses, **254**, 523–537.

Nucleocytoplasmic transport
Structural Plasticity of the Nuclear Pore Complex, **248**, 273–293.

Nucleoprotein complex,
see also Nuclear Proteins.
Site-specific Recombination at *res* Sites Containing DNA-binding Sequences for both TN21 and TN3 Resolvases, **245**, 208–218.
Site-specific recombination at *res* Sites Containing DNA-binding sequences for both TN21 Resolvase and CAP, **245**, 219–227.

Nucleoside diphosphate kinase
The 1.9 Å Crystal Structure of a Nucleoside Diphosphate Kinase Complex with Adenosine 3',5'-Cyclic Monophosphate: Evidence for Competitive Inhibition, **249**, 665–674.
The Crystal Structure of a Human Nucleoside Diphosphate Kinase, NM23-H2, **251**, 574–587.
The Gene for Nucleoside Diphosphate Kinase Functions as a Mutator Gene in *Escherichia coli*, **254**, 337–341.

Nucleosome
Poly(dA)·Poly(dT) Forms Very Stable Nucleosomes at Higher Temperature, **245**, 559–567.
Translational Positioning of Nucleosomes on DNA: The Role of Sequence-dependent Isotropic DNA Bending Stiffness, **247**, 918–931.
Homodimers of Chromosomal Proteins HMG-14 and HMG-17 in Nucleosome Cores, **252**, 423–432.
A Theory of DNA Dissociation from the Nucleosome, **254**, 50–61.
Mechanism of Protein Access to Specific DNA Sequences in Chromatin: A Dynamic Equilibrium Model for Gene Regulation, **254**, 130–149.

Nucleosome positioning
Translational Positioning of Nucleosomes on DNA: The Role of Sequence-dependent Isotropic DNA Bending Stiffness, **247**, 918–931.
Mechanism of Protein Access to Specific DNA Sequences in Chromatin: A Dynamic Equilibrium Model for Gene Regulation, **254**, 130–149.

Nucleotide analogs
NusA Contacts Nascent RNA in *Escherichia coli* Transcription Complexes, **247**, 547–558.

Nucleotide exchange
Unwinding of Closed Circular DNA by the *Escherichia coli* RuvA and RuvB Recombination/Repair Proteins, **247**, 404–417.

Nucleotide turnover
Dynamics of Bacteriophage T4 DNA Polymerase Function: Identification of Amino Acid Residues that Affect Switching between Polymerase and 3' → 5' Exonuclease Activities, **254**, 15–28.

Nun protein
Phage HK022 Nun Protein Arrests Transcription on Phage λ DNA *in vitro* and Competes with the Phage λ N Antitermination Protein, **247**, 428–442.

NusA
Role of NusA in L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 474–485.
RNA Determinants Required for L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 486–498.
NusA Contacts Nascent RNA in *Escherichia coli* Transcription Complexes, **247**, 547–558.

OB-fold
NMR Structure of a Stable "OB-fold" Sub-domain Isolated from Staphylococcal Nuclease, **250**, 134–143.
Solution Structure of the Anticodon-binding Domain of *Escherichia coli* Lysyl-tRNA Synthetase and Studies of its Interaction with $tRNA^{Lys}$, **253**, 100–113.

OccR
High Angle and Ligand-induced Low Angle DNA Bends Incited by OccR Lie in the Same Plane with OccR Bound to the Interior Angle, **253**, 32–38.
The Sixty Nucleotide OccR Operator Contains a Subsite Essential and Sufficient for OccR Binding and a Second Subsite Required for Ligand-responsive DNA Bending, **253**, 691–702.

Octopine
High Angle and Ligand-induced Low Angle DNA Bends Incited by OccR Lie in the Same Plane with OccR Bound to the Interior Angle, **253**, 32–38.
The Sixty Nucleotide OccR Operator Contains a Subsite Essential and Sufficient for OccR Binding and a Second Subsite Required for Ligand-responsive DNA Bending, **253**, 691–702.

Oestrogen receptor,
see Estrogen receptor.

Old world toxin
Solution Structure of an Old World-like Neurotoxin from the Venom of the New World Scorpion *Centruroides sculpturatus* Ewing, **248**, 449–458.

Oligomer formation
Constitutive Forms of the Enhancer-binding Protein NtrC: Evidence that Essential Oligomerization Determinants Lie in the Central Activation Domain, **249**, 700–713.

Oligomeric structure
The DNA-binding Domain of the Hexameric Arginine Repressor, **254**, 150–162.

Oligomerization segment
Packing of Coat Protein Amphipathic and Transmembrane Helices in Filamentous Bacteriophage M13: Role of Small Residues in Protein Oligomerization, **252**, 6–14.

Oligonucleotides
Interaction between Cisplatin-modified DNA and the HMG Boxes of HMG 1: DNase I Footprinting and Circular Dichroism, **246**, 243–247.

Oligoribonucleotide
Crystallization of RNA–Protein Complexes I. Methods for the Large-scale Preparation of RNA Suitable for Crystallographic Studies, **249**, 413–423.

ompA
Membrane Assembly of Circularly Permuted Variants of the *E. coli* Outer Membrane Protein OmpA, **250**, 617–626.

OmpA signal peptide
Determination of K_m and k_{cat} for Signal Peptidase I Using a Full Length Secretory Precursor, pro-OmpA-nuclease A, **245**, 311–314.

Oogenesis
Developmental Regulation of a Silkworm Gene Encoding Multiple GATA-type Transcription Factors by Alternative Splicing, **246**, 43–53.

Open complex
Adjacent Upstream Superhelical Writhe Influences an *Escherichia coli* Promoter as Measured by *in Vivo* Strength and *in Vitro* Open Complex Formation, **254**, 566–578.

Open reading frames
The DNA Sequence of Equine Herpesvirus 2, **249**, 520–528.
Distinctive Sequence Features in Protein Coding, Genic Non-coding, and Intergenic Human DNA, **253**, 51–60.

Operator
Transcription of *repA*, the Gene of the Initiation Protein of the *Pseudomonas* Plasmid pPS10, is Autoregulated by Interactions of the RepA Protein at a Symmetrical Operator, **247**, 211–223.
Stabilised Secondary Structure at a Ribosomal Binding Site Enhances Translational Repression in *E. coli*, **253**, 277–290.
The Sixty Nucleotide OccR Operator Contains a Subsite Essential and Sufficient for OccR Binding and a Second Subsite Required for Ligand-responsive DNA Bending, **253**, 691–702.

Optimal rigid body superposition
How Many Protein Folding Motifs are There?, **252**, 144–151.

Order parameter
Backbone Dynamics of *Escherichia coli* Ribonuclease HI: Correlations with Structure and Function in an Active Enzyme, **246**, 144–163.
Molecular Dynamics Simulation of *E. coli* Ribonuclease H_1 in Solution: Correlation with NMR and X-ray Data and Insights into Biological Function, **254**, 771–792.

Origin of transfer
Nicking Activity of TrwC Directed Against the Origin of Transfer of the IncW Plasmid R388, **246**, 54–62.

Ornithine decarboxylase
Crystallographic Structure of a PLP-Dependent Ornithine Decarboxylase from *Lactobacillus* 30a to 3.0 Å Resolution, **252**, 643–655.

***osm*-3::*lacZ* fusion gene**
Exclusive Expression of *C. elegans osm*-3 Kinesin Gene in Chemosensory Neurons Open to the External Environment, **247**, 377–389.

Outer membrane protein
Determination of K_m and k_{cat} for Signal Peptidase I Using a Full Length Secretory Precursor, pro-OmpA-nuclease A, **245**, 311–314.
Membrane Assembly of Circularly Permuted Variants of the *E. coli* Outer Membrane Protein OmpA, **250**, 617–626.

Ovotransferrin
Crystal Structure of Diferric Hen Ovotransferrin at 2.4 Å Resolution, **254**, 196–207.

Oxidative protein folding
Efficient Catalysis of Disulfide Formation During Protein Folding with a Single Active-site Cysteine, **247**, 28–33

Oxygen affinity
Intrinsic Activity at the Molecular Level: E. J. Ariëns Concept Visualized, **248**, 845–855.

Oxygen binding subunit
Mass Spectrometric Composition, Molecular Mass and Oxygen Binding of *Macrobdella decora* Hemoglobin and its Tetramer and Monomer Subunits, **251**, 703–720.

***Oxytricha* telomeric repeat**
Solution Structure of the *Oxytricha* Telomeric Repeat $d[G_4(T_4G_4)_3]$ G-tetraplex, **251**, 76–94.

P1
Changes in Conserved Region 3 of *Escherichia coli* σ^{70} Mediate ppGpp-dependent Functions *In Vivo*, **252**, 536–549.

$p21^{H\text{-}ras}$
X-ray Crystal Structure Analysis of the Catalytic Domain of the Oncogene Product $p21^{H\text{-}ras}$ Complexed with Caged GTP and Mant dGppNHp, **253**, 132–150.

P22 tailspike protein
Mutations that Stabilize Folding Intermediates of Phage P22 Tailspike Protein: Folding *in vivo* and *in vitro* Stability, and Structural Context, **249**, 185–194.

p43
Characterization of the 5 S RNA Binding Activity of *Xenopus* Zinc Finger Protein p43, **245**, 549–558.

p53
Characterisation of Epitopes on Human p53 using Phage-displayed Peptide Libraries: Insights into Antibody–Peptide Interactions, **248**, 59–78.

Packaging,
see also Bacteriophage assembly.
In vitro Packaging of the Single-stranded RNA Genomic Precursors of the Segmented Double-stranded RNA Bacteriophage φ6: The Three Segments Modulate Each Other's Packaging Efficiency, **246**, 420–423.

Bacteriophage T4 Gene *17* Amplification Mutants: Evidence for Initiation by the T4 Terminase Subunit gp16, **247**, 523–528.
Isolation of Transcriptionally Active Mutants of T7 RNA Polymerase that do not Support Phage Growth, **250**, 156–168.

Packaging enzyme
Structural and Functional Domains of the Large Subunit of the Bacteriophage T3 DNA Packaging Enzyme: importance of the C-terminal Region in Prohead Binding, **245**, 633–644.

Packing
Structural Similarity between Two-layer α/β and β-Proteins, **245**, 402–415.

Palindromes
Rescue and Replication Signals of the Adeno-associated Virus 2 Genome, **250**, 573–580.

Palmitoyl-CoA
Local Perturbations by Ligand Binding of Hydrogen Deuterium Exchange Kinetics in a Four-helix Bundle Protein, Acyl Coenzyme A Binding Protein (ACBP), **250**, 695–706.

PANA
A Sialic Acid-derived Phosphonate Analog Inhibits Different Strains of Influenza Virus Neuraminidase with Different Efficiencies, **245**, 623–624.

Pancreatic trypsin inhibitor
The Volume of Atoms on the Protein Surface: Calculated from Simulation, using Voronoi Polyhedra, **249**, 955–966.

Papain superfamily
Alignment/Phylogeny of the Papain Superfamily of Cysteine Proteases, **246**, 273–283.

Parasitic nematode
β-Tubulin Genes from the Parasitic Nematode *Haemonchus contortus* Modulate Drug Resistance in *Caenorhabditis elegans*, **246**, 500–510.

***parD* system**
Kid, a Small Protein of the *parD* Stability System of Plasmid R1, is an Inhibitor of DNA Replication Acting at the Initiation of DNA Synthesis, **247**, 568–577.

Partial charges
A Molecular Model for the Redox Potential Difference Between Thioredoxin and DsbA, Based on Electrostatics Calculations, **249**, 376–387.

Partially unfolded/folded protein conformations
Molecular Dynamics Simulations of Protein Unfolding and Limited Refolding: Characterization of Partially Unfolded States of Ubiquitin in 60% Methanol and in Water, **247**, 501–520.
Partially Folded States of Proteins: Characterization by X-ray Scattering, **254**, 960–967.

Partitioning between polymerase and 3' → 5' exonuclease activities
Dynamics of Bacteriophage T4 DNA Polymerase Function: Identification of Amino Acid Residues that Affect Switching between Polymerase and 3' → 5' Exonuclease Activities, **254**, 15–28.

Parvovirus
Rescue and Replication Signals of the Adeno-associated Virus 2 Genome, **250**, 573–580.

Passive immunization
CDR Walking Mutagenesis for the Affinity Maturation of a Potent Human Anti-HIV-1 Antibody into the Picomolar Range, **254**, 392–403.

Penicillin
Purification, Crystallisation and Preliminary X-ray Analysis of Penicillin Binding Protein 4 from *Escherichia coli*, a Protein Related to Class A β-Lactamases, **247**, 149–153.

Penicillin-binding protein
Purification, Crystallisation and Preliminary X-ray Analysis of Penicillin Binding Protein 4 from *Escherichia coli*, a Protein Related to Class A β-Lactamases, **247**, 149–153.
The Refined Crystallographic Structure of a dd-Peptidase Penicillin-target Enzyme at 1.6 Å Resolution, **254**, 223–236.

Penicillin-target enzyme
The Refined Crystallographic Structure of a dd-Peptidase Penicillin-target Enzyme at 1.6 Å Resolution, **254**, 223–236.

Pentanucleotide frequencies
Substrate Preferences of Vsr DNA Mismatch Endonuclease and their Consequences for the Evolution of the *Escherichia coli* K-12 Genome, **245**, 1–7.

Penton
The Avian Adenovirus Penton: Two Fibres and One Base, **252**, 379–385.

Peptide bond hydrolysis
Site-directed Mutagenesis of Proteolytic Antibody Light Chain, **253**, 658–664.

***cis*-Peptide bonds**
Crystal Structure of Concanavalin B at 1.65 Å Resolution. An "Inactivated" Chitinase from Seeds of *Canavalia ensiformis*, **254**, 237–246.

Peptide display
Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein, **248**, 835–844.

Peptide libraries
Characterisation of Epitopes on Human p53 using Phage-displayed Peptide Libraries: Insights into Antibody–Peptide Interactions, **248**, 59–78.
Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein, **248**, 835–844.

Peptide linkers
Assembly of Functional Bacteriophage Lambda Virions Incorporating C-Terminal Peptide or Protein Fusions with the Major Tail Protein, **248**, 497–506.

Peptide structure
The Physical Properties of Local Interactions of Tyrosine Residues in Peptides and Unfolded Proteins, **245**, 251–260.
The Effect of environment on the Stability of an Integral Membrane Helix: Molecular Dynamics Simulations of Surfactant Protein C in Chloroform, Methanol and Water, **247**, 808–822.
Investigation of the Structural Components Governing the Polarity-dependent Refolding of a CD4-binding Peptide From gp 120, **250**, 507–513.

Peptide–protein interaction
Ranking Potential Binding Peptides to MHC Molecules by a Computational Threading Approach, **249**, 244–250.

Thrombin-bound Structures of Designed Analogs of Human Fibrinopeptide A Determined by Quantitative Transferred NOE Spectroscopy: A New Structural Basis for Thrombin Specificity, **252**, 656–671.

Peptides

Stability of α-Helices in a Molten Globule State of Cytochrome *c* by Hydrogen-Deuterium Exchange and Two-Dimensional NMR Spectroscopy, **247**, 682–688.

Search for Nucleation Sites in Smaller Fragments of Chymotrypsin Inhibitor 2, **254**, 289–304.

Peptidoglycan

Purification, Crystallisation and Preliminary X-ray Analysis of Penicillin Binding Protein 4 from *Escherichia coli*, a Protein Related to Class A β-Lactamases, **247**, 149–153.

Peptidomimetic inhibitors

High Resolution Crystal Structures of Recombinant Human Renin in Complex with Polyhydroxymonoamide Inhibitors, **250**, 211–222.

Peptidyl transferase

Fine Structure of the Peptidyl Transferase Centre on 23 S-like rRNAs Deduced from Chemical Probing of Antibiotic-Ribosome Complexes, **247**, 224–235.

Mapping Important Nucleotides in the Peptidyl Transferase Centre of 23 S rRNA using a Random Mutagenesis Approach, **249**, 1–10.

The Involvement of Two Distinct Regions of 23 S Ribosomal RNA in tRNA Selection, **254**, 838–847.

Periplasmic turn

Membrane Assembly of Circularly Permuted Variants of the *E. coli* Outer Membrane Protein OmpA, **250**, 617–626.

Permutation

Membrane Assembly of Circularly Permuted Variants of the *E. coli* Outer Membrane Protein OmpA, **250**, 617–626.

P·G base-pairs

Direct Observation of Two Base-pairing Modes of a Cytosine– Thymine Analogue with Guanine in a DNA Z-form Duplex: Significance for Base Analogue Mutagenesis, **251**, 665–673.

pH

pH Dependence of Binding Reactions from Free Energy Simulations and Macroscopic Continuum Electrostatic Calculations: Application to 2'GMP/3'GMP Binding to Ribonuclease T_1 and Implications for Catalysis, **247**, 774–807.

Phage,

see Bacteriophage.

Phage display

Comprehensive Epitope Analysis of Monoclonal Anti-proenkephalin Antibodies using Phage Display Libraries and Synthetic Peptides: revelation of Antibody Fine Specificities Caused by Somatic Mutations in the Variable Region Genes, **247**, 932–946.

Characterisation of Epitopes on Human p53 using Phage-displayed Peptide Libraries: Insights into Antibody–Peptide Interactions, **248**, 59–78.

Selection and Application of Human Single Chain Fv Antibody Fragments from a Semi-synthetic Phage Antibody Display Library with Designed CDR3 regions, **248**, 97–105.

Glutathione Transferases with Novel Active Sites Isolated by Phage Display from a Library of Random Mutants, **250**, 115–122.

Tendamistat as a Scaffold for Conformationall Constrained Phage Peptide Libraries, **250**, 460–470.

CDR Walking Mutagenesis for the Affinity Maturation o a Potent Human Anti-HIV-1 Antibody into th Picomolar Range, **254**, 392–403.

Phase diagram

Thermodynamics of an Intramolecular DNA Triple Heli A Calorimetric and spectroscopic Study of the pH an Salt Dependence of Thermally Induced Structura Transitions, **248**, 679–695.

Phasing

The Role of DNA Bending in Flp-mediated Site-specifi Recombination, **251**, 493–506.

Phenylalanine ammonia-lyase

A Supprescin from a Phytopathogenic Fungu Deactivates Transcription of a Plant Defense Gen Encoding Phenylalanine Ammonia-lyase, **249**, 513–51

Phosphate

Crystal Structure of the Human Cell Cycle Protei CksHs1: Single Domain Fold with Similarity to Kinas N-lobe Domain, **249**, 835–842.

Glyceraldehyde-3-phosphate dehydrogenase

The Crystal Structure of Holo-glyceraldehyde-3 phosphate Dehydrogenase from th Hyperthermophilic Bacterium *Thermotoga maritima* a 2.5 Å Resolution, **246**, 511–521.

Pyridoxal-5'-phosphate

Structural and Mechanistic Analysis of Two Refine Crystal Structures of the Pyridoxal Phosphate dependent Enzyme Dialkylglycine Decarboxylase, **24** 151–179.

Crystallographic Structure of a PLP-Dependent Ornithin Decarboxylase from *Lactobacillus* 30a to 3.0 Resolution, **252**, 643–655.

Phosphofructokinase

Hypercooperativity Induced by Interface Mutations i the Phosphofructokinase from *Escherichia coli*, **24** 248–253.

Slow Ligand-induced Transitions in the Alllosteri Phosphofructokinase from *Escherichia coli*, **24** 478–492.

Phosphonopeptides

The Crystal Structures of the SH2 Domain of p56 Complexed with Two Phosphonopeptides Suggest Gated Peptide Binding Site, **246**, 344–355.

Phosphorylase kinase

Expression, Purification and Crystallisation o Phosphorylase Kinase Catalytic Domain, **246**, 376–383

Phosphorylation

High-resolution Structure of the Phosphorylated Form o the Histidine-containing Phosphocarrier Protein HP from *Escherichia coli* Determined by Restrained Molecular Dynamics from NMR-NOE Data, **24** 180–193.

A single Amino Acid Change in a Pathway-specifi Transcription Factor Results in Differing Degrees o Constitutivity, Hyperinducibility and Derepression o Several Structural Genes, **249**, 693–699.

Phospho-Spo0A

Dimer Form of Phosphorylated Spo0A, a Transcriptiona Regulator, Stimulates the *Spo0F* Transcription at th Initiation of Sporulation in *Bacillus subtilis*, **250**, 11–23

Phosphotransferase

The Crystal Structure of a Human Nucleosid Diphosphate Kinase, NM23-H2, **251**, 574–587.

hotocrosslinking
NusA Contacts Nascent RNA in *Escherichia coli* Transcription Complexes, **247**, 547–558.

hotosynthesis
Crystallographic Refinement at 2.3 ↑A Resolution and Refined Model of the Photosynthetic Reaction Centre from *Rhodopseudomonas viridis*, **246**, 431–459.
Refined Crystal Structure of Spinach Ferredoxin Reductase at 1.7 Å Resolution: Oxidized, Reduced and 2'-Phospho-5'-AMP Bound States, **247**, 125–145.
Two-dimensional Crystallization and Preliminary Structure Analysis of Light Harvesting II (B800-850) Complex From the Purple Bacterium *Rhodovulum sulfidophilum*, **250**, 1–10.
The Structure of Chloroplast Cytochrome *c6* at 1.9 Å Resolution: Evidence for Functional Oligomerization, **250**, 627–647.

hotosynthetic bacteria
Refined Crystal Structure of Ferrocytochrome c_2 from *Rhodopseudomonas viridis* at 1.6 Å Resolution, **252**, 235–247.

hototaxis
Mechanism of Photosensory Adaptation in *Halobacterium salinarium*, **246**, 493–499.

hycocyanin
Evolution of the Phycobiliproteins, **248**, 79–96.

hycoerythrin
Evolution of the Phycobiliproteins, **248**, 79–96.

hylogeny
Alignment/Phylogeny of the Papain Superfamily of Cysteine Proteases, **246**, 273–283.
Fine Structure of the Peptidyl Transferase Centre on 23 S-like rRNAs Deduced from Chemical Probing of Antibiotic-Ribosome Complexes, **247**, 224–235.
Molecular Phylogeny and Evolutionary Timescale for the Family of Mammalian Herpesviruses, **247**, 443–458.
Secondary Structure Model for the Last Two Domains of Single-stranded RNA Phage Qβ, **247**, 903–917.
The Mitochondrial LSU rDNA of the Brown Alga *Pylaiella littoralis* Reveals α-Proteobacterial Features and is Split by Four Group IIB Introns with an Atypical Phylogeny, **251**, 378–389.
The 60 kDa Heat Shock Proteins in the Hyperthermophilic Archaeon *Sulfolobus shibatae*, **253**, 712–725.

icornavirus
Structural Studies on Human Rhinovirus 14 Drug-resistant Compensation Mutants, **253**, 61–73.

itch
Computer Modelling of the α-Helical Coiled Coil: Packing of Side-chains in the Inner Core, **249**, 967–987.

lant hormone action
Transcriptional Regulation of *PS-IAA4/5* and *PS-IAA6* Early Gene Expression by Indoleacetic Acid and Protein Synthesis Inhibitors in Pea (*Pisum sativum*), **253**, 396–413.

lant myosin
Myosin from Alga *Chara*: Unique Structure Revealed by Electron Microscopy, **254**, 109–112.

lasmid
In vitro Replication of Plasmids Containing Human c-*myc* DNA, **245**, 92–109.
Partition Functions of Mini-F Affect Plasmid DNA Topology in *Escherichia coli*, **246**, 390–402.
Determination of the Binding Sites of RepA, a Replication Initiator Protein of the Basic Replicon of the IncN Group Plasmid pCU1, **246**, 595–608.
Monomer–dimer Equilibrium of the pSC101 RepA Protein, **250**, 309–314.

Plasmid copy number control
A Model for Copy Number Control of the Plasmid R1, **246**, 472–485.
Assessment of Quantitative Models for Plasmid ColE1 Copy Number Control, **248**, 211–219.

Plasmid maintenance stability
A Model for Copy Number Control of the Plasmid R1, **246**, 472–485.

Plasmid pPS10
Transcription of *repA*, the Gene of the Initiation Protein of the *Pseudomonas* Plasmid pPS10, is Autoregulated by Interactions of the RepA Protein at a Symmetrical Operator, **247**, 211–223.

Plasmid R1
A Model for Copy Number Control of the Plasmid R1, **246**, 472–485.
Kid, a Small Protein of the *parD* Stability System of Plasmid R1, is an Inhibitor of DNA Replication Acting at the Initiation of DNA Synthesis, **247**, 568–577.

Plasmid recombination
Specific Stimulation of *recA*-independent Plasmid Recombination by a DNA Sequence at a Distance, **247**, 890–902.

Plasmid replication
Purification of KorA Protein from Broad Host Range Plasmid RK2: Definition of a Hierarchy of KorA Operators, **253**, 39–50.
Determination of Sequence Specificity between a Plasmid Replication Initiator Protein and the Origin of Replication, **254**, 381–391.
Dissection of the Core and Auxiliary Sequences in the Vegetative Replication Origin of Promiscuous Plasmid RK2, **254**, 608–622.

Plasmid resolution
carP, Involved in Pyrimidine Regulation of the *Escherichia coli* Carbamoylphosphate Synthetase Operon Encodes a Sequence-specific DNA-binding Protein Identical to XerB and PepA, also Required for Resolution of ColEI Multimers, **250**, 392–406.

Plasmid RK2
Purification of KorA Protein from Broad Host Range Plasmid RK2: Definition of a Hierarchy of KorA Operators, **253**, 39–50.
Dissection of the Core and Auxiliary Sequences in the Vegetative Replication Origin of Promiscuous Plasmid RK2, **254**, 608–622.

Plasmid transfer
Nicking Activity of TrwC Directed Against the Origin of Transfer of the IncW Plasmid R388, **246**, 54–62.
Purification of KorA Protein from Broad Host Range Plasmid RK2: Definition of a Hierarchy of KorA Operators, **253**, 39–50.

P-loop
Investigating the Structural Determinants of the p21-like Triphosphate and Mg^{2+} Binding Site, **249**, 654–664.

Plus-strand primers
Plus-strand DNA Synthesis of the Yeast Retrotransposon Ty1 is Initiated at Two Sites, PPT1 Next to the 3′ LTR and PPT2 Within the *pol* Gene. PPT1 is Sufficient for Ty1 Transposition, **253**, 291–303.

pnd
Mechanism of Post-segregational Killing by *hok*-homologue *pnd* of Plasmid R483: Two Translational Control Elements in the *pnd* mRNA, **249**, 270–282.

PO5
Determination of the Three-dimensional Solution Structure of Scyllatoxin by ^{1}H Nuclear Magnetic Resonance, **253**, 590–603.

Point mutant
Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Amino Acid Substitution within the Amino-terminal Assembly Domain, **254**, 342–349.

Poisson-Boltzmann electrostatics
A Continuum Model for Protein–Protein Interactions: Application to the Docking Problem, **250**, 258–275.

Pol II promoters
Predicting Pol II Promoter Sequences using Transcription Factor Binding Sites, **249**, 923–932.

Pol III
Polymorphic SINEs in Chironomids with DNA Derived from the R2 Insertion Site, **245**, 34–42.

Polarity
Re-examination of the Polarity of Microtubules and Sheets Decorated with Kinesin Motor Domain, **251**, 329–333.

Polarization of fluorescence
Rigor Cross-bridges Bind to Two Actin Monomers in Thin Filaments of Rabbit Psoas Muscle, **248**, 294–307.

Polyadenylation domain
The Secondary Structure of the Adenovirus-2 L4 Polyadenylation Domain: Evidence for a Hairpin Structure Exposing the AAUAAA Signal in its Loop, **248**, 525–540.

Poly(dA)·Poly(dT)
Poly(dA)·Poly(dT) Forms Very Stable Nucleosomes at Higher Temperature, **245**, 559–567.

Polymerase complex
RNA Binding, Packaging and Polymerase Activities of the Different Incomplete Polymerase Complex Particles of dsRNA Bacteriophage Φ6, **249**, 545–554.

Polynucleotide kinase
Phage T4-coded Stp: Double-Edged Effector of Coupled DNA and tRNA-Restriction Systems, **249**, 857–868.

Polypeptide
Conformational Pathway of the Polypeptide Chain of Chymotrypsin Inhibitor-2 Growing from its N Terminus *in vitro*. Parallels with the Protein Folding Pathway, **254**, 968–979.

Polyproline
Coulombic Attractions Between Partially Charged Main Chain Atoms Stabilise the Right-handed Twist Found in Most β-Strands, **248**, 374–384.

Polypurines-polypyrimidines
Triple-Helix Specific Ligands Stabilize *H*-DNA Conformation, **247**, 847–858.

Post-segregational killing
Mechanism of Post-segregational Killing by *hok*-homologue *pnd* of Plasmid R483: Two Translational Control Elements in the *pnd* mRNA, **249**, 270–282.

Post-transcriptional processing
Developmental Regulation of a Silkworm Gene Encoding Multiple GATA-type Transcription Factors by Alternative Splicing, **246**, 43–53.

Post-transcriptional regulation
Mechanism of Post-segregational Killing: Secondar
Structure Analysis of the Entire Hok mRNA fro
Plasmid R1 Suggests a Fold-back Structure th
Prevents Translation and Antisense RNA Binding, 24
859–873.
Differential Regulation of Hox C6 in the Appendages
Adult Urodeles and Anurans, **249**, 879–889.

Potential functions
Computer Modeling of Protein Folding: Conformation
and Energetic Analysis of Reduced and Detaile
Protein Models, **247**, 995–1012.

ppGpp
Changes in Conserved Region 3 of *Escherichia coli* σ
Mediate ppGpp-dependent Functions *In Vivo*, 25
536–549.

PPI
Association of Antibody Chains at Different Stages
Folding: Prolyl Isomerization Occurs after Formatio
of Quaternary Structure, **248**, 190–201.

Precision
Application of ^{1}H NMR Chemical Shifts to Measure th
Quality of Protein Structures, **247**, 541–546.

Prediction
An Interactive Framework for RNA Secondary Structur
Prediction with a Dynamical Treatment of Constraint
254, 163–174.

Premessenger RNA,
see Pre-mRNA.

Pre-mRNA splicing
Magnesium Cations are Required for the Association
U Small Nuclear Ribonucleoproteins and SR Protein
with Pre-mRNA in 200 S Large Nuclea
Ribonucleoprotein Particles, **246**, 254–263.
The Secondary Structure of the Adenovirus-2 L
Polyadenylation Domain: Evidence for a Hairpi
Structure Exposing the AAUAAA Signal in its Loo
248, 525–540.
β-Tropomyosin Pre-mRNA Folding Around a Muscl
specific Exon Interferes with Several Steps
Spliceosome Assembly, **251**, 591–602.
Localization of Sequences Required for Size-specif
Splicing of a Small *Drosophila* Intron *in Vitro*, 25
426–437.

pre-tRNA processing
Kinetics and Thermodynamics of the RNase P RN
Cleavage Reaction: Analysis of tRNA 3'-end Variant
247, 161–172.

Primates
Prion Protein Gene Variation Among Primates, 24
362–374.

Primer binding site
Initiation of Reverse Transcription of HIV-1: Secondar
Structure of the HIV-1 RNA/tRNA$^{Lys}_3$ (Templat
Primer), **247**, 236–250.

Prion diseases
X-ray Diffraction of Scrapie Prion Rods and PrP Peptide
252, 412–422.

Prion protein
Conformational Transitions in Peptides Containing Tw
Putative α-Helices of the Prion Protein, **250**, 514–526.

Prion protein genes
Prion Protein Gene Variation Among Primates, 24
362–374.

:obes
Initiation of Reverse Transcription of HIV-1: Secondary Structure of the HIV-1 RNA/tRNA$^{Lys}_3$ (Template Primer), **247**, 236–250.

:ocapsid binding
Mutational Analysis of the Prohead Binding Domain of the Large Subunit of Terminase, the Bacteriophage λ DNA Packaging Enzyme, **245**, 126–140.

:ocessivity
Ribosome Mutants with Altered Accuracy Translate with Reduced Processivity, **248**, 551–561.

:oenkephalin
Comprehensive Epitope Analysis of Monoclonal Anti-proenkephalin Antibodies using Phage Display Libraries and Synthetic Peptides: revelation of Antibody Fine Specificities Caused by Somatic Mutations in the Variable Region Genes, **247**, 932–946.

:ofibrillin 1
Truncated Profibrillin of a Marfan Patient is of Apparent Similar Size as Fibrillin: Intracellular Retention Leads to over-*N*-glycosylation, **248**, 901–909.

:ogastricsin
Crystal and Molecular Structures of Human Progastricsin at 1.62 Å Resolution, **247**, 466–485.

:ohead binding
Structural and Functional Domains of the Large Subunit of the Bacteriophage T3 DNA Packaging Enzyme: importance of the C-terminal Region in Prohead Binding, **245**, 633–644.

:oliferating cell nuclear antigen (PCNA)
UV Light as a Footprinting Agent: Modulation of UV-induced DNA Damage by Transcription Factors Bound at the Promoters of Three Human Genes, **249**, 714–728.

:oline
Proline in a Transmembrane Helix Compensates for Cavities in the Photosynthetic Reaction Center, **252**, 472–482.

:olyl isomerization
Non-prolyl *cis-trans* Peptide Bond Isomerization as a Rate-determining Step in Protein Unfolding and Refolding, **245**, 69–78.

:romoter
Addition of a 29 Residue Carboxyl-terminal Tail Converts a Simple HMG Box-containing Protein into a Transcriptional Activator, **249**, 11–28.

-12, −24 promoter
Expression of the *rocDEF* Operon Involved in Arginine Catabolism in *Bacillus subtilis*, **249**, 843–856.

:romoter activity
Kinetics of RNA Polymerase Initiation and Pausing at the Lambda Late Gene Promoter *in vivo*, **254**, 808–814.

:romoter binding
Core RNA Polymerase and Promoter DNA Interactions of Purified Domains of σ^N: Bipartite Functions, **248**, 781–803.

:romoter clearance
Tat Functions to Stimulate the Elongation Properties of Transcription Complexes Paused by the Duplicated TAR RNA Element of Human Immunodeficiency Virus 2, **254**, 350–363.
Regulation of *codBA* Operon Expression in *Escherichia coli* by UTP-dependent Reiterative Transcription and UTP-sensitive Transcriptional Start Site Switching, **254**, 552–565.

σ^{54}-promoter
A Sequence-induced Superhelical DNA Segment Serves as Transcriptional Enhancer, **246**, 35–42.

Promoter mutations
Sequence-specific Interactions Between Promoter DNA and the RNA Polymerase Sigma Factor E, **253**, 8–16.

Promoter prediction
Predicting Pol II Promoter Sequences using Transcription Factor Binding Sites, **249**, 923–932.

Propeller Twist
Analysis of Action of the Wobble Adenine on Codon Reading within the Ribosome, **252**, 277–282.

Propeptide
Folding Mediated by an Intramolecular Chaperone: Autoprocessing Pathway of the Precursor Resolved *via* a Substrate Assisted Catalysis Mechanism, **247**, 390–395.

Prophage immunity
Immunity Determinant of Phage-plasmid P4 is a Short Processed RNA, **249**, 869–878.

Propionigenium modestum
A Double Mutation in Subunit c of the Na^+-specific F_1F_0-ATPase of *Propionigenium modestum* Results in a Switch from Na^+ to H^+-coupled ATP Synthesis in the *Escherichia coli* Host Cells, **253**, 726–738.

Protease, α-lytic,
see α-lytic protease.

Protease E
Crystallographic Study of a Cleaved, Non-activatable Form of Porcine Zymogen E, **252**, 20–24.

Protease inhibition
The Crystal Structure of Cruzain: A Therapeutic Target for Chagas' Disease, **247**, 251–259.

Proteasome
The Human Proteasome Subunit HsN3 is Located in the Inner Rings of the Complex Dimer, **248**, 264–272.
Homology in Structural Organization Between *E. coli* ClpAP Protease and the Eukaryotic 26 S Proteasome, **250**, 587–594.

Protein
Expression and Structural Analysis of 14-3-3 Proteins, **245**, 375–384.
Interaction of the RNA Binding Fingers of *Xenopus* Transcription Factor IIIA with Specific Regions of 5 S Ribosomal RNA, **248**, 44–57.
Determination of the Differential Effects of Hydrogen Bonding and Water Release on the Binding of FK506 to Native and Tyr82 → Phe82 FKBP-12 Proteins using Free Energy Simulations, **248**, 696–717.
The Complexity and Accuracy of Discrete State Models of Protein Structure, **249**, 493–507.
Atomic Environment Energies in Proteins Defined from Statistics of Accessible and Contact Surface Areas, **249**, 675–690.
Partially Folded States of Proteins: Characterization by X-ray Scattering, **254**, 960–967.

Protein aggregation
Chaperonins can Catalyse the reversal of Early Aggregation Steps when a Protein Misfolds, **250**, 581–586.

Protein association
Association of Antibody Chains at Different Stages of Folding: Prolyl Isomerization Occurs after Formation of Quaternary Structure, **248**, 190–201.

Protein complementation
A Complete Plasmid-based Complementation System for RNA Coliphage Qβ: Three Proteins of Bacteriophages Qβ (Group III) and SP (Group IV) can be Interchanged, **249**, 283–297.

Protein compressibility
A Novel Basis for Capsid Stabilization by Antiviral Compounds, **254**, 544–551.

Protein core
A Study of Four-helix Bundles: Investigating Protein Folding *via* Similar Architectural Motifs in Protein Cores and in Subunit Interfaces, **248**, 151–161.

Protein cross-linking
Structural Transitions During Bacteriophage HK97 Head Assembly, **247**, 618–635.
Genetic Basis of Bacteriophage HK97 Prohead Assembly, **247**, 636–647.

Protein crystallization
The Mechanism of Protein Crystal Growth from Lipid Layers, **246**, 308–316.

Protein crystallography
The Crystal Structures of the SH2 Domain of $p56^{lck}$ Complexed with Two Phosphonopeptides Suggest a Gated Peptide Binding Site, **246**, 344–355.
Structural Studies on Corn Nitrate Reductase: Refined Structure of the Cytochrome *b* Reductase Fragment at 2.5 Å, its ADP Complex and an Active-site Mutant and Modeling of the Cytochrome *b* Domain, **248**, 931–948.
The Occurrence of C – H···O Hydrogen Bonds in Proteins, **252**, 248–262.
Crystal Structure of the SH2 Domain from the Adaptor Protein SHC: A Model for Peptide Binding Based on X-ray and NMR Data, **254**, 86–95.

Protein database
Atomic Environment Energies in Proteins Defined from Statistics of Accessible and Contact Surface Areas, **249**, 675–690.
Experimental Analysis of the Schellman Motif, **251**, 150–160.

Protein design
Conserved Structural Features on Protein Surfaces: Small Exterior Hydrophobic Clusters, **249**, 251–258.
Investigating the Structural Determinants of the p21-like Triphosphate and Mg^{2+} Binding Site, **249**, 654–664.

Protein disulfide isomerase (PDI)
Efficient Catalysis of Disulfide Formation During Protein Folding with a Single Active-site Cysteine, **247**, 28–33.

Protein dynamics
The Three-dimensional Solution Structure of Human Stefin A, **246**, 331–343.
Internal Mobility of the Basic Pancreatic Trypsin Inhibitor in Solution: A Comparison of NMR Spin Relaxation Measurements and Molecular Dynamics Simulations, **246**, 356–365.
Protein Flexibility and Adaptability Seen in 25 Crystal Forms of T4 Lysozyme, **250**, 527–552.
Functional Linkage Between the Active Site of α-Lytic Protease and Distant Regions of Structure: Scanning Alanine Mutagenesis of a Surface Loop Affects Activity and Substrate Specificity, **251**, 116–134.
Fluctuation and Cross-correlation Analysis of Protein Motions Observed in Nanosecond Molecular Dynamics Simulations, **252**, 492–503.
A Simple Protocol for Identification of Helical and Mobile Residues in Membrane Proteins, **253**, 391–395.
Refined Solution Structure and Dynamics of the DNA binding Domain of the Heat Shock Factor fro *Kluyveromyces lactis*, **254**, 704–719.

Protein electrostatics
A Molecular Model for the Redox Potential Differenc Between Thioredoxin and DsbA, Based o Electrostatics Calculations, **249**, 376–387.

Protein energetics
Structure, Dynamics and Energetics of Initiation Sites i Protein Folding: I. Analysis of a 1 ns Molecul Dynamics Trajectory of an Early Folding Unit i Water: The Helix I/Loop I-Fragment of Barnase, 25 239–257.

Protein engineering
High-affinity Antigen Binding by Chelating Recombinan Antibodies (CRAbs), **246**, 369–375.
Energetics of Protein–Protein Interactions: Analysis of th Barnase–Barstar Interface by Single Mutations an Double Mutant Cycles, **248**, 478–486.
Crystallisation of RNA–Protein Complexes II. Th Application of Protein Engineering for Crystallisatio of the U1A Protein–RNA Complex, **249**, 398–412.
Refolding of Bovine Pancreatic Trypsin Inhibitor *via* Nor native Disulphide Intermediates, **249**, 463–477.
Functional Linkage Between the Active Site of α-Lyt Protease and Distant Regions of Structure: Scannin Alanine Mutagenesis of a Surface Loop Affec Activity and Substrate Specificity, **251**, 116–134.
Immunoglobulin Mutant Library Genetically Screene for Folding Stability Exploiting Bacterial Signa Transduction, **251**, 471–476.
Destabilization of a Protein Helix by electrostat Interactions, **252**, 133–143.
A Residue to Residue Hydrogen Bond Mediates th Nucleotide Specificity of Ribonuclease A, **252**, 328–33
The Structure of the Transition State for Folding c Chymotrypsin Inhibitor 2 Analysed by Protei Engineering Methods: Evidence for a Nucleatio condensation Mechanism for Protein Folding, 25 260–288.
Kinetic and Structural Characterization of Mutations c Glycine 216 in α-Lytic Protease: A New Target fo Engineering Substrate Specificity, **254**, 720–736.
Steroid Recognition by Chloramphenico Acetyltransferase: Engineering and Structural Analys of a High Affinity Fusidic Acid Binding Site, 25 993–1005.

Protein families
SCOP: A Structural Classification of Proteins Database fo the Investigation of Sequences and Structures, 24 536–540.
Conservation of Salt Bridges in Protein Families, 24 125–135.
An Assessment of Amino Acid Exchange Matrices i Aligning Protein Sequences: The Twilight Zon Revisited, **249**, 816–831.
Average Core Structures and Variability Measures fo Protein Families: Application to the Immunoglobulin **251**, 161–175.

Protein folding
Non-prolyl *cis-trans* Peptide Bond Isomerization as Rate-determining Step in Protein Unfolding an Refolding, **245**, 69–78.
Secondary structure prediction, **245**, 180–194.

Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. II Helix Macrodipole Effects and Rational Modification of the Helical Content of Natural Peptides, **245**, 275–296.

Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. III Temperature and pH Dependence, **245**, 297–308.

Dimerization Kinetics of HIV-1 and HIV-2 Reverse Transcriptase: A Two Step Process, **245**, 508–521.

An Equilibrium Partially Folded State of Human Lysozyme at Low pH, **246**, 384–389.

β-Tubulin Folding is Modulated by the Isotype-specific Carboxy-terminal Domain, **246**, 628–636.

Folding Mediated by an Intramolecular Chaperone: Autoprocessing Pathway of the Precursor Resolved *via* a Substrate Assisted Catalysis Mechanism, **247**, 390–395.

Structural Analysis of Peptides Encompassing All α-Helices of Three α/β Parallel Proteins: Che-Y, Flavodoxin and P21-Ras: Implications for α-Helix stability and the Folding of α/β Parallel Proteins, **247**, 648–669.

Computer Modeling of Protein Folding: Conformational and Energetic Analysis of Reduced and Detailed Protein Models, **247**, 995–1012.

The Folding Mechanism of Barstar: Evidence for Multiple Pathways and Multiple Intermediates, **247**, 1013–1027.

A Study of Four-helix Bundles: Investigating Protein Folding *via* Similar Architectural Motifs in Protein Cores and in Subunit Interfaces, **248**, 151–161.

Association of Antibody Chains at Different Stages of Folding: Prolyl Isomerization Occurs after Formation of Quaternary Structure, **248**, 190–201.

Interactions Between Type III Domains in the 110 kDa Cell-binding Fragment of Fibronectin, **248**, 611–626.

The Role of ATP in the Functional Cycle of the DnaK Chaperone System, **249**, 126–137.

The Origins and Consequences of Asymmetry in the Chaperonin Reaction Cycle, **249**, 138–152.

Mutations that Stabilize Folding Intermediates of Phage P22 Tailspike Protein: Folding *in vivo* and *in vitro*, Stability, and Structural Context, **249**, 185–194.

Structural Characterization of the Molten Globule and Native States of Apomyoglobin by Solution X-ray Scattering, **249**, 215–228.

Contribution of Individual Side-chains to the Stability of BPTI Examined by Alanine-scanning Mutagenesis, **249**, 388–397.

Refolding of Bovine Pancreatic Trypsin Inhibitor *via* Non-native Disulphide Intermediates, **249**, 463–477.

NMR Structure of a Stable "OB-fold" Sub-domain Isolated from Staphylococcal Nuclease, **250**, 134–143.

Thermodynamic Stability of the Molten Globule States of Apomyoglobin, **250**, 223–238.

Structure, Dynamics and Energetics of Initiation Sites in Protein Folding: I. Analysis of a 1 ns Molecular Dynamics Trajectory of an Early Folding Unit in Water: The Helix I/Loop I-Fragment of Barnase, **250**, 239–257.

Volumetric Characterizations of the Native, Molten Globule and Unfolded States of Cytochrome *c* at Acidic pH, **250**, 291–306.

Investigation of the Structural Components Governing the Polarity-dependent Refolding of a CD4-binding Peptide From gp 120, **250**, 507–513.

Chaperonins can Catalyse the reversal of Early Aggregation Steps when a Protein Misfolds, **250**, 581–586.

Membrane Assembly of Circularly Permuted Variants of the *E. coli* Outer Membrane Protein OmpA, **250**, 617–626.

Influence of Protein Conformation on Disulfide Bond Formation in the Oxidative Folding of Ribonuclease T_1, **251**, 135–149.

Global Fold Determination from a Small Number of Distance Restraints, **251**, 308–326.

Unfolding Simulations of the 85–102 β-Hairpin of Barnase, **251**, 432–447.

Immunoglobulin Mutant Library Genetically Screened for Folding Stability Exploiting Bacterial Signal Transduction, **251**, 471–476.

Folding Pathway Mediated by an Intramolecular Chaperone: Characterization of the Structural Changes in Pro-subtilisin E Coincident with Autoprocessing, **252**, 25–30.

Destabilization of a Protein Helix by electrostatic Interactions, **252**, 133–143.

Elongation and Folding of Nascent Ricin Chains as Peptidyl-tRNA on Ribosomes: The Effect of Amino Acid Deletions on these Processes, **252**, 203–212.

The Occurrence of C – H···O Hydrogen Bonds in Proteins, **252**, 248–262.

Impact of Local and Non-local Interactions on Thermodynamics and Kinetics of Protein Folding, **252**, 460–471.

Proline in a Transmembrane Helix Compensates for Cavities in the Photosynthetic Reaction Center, **252**, 472–482.

Recognizing Native Folds by the Arrangement of Hydrophobic and Polar Residues, **252**, 709–720.

Assembly *in Vitro* of Bacteriophage HK97 Proheads, **253**, 74–85.

The 2.0 Å Crystal Structure of *Scapharca* Tetrameric Hemoglobin: Cooperative Dimers within an Allosteric Tetramer, **253**, 168–186.

Evidence for Coupling of Folding and Function in *trp* Repressor: Physical Characterization of the Superrepressor Mutant AV77, **253**, 266–276.

Effect of Folding on the Export of Ribose-binding Protein Studied with the Genetically Isolated Suppressors for the Signal Sequence Mutation, **253**, 304–312.

Different Subdomains are Most Protected From Hydrogen Exchange in the Molten Globule and Native States of an α-Lactalbumin, **253**, 651–657.

An Integrated Kinetic Analysis of Intermediates and Transition States in Protein Folding Reactions, **253**, 771–786.

Thermodynamic Investigation of Hirudin Binding to the Slow and Fast Forms of Thrombin: Evidence for Folding Transitions in the Inhibitor and Protease Coupled to Binding, **253**, 787–798.

The Structure of the Transition State for Folding of Chymotrypsin Inhibitor 2 Analysed by Protein Engineering Methods: Evidence for a Nucleation-condensation Mechanism for Protein Folding, **254**, 260–288.

A Comparison of the pH, Urea, and Temperature-denatured States of Barnase by Heteronuclear NMR: Implications for the Initiation of Protein Folding, **254**, 305–321.

High Helical Propensity of the Peptide Fragments Derived from β-Lactoglobulin, a Predominantly β-sheet Protein, **254**, 737–746.

Conformational Pathway of the Polypeptide Chain of Chymotrypsin Inhibitor-2 Growing from its N Terminus *in vitro*. Parallels with the Protein Folding Pathway, **254**, 968–979.
Perturbed pK_A-values in the Denatured States of Proteins, **254**, 980–992.

Protein folding simulations
Prediction of Quaternary Structure of Coiled Coils. Application to Mutants of the GCN4 Leucine Zipper, **251**, 448–467.

Protein heterogeneity
Heterogeneity of *E. coli* RNA Polymerase Revealed by High Pressure, **253**, 259–265.

Protein hydration
Protein Hydration Dynamics in Aqueous Solution: A Comparison of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin by Oxygen-17 Spin Relaxation Dispersion, **245**, 682–697.
Hydrogen Exchange and Protein Hydration: The Deuteron Spin Relaxation Dispersions of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin, **245**, 698–709.
Detection of Long-lived Bound Water Molecules in Complexes of Human Dihydrofolate Reductase with Methotrexate and NADPH, **247**, 294–308.
Contributions of Tryptophan 24 and Glutamate 30 to Binding Long-lived Water Molecules in the Ternary Complex of Human Dihydrofolate Reductase with Methotrexate and NADPH Studied by Site-directed Mutagenesis and Nuclear Magnetic Resonance Spectroscopy, **247**, 309–325.

Protein interactions,
see also Protein DNA interaction; Protein-protein interaction.
Structural Characterization of Two Variants of Fibulin-1 that Differ in Nidogen Affinity, **245**, 241–250.
Binding of Mouse and Human Fibulin-2 to Extracellular Matrix Ligands, **254**, 892–899.

Protein kinase
Functional Characterization of the RNA-Binding Domain and Motif of the Double-stranded RNA-dependent Protein Kinase DAI (PKR), **249**, 29–44.

Protein kinase C
Expression and Structural Analysis of 14-3-3 Proteins, **245**, 375–384.
The *tpa-1* Gene of *Caenorhabditis elegans* Encodes Two Proteins Similar to Ca^{2+}-independent Protein Kinase Cs: Evidence by Complete Genomic and Complementary DNA Sequences of the *tpa-1* Gene, **251**, 477–485.

Protein ligand docking
Molecular Recognition of Receptor Sites using a genetic Algorithm with a Description of Desolvation, **245**, 43–53.

Protein modelling
Structural Similarity between Two-layer α/β and β-Proteins, **245**, 402–415.

Protein phosphatase 1
Crystal Structure of the Catalytic Subunit of Human Protein Phosphatase 1 and Its Complex with Tungstate, **254**, 942–959.

Protein phosphorylation
Tyrosine Phosphorylation of the Tetragonal Paracrystalline Array of *Aeromonas hydrophila:* Molecular Cloning and High-level Expression of the S-layer Protein Gene, **245**, 568–581.
Crystal Structure of the Catalytic Subunit of Huma Protein Phosphatase 1 and Its Complex wi Tungstate, **254**, 942–959.

Protein polymers
Structural Dynamics of F-actin: I. Changes in the Terminus, **245**, 582–597.
Structural Dynamics of F-actin II. Cooperativity Structural Transitions, **245**, 598–607.

Protein scaffold
Tendamistat as a Scaffold for Conformational Constrained Phage Peptide Libraries, **250**, 460–470.

Protein stability
Non-prolyl *cis-trans* Peptide Bond Isomerization as Rate-determining Step in Protein Unfolding an Refolding, **245**, 69–78.
Solution Dynamics of the *trp* Repressor: A Study Amide Proton Exchange by T_1 Relaxation, **24** 618–627.
Contribution of Individual Side-chains to the Stability BPTI Examined by Alanine-scanning Mutagenesis, **24** 388–397.
A Thermodynamic Study of Mutant Forms *Streptomyces* Subtilisin Inhibitor. I. Hydrophob Replacements at the Position of Met103, **249**, 625–63
A Thermodynamic Study of Mutant Forms *Streptomyces* Subtilisin Inhibitor. II. Replacements the Interface of Dimer Formation, Val13, **249**, 636–64
A Thermodynamic Study of Mutant Forms *Streptomyces* Subtilisin Inhibitor. III. Replacements of Hyper-exposed Residue, Met73, **249**, 646–653.
Destabilization of a Protein Helix by electrostat Interactions, **252**, 133–143.
Free Energy Determinants of Secondary Structu Formation: I. α-Helices, **252**, 351–365.
Free Energy Determinants of Secondary Structu Formation: II. Antiparallel β-Sheets, **252**, 366–376.
Impact of Local and Non-local Interactions Thermodynamics and Kinetics of Protein Folding, **25** 460–471.
Proline in a Transmembrane Helix Compensates f Cavities in the Photosynthetic Reaction Center, **25** 472–482.
Disulfide Mutants of Barnase I: Changes in Stability an Structure Assessed by Biophysical Methods and X-ra Crystallography, **253**, 493–504.
Disulfide Mutants of Barnase II: Changes in Structure an Local Stability Identified by Hydrogen Exchange, **25** 505–513.
Contribution of Hydrophobic Residues to the Stability Human Lysozyme: Calorimetric Studies and X-ra Structural Analysis of the Five Isoleucine to Valin Mutants, **254**, 62–76.
Mechanism of Protein Stabilization by Disulfide Bridge Calorimetric Unfolding Studies on Disulfide-deficie Mutants of the α-Amylase Inhibitor Tendamistat, **25** 481–496.

Protein structural motifs
How Many Protein Folding Motifs are There?, **25** 144–151.

Protein structure
Structural Characterization of Two Variants of Fibulin that Differ in Nidogen Affinity, **245**, 241–250.
Structure and Dynamics of Ferrocytochrome c_{553} fro *Desulfovibrio Vulgaris* Studied by NMR Spectroscop and Restrained Molecular Dynamics, **245**, 661–681.
The Three-dimensional Solution Structure of Huma Stefin A, **246**, 331–343.

Application of ^{1}H NMR Chemical Shifts to Measure the Quality of Protein Structures, **247**, 541–546.
Structural Transitions During Bacteriophage HK97 Head Assembly, **247**, 618–635.
Three-Dimensional Structure of Chemotactic Che Y Protein in Aqueous solution by Nuclear Magnetic Resonance Methods, **247**, 717–725.
The Solution Structure of the F42A Mutant of Human Interleukin 2, **247**, 979–994.
Three-dimensional Structure of a Lipoyl Domain from the Dihydrolipoyl Acetyltransferase Component of the Pyruvate Dehydrogenase Multienzyme Complex of *Escherichia coli*, **248**, 328–343.
Solution Structure of Human Insulin-like Growth Factor II. Relationship to Receptor and Binding Protein Interactions, **248**, 385–401.
Solution Structure of an Old World-like Neurotoxin from the Venom of the New World Scorpion *Centruroides sculpturatus* Ewing, **248**, 449–458.
Conserved Structural Features on Protein Surfaces: Small Exterior Hydrophobic Clusters, **249**, 251–258.
Isolation, Crystallization, Crystal Structure Analysis and Refinement of Allophycocyanin for the Cyanobacterium *Spirulina platensis* at 2.3 Å Resolution, **249**, 424–440.
The Complexity and Accuracy of Discrete State Models of Protein Structure, **249**, 493–507.
Algorithms for Evaluating the Long-range Accessibility of Protein Surfaces, **249**, 804–815.
NMR Structure of a Stable "OB-fold" Sub-domain Isolated from Staphylococcal Nuclease, **250**, 134–143.
Protein Flexibility and Adaptability Seen in 25 Crystal Forms of T4 Lysozyme, **250**, 527–552.
The Structure of Chloroplast Cytochrome *c6* at 1.9 Å Resolution: Evidence for Functional Oligomerization, **250**, 627–647.
Average Core Structures and Variability Measures for Protein Families: Application to the Immunoglobulins, **251**, 161–175.
Structural Analysis of Monomeric Hemichrome and Dimeric Cyanomet Hemoglobins from *Caudina arenicola*, **251**, 421–431.
The Occurrence of C – H···O Hydrogen Bonds in Proteins, **252**, 248–262.
The Modular Character of a DNA Junction-resolving Enzyme: A Zinc-binding Motif in bacteriophage T4 Endonuclease VII, **252**, 596–610.
Solution Structure of the Anticodon-binding Domain of *Escherichia coli* Lysyl-tRNA Synthetase and Studies of its Interaction with $tRNA^{Lys}$, **253**, 100–113.
The 2.0 Å Crystal Structure of *Scapharca* Tetrameric Hemoglobin: Cooperative Dimers within an Allosteric Tetramer, **253**, 168–186.
Strange Bedfellows: Interactions between Acidic Side-chains in Proteins, **254**, 96–105.
Solution Structure of the Ribosome-binding Domain of *E. coli* Translation Initiation Factor IF3. Homology with the U1A Protein of the Eukaryotic Spliceosome, **254**, 247–259.
Refined Crystal Structures of Unligated Adenylosuccinate Synthetase from *Escherichia coli*, **254**, 431–446.
Solution Structure of the GTPase Activating Domain of α_o, **254**, 681–691.
Refined Solution Structure and Dynamics of the DNA-binding Domain of the Heat Shock Factor from *Kluyveromyces lactis*, **254**, 704–719.
Complex Salt Bridges in Proteins: Statistical Analysis of Structure and Function, **254**, 761–770.
The Refined X-ray Structure of Muconate Lactonizing Enzyme from *Pseudomonas putida* PRS2000 at 1.85 Å Resolution, **254**, 918–941.

Protein structure prediction
Prediction of Protein Secondary Structure by Combining Nearest-neighbor Algorithms and Multiple Sequence Alignments, **247**, 11–15.
Recurring Local Sequence Motifs in Proteins, **251**, 176–187.

Protein structure-function
Mutations at Positions 153 and 328 in *Escherichia coli* Alkaline Phosphatase Provide Insight Towards the Structure and Function of Mammalian and Yeast Alkaline Phosphatases, **253**, 604–617.

Protein surface
Conserved Structural Features on Protein Surfaces: Small Exterior Hydrophobic Clusters, **249**, 251–258.

Protein translocation
An Intact Protein Translocating Machinery is Required for Mitochondrial Import of a Yeast Cytoplasmic tRNA, **245**, 315–323.
Effect of Folding on the Export of Ribose-binding Protein Studied with the Genetically Isolated Suppressors for the Signal Sequence Mutation, **253**, 304–312.

Protein unfolding
The Physical Properties of Local Interactions of Tyrosine Residues in Peptides and Unfolded Proteins, **245**, 251–260.
Molecular Dynamics Simulations of Protein Unfolding and Limited Refolding: Characterization of Partially Unfolded States of Ubiquitin in 60% Methanol and in Water, **247**, 501–520.
Thermodynamics of Unfolding of Ribonuclease A under High Pressure. A Study by Proton NMR, **250**, 689–694.

Protein-carbohydrate interaction
Dissection of Protein-Carbohydrate Interactions in Mutant Hen Egg-white Lysozyme Complexes and their Hydrolytic Activity, **247**, 281–293.

Protein–cofactor interaction
Many Combinations of Amino Acid Sequences in a Conserved Region of the D1 Protein Satisfy Photosystem II Function, **246**, 120–131.

Protein-DNA complexes
Single Base-pair Precision and Structural Rigidity in a Small IHF-induced DNA Loop, **253**, 228–242.

Protein-DNA interaction
In vitro Analysis of a Constitutively Active Mutant Form of the *Escherichia coli* Global Transcription Factor FNR, **245**, 351–361.
Proximity Probing of Tet Repressor to *tet* Operator by Dimethylsulfate Reveals Protected and Accessible Functions for each Recognized Base-pair in the Major Groove, **245**, 538–548.
Selection of a Remote Cleavage Site by I-*Tev*I, the *td* Intron-encoded Endonuclease, **247**, 197–210.
Unwinding of Closed Circular DNA by the *Escherichia coli* RuvA and RuvB Recombination/Repair Proteins, **247**, 404–417.
DNA-binding Surface of the Sso7d Protein from *Sulfolobus solfataricus*, **247**, 840–846.
Structures of fd Gene 5 Protein·Nucleic Acid Complexes: A Combined Solution Scattering and Electron Microscopy Study, **249**, 576–594.

P22 Arc Repressor: Role of Cooperativity in Repression and Binding to Operators with Altered Half-site Spacing, **249**, 729–742.
The Roles of Arginine 41 and Tyrosine 76 in the Coupling of DNA Recognition to Phosphodiester Bond Cleavage by DNase I: a Study using Site-directed Mutagenesis, **251**, 366–377.
Serine at Position 2 in the DNA Recognition Helix of a Cys_2-His_2 Zinc Finger Peptide is Not, in General, Responsible for Base Recognition, **252**, 1–5.
Structural Analysis of the RuvC-Holliday Junction Complex Reveals an Unfolded Junction, **252**, 213–226.
Comprehensive Analysis of Hydrogen Bonds in Regulatory Protein DNA-Complexes: Im Search of Common Principles, **253**, 370–382.
Structure, Thermodynamics and Cooperativity of the Glucocorticoid Receptor DNA-binding Domain in Complex with Different Response Elements. Molecular Dynamics Simulation and Free Energy Perturbation Studies, **253**, 453–472.

Protein-DNA recognition
A Basic Tail Increases Repression by Dimeric Lac Repressor, **247**, 396–403.
Nag Repressor–Operator Interactions: Protein–DNA Contacts Cover More Than Two Turns of the DNA Helix, **249**, 890–902.
Crystal Structure of a bZIP/DNA Complex at 2.2 Å: Determinants of DNA Specific Recognition, **254**, 657–667.

Protein-drug docking
A Geometry-based Suite of Molecular Docking Processes, **248**, 459–477.

Protein-peptide interactions
The Crystal Structures of the SH2 Domain of $p56^{lck}$ Complexed with Two Phosphonopeptides Suggest a Gated Peptide Binding Site, **246**, 344–355.

Protein-protein contact
Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Insertion Analysis of the Amino-terminal Assembly Domain, **248**, 756–767.
Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Amino Acid Substitution within the Amino-terminal Assembly Domain, **254**, 342–349.

Protein-protein docking
A Geometry-based Suite of Molecular Docking Processes, **248**, 459–477.

Protein-protein interaction
Mutational Analysis of the Prohead Binding Domain of the Large Subunit of Terminase, the Bacteriophage λ DNA Packaging Enzyme, **245**, 126–140.
Specific Interaction of Terminase, the DNA Packaging Enzyme of Bacteriophage λ, with the Portal Protein of the Prohead, **245**, 141–150.
The Transcriptional Activator Protein FIS: DNA Interactions and Cooperative Interactions with RNA Polymerase at the *Escherichia coli rrnB* P1 Promoter, **245**, 197–207.
Site-specific Recombination at *res* Sites Containing DNA-binding Sequences for both TN21 and TN3 Resolvases, **245**, 208–218.
The Three-dimensional Solution Structure of Human Stefin A, **246**, 331–343.
Multiple Crystal Forms of Endoglucanase CelD: Signal Peptide Residues Modulate Lattice Formation, **248**, 225–232.
Energetics of Protein–Protein Interactions: Analysis of the Barnase–Barstar Interface by Single Mutations and Double Mutant Cycles, **248**, 478–486.
P22 Arc Repressor: Role of Cooperativity in Repression and Binding to Operators with Altered Half-site Spacing, **249**, 729–742.
Mapping of the Immunoglobulin Light Chain-binding Site of Protein L, **250**, 128–133.
N-Terminal 33 Amino Acid Residues of *Escherichia coli* RecA Protein Contribute to its Self-assembly, **250**, 471–483.
Structural Effects of Mutations in *Salmonella typhimurium* Flagellar Switch Complex, **251**, 400–412.
Formation of Stable and Functional HIV-1 Nucleoprotein Complexes *in Vitro*, **252**, 563–571.
Complex Salt Bridges in Proteins: Statistical Analysis of Structure and Function, **254**, 761–770.

Protein-protein recognition
Crystal Structure of a Complex Between *Serratia marcescens* Metallo-protease and an Inhibitor from *Erwinia chrysanthemi*, **248**, 653–661.
Molecular Surface Complementarity at Protein-Protein Interfaces: The Critical Role Played by Surface Normals at Well Placed, Sparse, Points in Docking, **252**, 263–273.

Protein-RNA interactions
Pseudoknot in Domain II of 23 S rRNA is Essential for Ribosome Function, **249**, 59–68.

Proteolysis
Structural Transitions During Bacteriophage HK97 Head Assembly, **247**, 618–635.
Genetic Basis of Bacteriophage HK97 Prohead Assembly, **247**, 636–647.
Interactions Between Type III Domains in the 110 kDa Cell-binding Fragment of Fibronectin, **248**, 611–626.
Structural Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Structural Domains Identified by Proteolytic Cleavage, **248**, 723–728.
Probing the Domain Structure of the Type IC DNA Methyltransferase M.*Eco*R124I by Limited Proteolysis, **250**, 181–190.
Proteolytic and Conformational Control of Virus Capsid Maturation: The Bacteriophage HK97 System, **253**, 86–99.
The DNA-binding Domain of the Hexameric Arginine Repressor, **254**, 150–162.

***Proteus mirabilis* PR**
Crystal Structure of *Proteus mirabilis* PR Catalase With and Without Bound NADPH, **249**, 933–954.

Protist
The Mitochondrial DNA of the Amoeboid Protozoon, *Acanthamoeba castellanii:* Complete Sequence, Gene Content and Genome Organization, **245**, 522–537.

Protofilament
Examination of the Structure of the Transthyretin Amyloid Fibril by Image Reconstruction from Electron Micrographs, **254**, 113–118.

Proton nuclear magnetic resonance spectroscopy
see also Nuclear magnetic resonance (NMR).
Three-dimensional Solution Structure of the Calcium Channel Antagonist ϖ-Agatoxin IVA: Consensus Molecular Folding of Calcium Channel Blockers, **250**, 659–671.

ton transfer
Detection of Long-lived Bound Water Molecules in Complexes of Human Dihydrofolate Reductase with Methotrexate and NADPH, **247**, 294–308.

ton-induced X-ray emission spectroscopy
Crystal Structure of the Catalytic Subunit of Human Protein Phosphatase 1 and Its Complex with Tungstate, **254**, 942–959.

ximal sequence element TATA box
Functional Redundancy of Promoter Elements Ensures Efficient Transcription of the Human 7SK Gene *in vivo*, **253**, 677–690.

C101
Monomer–dimer Equilibrium of the pSC101 RepA Protein, **250**, 309–314.

udo-energy potential
Desk-top Analysis of the Structural Stability of Various Point Mutations Introduced into Ribonuclease H, **248**, 733–738.

M1 DNA
Energetics of Coupled Twist and Writhe Changes in Closed Circular pSM1 DNA, **253**, 438–452.

ype calcium channels
Solution Structure of ω-Conotoxin MVIIC, a High Affinity Ligand of P-type Calcium Channels using ^{1}H NMR Spectroscopy and Complete Relaxation Matrix Analysis, **248**, 106–124.

rine catabolism
A single Amino Acid Change in a Pathway-specific Transcription Factor Results in Differing Degrees of Constitutivity, Hyperinducibility and Derepression of Several Structural Genes, **249**, 693–699.

rine mismatches
Characterization of the Pre-mRNA Binding Site for Yeast Ribosomal Protein L32: The Importance of a Purine-rich Internal Loop, **250**, 447–459.

rine nucleotide biosynthesis
Refined Crystal Structures of Unligated Adenylosuccinate Synthetase from *Escherichia coli*, **254**, 431–446.

rple membrane
Force-induced Conformational Change of Bacteriorhodopsin, **249**, 239–243.
Lipid Location in Deoxycholate-treated Purple Membrane at 2.6 Å, **254**, 404–415.

VIII
Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein, **248**, 835–844.

rimidine analogue
Direct Observation of Two Base-pairing Modes of a Cytosine– Thymine Analogue with Guanine in a DNA Z-form Duplex: Significance for Base Analogue Mutagenesis, **251**, 665–673.

rimidine dimer
Crystal Structure of a Pyrimidine Dimer-specific Excision Repair Enzyme from Bacteriophage T4: Refinement at 1.45 Å and X-ray Analysis of the Three Active Site Mutants, **249**, 360–375.

rimidine regulation
Pyrimidine Regulation of the *Escherichia coli* and *Salmonella typhimurium carAB* Operons: CarP and Integration Host Factor (IHF) Modulate the Methylation Status of a GATC Site Present in the Control Region, **250**, 383–391.
carP, Involved in Pyrimidine Regulation of the *Escherichia coli* Carbamoylphosphate Synthetase Operon Encodes a Sequence-specific DNA-binding Protein Identical to XerB and PepA, also Required for Resolution of ColEI Multimers, **250**, 392–406.

Pyrimidines
Regulation of *codBA* Operon Expression in *Escherichia coli* by UTP-dependent Reiterative Transcription and UTP-sensitive Transcriptional Start Site Switching, **254**, 552–565.

Pyruvate
The Crystal Structure of Dihydrodipicolinate Synthase from *Escherichia coli* at 2.5 Å Resolution, **246**, 227–239.

Pyruvate dehydrogenase complex
Three-dimensional Structure of a Lipoyl Domain from the Dihydrolipoyl Acetyltransferase Component of the Pyruvate Dehydrogenase Multienzyme Complex of *Escherichia coli*, **248**, 328–343.

Pyruvate kinases
The Gene for Nucleoside Diphosphate Kinase Functions as a Mutator Gene in *Escherichia coli*, **254**, 337–341.

Qβ RNA
A Complete Plasmid-based Complementation System for RNA Coliphage Qβ: Three Proteins of Bacteriophages Qβ (Group III) and SP (Group IV) can be Interchanged, **249**, 283–297.

Quadruplex
A Phase Diagram for Sodium and Potassium Ion Control of Polymorphism in Telomeric DNA, **248**, 233–238.

Quantitative model
Assessment of Quantitative Models for Plasmid ColE1 Copy Number Control, **248**, 211–219.

Quasi-equivalence
Protein Flexibility and Adaptability Seen in 25 Crystal Forms of T4 Lysozyme, **250**, 527–552.

Quasispecies
The Mutant Distribution of an RNA Species Replicated by Qβ Replicase, **249**, 754–762.
Modelling Viral Evolution *in Vitro* Using exo$^-$ Klenow Polymerase: Continuous Selection of Strand Displacement Amplified DNA that Binds an Oligodeoxynucleotide to Form a Triple-helix, **254**, 856–868.

Quaternary structure
Hypercooperativity Induced by Interface Mutations in the Phosphofructokinase from *Escherichia coli*, **246**, 248–253.
A Novel Low Oxygen Affinity Recombinant Hemoglobin (α96Val → Trp): Switching Quaternary Structure Without Changing the Ligation State, **248**, 867–882.
X-ray Scattering Titration of the Quaternary Structure Transition of Aspartate Transcarbamylase with a Bisubstrate Analogue: Influence of Nucleotide Effectors, **251**, 243–255.

Quaternary structure stability
Prediction of Quaternary Structure of Coiled Coils. Application to Mutants of the GCN4 Leucine Zipper, **251**, 448–467.

Quinomycin bisintercalator antibiotic
Solution Structure of a Quinomycin Bisintercalator-DNA Complex, **246**, 164–179.

Quinone oxidoreductase
Crystal Structure of *Escherichia coli* QOR Quinone Oxidoreductase Complexed with NADPH, **249**, 785–799.

R1 plasmid
see Plasmid R1.

R2 integration site
Polymorphic SINEs in Chironomids with DNA Derived from the R2 Insertion Site, **245**, 34–42.

RAD3
The *KIN28* Gene is Required both for RNA Polymerase II Mediated Transcription and Phosphorylation of the Rpb1p CTD, **249**, 535–544.

Radial and azimuthal position of tropomyosin
An Atomic Model of the Unregulated Thin Filament Obtained by X-ray Fiber Diffraction on Oriented Actin-Tropomyosin Gels, **246**, 108–119.

Radius
Computer Modelling of the α-Helical Coiled Coil: Packing of Side-chains in the Inner Core, **249**, 967–987.

Radius of gyration
Solution X-ray Scattering Analysis of Cold-Heat-, and Urea-denatured States in a Protein, *Streptomyces* Subtilisin Inhibitor, **251**, 95–103.

Ramachandran plot
Coulombic Attractions Between Partially Charged Main Chain Atoms Stabilise the Right-handed Twist Found in Most β-Strands, **248**, 374–384.

Raman spectroscopy
A Phase Diagram for Sodium and Potassium Ion Control of Polymorphism in Telomeric DNA, **248**, 233–238.
Vibrational Raman Optical Activity of α-Lactalbumin: Comparison with Lysozyme, and Evidence for Native Tertiary Folds in Molten Globule States, **254**, 747–760.

Random coil β-structure transition
Self-association of β-Amyloid Peptide (1–40) in Solution and Binding to Lipid Membranes, **252**, 633–642.

Random mutagenesis
Mapping Important Nucleotides in the Peptidyl Transferase Centre of 23 S rRNA using a Random Mutagenesis Approach, **249**, 1–10.
Glutathione Transferases with Novel Active Sites Isolated by Phage Display from a Library of Random Mutants, **250**, 115–122.

Randomisation
Selection of Ten Base-pair Sequences which Enhance the Response of the Gal1 Minimal Promoter to Murine Hoxa-7 in Yeast, **247**, 173–190.

***rbcS* gene**
Structures and Expression of *Euglena gracilis* Nuclear *rbcS* Genes Encoding the Small Subunits of the Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase: A Novel Splicing Process for Unusual Intervening Sequences?, **245**, 22–33.

Rdl
GABA Receptor Minigene Rescues Insecticide Resistance Phenotypes in *Drosophila*, **253**, 223–227.

Reaction center
Many Combinations of Amino Acid Sequences in a Conserved Region of the D1 Protein Satisfy Photosystem II Function, **246**, 120–131.

Readthrough
The Efficiency of Translation Termination is Determined by a Synergistic Interplay Between Upstrean and Downstream Sequences in *Saccharomyces cerevisiae*, **251**, 334–345.

RecA
Probing the Structure of a Putative Intermediate in Homologous Recombination: The Third Strand in the Parallel DNA Triplex is in Contact with the Major Groove of the Duplex, **247**, 874–889.

RecA protein
N-Terminal 33 Amino Acid Residues of *Escherichia coli* RecA Protein Contribute to its Self-assembly, **250**, 471–483.

Receiver domains
Constitutive Forms of the Enhancer-binding Protein NtrC: Evidence that Essential Oligomerization Determinants Lie in the Central Activation Domain, **249**, 700–713.

Receptor adaptation
Mechanism of Photosensory Adaptation in *Halobacterium salinarium*, **246**, 493–499.

Receptor assembly
In vitro Binding of Ciliary Neurotrophic Factor to its Receptors: Evidence for the Formation of an IL-6-type Hexameric Complex, **254**, 795–800.

Receptor binding
The Avian Adenovirus Penton: Two Fibres and One Base, **252**, 379–385.
Refined Crystal Structure of Recombinant Murine Interferon-β at 2.15 Å Resolution, **253**, 187–207.

Receptor modification
Crystal Structure of the Catalytic Domain of the Chemotaxis Receptor Methylesterase, CheB, **250**, 276–290.

Receptor recognition
Three-dimensional Solution Structure of Bombyxin-II an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Structural Comparison with Insulin and Relaxin, **253**, 749–758.
Identification of the Receptor-recognition Surface of Bombyxin-II, an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Critical Importance of the B-chain Central Part, **253**, 759–770.

Receptors
An Intact Protein Translocating Machinery is Required for Mitochondrial Import of a Yeast Cytoplasmic tRNA, **245**, 315–323.

Recombinant mutant hemoglobin
A Novel Low Oxygen Affinity Recombinant Hemoglobin (α96Val → Trp): Switching Quaternary Structure Without Changing the Ligation State, **248**, 867–882.

Recombinant production
Structural Characterization of Two Variants of Fibulin-1 that Differ in Nidogen Affinity, **245**, 241–250.
Selective Chain Recognition in the C-terminal αHelical Coiled-coil Region of Laminin, **250**, 64–73.
Stabilization of the α-Helical Coiled-coil Domain in Laminin by C-terminal Disulfide Bonds, **250**, 74–79.
The C-terminal Portion of BM-40 (SPARC/Osteonectin) is an Autonomously Folding and Crystallisable Domain that Binds Calcium and Collagen IV, **253**, 347–357.
Binding of Mouse and Human Fibulin-2 to Extracellular Matrix Ligands, **254**, 892–899.

Recombination,
see also Site-specific recombination.
Binding of the Junction-resolving Enzyme Bacteriophage T7 Endonuclease I to DNA: Separation of Binding and Catalysis by Mutation, **246**, 95–107.
Bacteriophage T4 Gene *17* Amplification Mutants: Evidence for Initiation by the T4 Terminase Subunit gp16, **247**, 523–528.
Mutational Analysis of the Sequence-specific Recombination Box for Amplification of Gene *17* of Bacteriophage T4, **247**, 604–617.
Structural Analysis of the RuvC-Holliday Junction Complex Reveals an Unfolded Junction, **252**, 213–226.
The Modular Character of a DNA Junction-resolving Enzyme: A Zinc-binding Motif in bacteriophage T4 Endonuclease VII, **252**, 596–610.
Electron Microscopic Visualization of RecT Protein and its Complexes with DNA, **254**, 364–371.
First Glimpses at Structure-function Relationships of the Nucleocapsid Protein of Retroviruses, **254**, 523–537.

Recombination hotspot
A Hotspot for Promoter-dependent Recombination in Polyomavirus DNA, **248**, 220–224.

Recombination specificity
Identifying Determinants of Recombination Specificity: Construction and Characterization of Chimeric Bacteriophage Integrases, **252**, 163–177.
Identifying Determinants of Recombination Specificity: Construction and Characterization of Mutant Bacteriophage Integrases, **252**, 178–188.

Reconstitution
Poly(dA)·Poly(dT) Forms Very Stable Nucleosomes at Higher Temperature, **245**, 559–567.
Electrostatic Mechanism of Nucleosome Spacing, **252**, 305–313.

RecT protein
Electron Microscopic Visualization of RecT Protein and its Complexes with DNA, **254**, 364–371.

Red Algae
Evolution of the Phycobiliproteins, **248**, 79–96.

Red cell
Intrinsic Activity at the Molecular Level: E. J. Ariëns' Concept Visualized, **248**, 845–855.

Redox potential
A Molecular Model for the Redox Potential Difference Between Thioredoxin and DsbA, Based on Electrostatics Calculations, **249**, 376–387.

Refinement
Substrate Specificity and Assembly of the Catalytic Center Derived from two Structures of Ligated Uridylate Kinase, **246**, 522–530.
Refined Structure of Cytochrome b_{562} from *Escherichia coli* at 1.4 Å resolution, **247**, 947–962.
The Refined Crystal Structure of an Endochitinase from *Hordeum vulgare* L. Seeds at 1.8 Å Resolution, **248**, 402–413.
Structural Refinement of the Non-fluorescent Flavoprotein from *Photobacterium leiognathi* at 1.60 Å Resolution, **249**, 195–214.
Refined Crystal Structure of Recombinant Murine Interferon-β at 2.15 Å Resolution, **253**, 187–207.

Regulation
Intramolecular Transmission of the ATP Regulatory Signal in *Escherichia coli* Aspartate Transcarbamylase: Specific Involvement of a Clustered Set of Amino Acid Interactions at an Interface Between Regulatory and Catalytic Subunits, **246**, 132–143.
Subunit Structure of Regulator Proteins Influences the Design of Gene Circuitry: Analysis of Perfectly Coupled and Completely Uncoupled Circuits, **248**, 739–755.
The *Bacillus subtilis* Flagellar Regulatory Protein σ^D: Overproduction, Domain Analysis and DNA-binding Properties, **249**, 743–753.

Regulator proteins
Subunit Structure of Regulator Proteins Influences the Design of Gene Circuitry: Analysis of Perfectly Coupled and Completely Uncoupled Circuits, **248**, 739–755.

Relaxin
Three-dimensional Solution Structure of Bombyxin-II an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Structural Comparison with Insulin and Relaxin, **253**, 749–758.

Release factor 2
Evidence that Uncharged tRNA Can Inhibit a Programmed Translational Frameshift in *Escherichia coli*, **251**, 210–216.

Renin
High Resolution Crystal Structures of Recombinant Human Renin in Complex with Polyhydroxymonoamide Inhibitors, **250**, 211–222.

Rep protein
Dissection of the Core and Auxiliary Sequences in the Vegetative Replication Origin of Promiscuous Plasmid RK2, **254**, 608–622.

RepA
A Model for Copy Number Control of the Plasmid R1, **246**, 472–485.
Determination of the Binding Sites of RepA, a Replication Initiator Protein of the Basic Replicon of the IncN Group Plasmid pCU1, **246**, 595–608.
Transcription of *repA*, the Gene of the Initiation Protein of the *Pseudomonas* Plasmid pPS10, is Autoregulated by Interactions of the RepA Protein at a Symmetrical Operator, **247**, 211–223.
Monomer–dimer Equilibrium of the pSC101 RepA Protein, **250**, 309–314.

Repair enzymes
Characterization of a Non-long Terminal Repeat Retrotransposon cDNA (L1Tc) from *Trypanosoma cruzi:* Homology of the First ORF with the Ape Family of DNA Repair Enzymes, **247**, 49–59.

Repetitive DNA
Ancestral, Mammalian-wide Subfamilies of LINE-1 Repetitive Sequences, **246**, 403–419.
A Novel Group of Families of Short Interspersed Repetitive Elements (SINEs) in *Xenopus*: Evidence of a Specific Target Site for DNA-mediated Transposition of Inverted-repeat SINEs, **248**, 812–823.
Identification in the Human Genome of Mobile Elements Spread by DNA-mediated Transposition, **254**, 1–5.

Replication
In vitro Replication of Plasmids Containing Human c-*myc* DNA, **245**, 92–109.

Isolation of Transcriptionally Active Mutants of T7 RNA Polymerase that do not Support Phage Growth, **250**, 156–168.
Monomer–dimer Equilibrium of the pSC101 RepA Protein, **250**, 309–314.
Molecular Analysis of Mutations in the *hprt* Gene of V79 Hamster Fibroblasts: Effects of Imbalances in the dCTP, dGTP and dTTP Pools, **252**, 514–521.
Disparate Replication Properties of Integrated and Extrachromosomal Forms of Bovine Papilloma Virus in ID13 Cells, **254**, 119–129.
Mutations in the Gene Encoding the 34 kDA Subunit of Yeast Replication Protein A Cause Defective S Phase Progression, **254**, 595–607.

Repression
A Basic Tail Increases Repression by Dimeric Lac Repressor, **247**, 396–403.
Kinetics of Expression of Inducible βGalactosidase in Murine Fibroblasts: High Initial Rate Compared to Steady-state Expression, **252**, 289–295.

λ-Repressor
Analysis of the Myc and Max Interaction Specificity with λ Repressor-HLH Domain Fusions, **248**, 541–550.
Three-dimensional Dimer Structure of the λ-Cro Repressor in Solution as Determined by Heteronuclear Multidimensional NMR, **254**, 668–680.

Repressor protein KorA
Purification of KorA Protein from Broad Host Range Plasmid RK2: Definition of a Hierarchy of KorA Operators, **253**, 39–50.

Residue exchange weights
An Assessment of Amino Acid Exchange Matrices in Aligning Protein Sequences: The Twilight Zone Revisited, **249**, 816–831.

Resolution
Atomic Force Microscopy of Cholera Toxin B-oligomers Bound to Bilayers of Biologically Relevant Lipids, **248**, 507–512.

Resolvase
Structural Analysis of the RuvC-Holliday Junction Complex Reveals an Unfolded Junction, **252**, 213–226.

Resonance energy transfer
Interaction of Fcγ Receptor Type IIIB with Complement Receptor Type 3 in Fibroblast Transfectants: Evidence from Lateral Diffusion and Resonance Energy Transfer Studies, **247**, 597–603.

Response regulator
Nitrate and Nitrite Regulation of the Fnr-dependent *aeg-46.5* Promoter of *Escherichia coli* K-12 is Mediated by Competition Between Homologous Response Regulators (NarL and NarP) for a Common DNA-binding Site, **251**, 15–29.

Restrained molecular dynamics
Structure and Dynamics of Ferrocytochrome c_{553} from *Desulfovibrio Vulgaris* Studied by NMR Spectroscopy and Restrained Molecular Dynamics, **245**, 661–681.
Solution Structure of the HU Protein from *Bacillus stearothermophilus*, **254**, 692–703.

Restriction-modification
ATP Hydrolysis is Required for DNA Cleavage by *Eco*PI Restriction Enzyme, **247**, 559–567.
The *Sfi*I Restriction Endonuclease Makes a Four-strand DNA Break at Two Copies of its Recognition Sequence, **248**, 581–595.
An Extended −10 Promoter Alone Directs Transcription of the *Dpn*II Operon of *Streptococcus pneumoniae*, **250**, 144–155.
Probing the Domain Structure of the Type IC DNA Methyltransferase M.*Eco*R124I by Limited Proteolysis, **250**, 181–190.
DNA Cleavage at Two Recognition Sites by the *Sfi*I Restriction Endonuclease: Salt Dependence of *Cis* and *Trans* Interactions between Distant DNA Sites, **252**, 399–411.

Retinal structure
Three-dimensional Structure of Halorhodopsin at 7 Å Resolution, **247**, 726–738.

Retinoic acid
Crystal Structure of Cellular Retinoic Acid Binding Protein I Shows Increased Access to the Binding Cavity due to formation of an Intermolecular β-Sheet, **252**, 433–446.

Retro-binding peptide
Structure of a Retro-binding Peptide Inhibitor Complexed with Human α-Thrombin, **246**, 14–20.

Retrotransposon
Plus-strand DNA Synthesis of the Yeast Retrotransposon Ty1 is Initiated at Two Sites, PPT1 Next to the 3′ LTR and PPT2 Within the *pol* Gene. PPT1 is Sufficient for Ty1 Transposition, **253**, 291–303.

Retroviruses
Initiation of Reverse Transcription of HIV-1: Secondary Structure of the HIV-1 RNA/$tRNA^{Lys}_3$ (Template Primer), **247**, 236–250.
Requirements for DNA Strand Transfer During Reverse Transcription in Mutant HIV-1 Virions, **252**, 59–69.
First Glimpses at Structure-function Relationships of the Nucleocapsid Protein of Retroviruses, **254**, 523–537.

Rev
The Amino Terminal Domain of HIV-1 Rev is Required for Discrimination of the RRE from Nonspecific RNA, **253**, 243–258.

Reverse transcriptase
Dimerization Kinetics of HIV-1 and HIV-2 Reverse Transcriptase: A Two Step Process, **245**, 508–521.
Comprehensive Chemical Modification Interference and Nucleotide Substitution Analysis of an RNA Pseudoknot Inhibitor to HIV-1 Reverse Transcriptase, **247**, 60–68.
Requirements for DNA Strand Transfer During Reverse Transcription in Mutant HIV-1 Virions, **252**, 59–69.

Reverse transcription
Characterization of a Non-long Terminal Repeat Retrotransposon cDNA (L1Tc) from *Trypanosoma cruzi*: Homology of the First ORF with the Ape Family of DNA Repair Enzymes, **247**, 49–59.
Formation of Stable and Functional HIV-1 Nucleoprotein Complexes *in Vitro*, **252**, 563–571.
Plus-strand DNA Synthesis of the Yeast Retrotransposon Ty1 is Initiated at Two Sites, PPT1 Next to the 3′ LTR and PPT2 Within the *pol* Gene. PPT1 is Sufficient for Ty1 Transposition, **253**, 291–303.
First Glimpses at Structure-function Relationships of the Nucleocapsid Protein of Retroviruses, **254**, 523–537.

Rev-responsive element
The Amino Terminal Domain of HIV-1 Rev is Required for Discrimination of the RRE from Nonspecific RNA, **253**, 243–258.

hinovirus
A Novel Basis for Capsid Stabilization by Antiviral Compounds, **254**, 544–551.

ho factor
Analysis of *E. coli* Rho Factor: Mutations Affecting Secondary-site Interactions, **251**, 30–40.
Structural and Functional Dissections of Transcription Termination Factor Rho by Random Mutagenesis, **254**, 815–837.

hodophyte
Complete Sequence of the Mitochondrial DNA of the Rhodophyte *Chondrus crispus* (Gigartinales). Gene Content and Genome Organization, **250**, 484–495.

hodopsin
Mechanism of Photosensory Adaptation in *Halobacterium salinarium*, **246**, 493–499.

iboflavin biosynthesis
Studies on the Lumazine Synthase/Riboflavin Synthase Complex of *Bacillus subtilis*: Crystal Structure Analysis of Reconstituted, Icosahedral β-subunit Capsids with Bound Substrate Analogue Inhibitor at 2.4 Å Resolution, **253**, 151–167.

iboflavin synthase
Studies on the Lumazine Synthase/Riboflavin Synthase Complex of *Bacillus subtilis*: Crystal Structure Analysis of Reconstituted, Icosahedral β-subunit Capsids with Bound Substrate Analogue Inhibitor at 2.4 Å Resolution, **253**, 151–167.

ibonuclease A
Thermodynamics of Unfolding of Ribonuclease A under High Pressure. A Study by Proton NMR, **250**, 689–694.

Ribonuclease H
Backbone Dynamics of *Escherichia coli* Ribonuclease HI: Correlations with Structure and Function in an Active Enzyme, **246**, 144–163.
Molecular Dynamics Simulation of *E. coli* Ribonuclease H_1 in Solution: Correlation with NMR and X-ray Data and Insights into Biological Function, **254**, 771–792.

Ribonuclease P
Kinetics and Thermodynamics of the RNase P RNA Cleavage Reaction: Analysis of tRNA 3'-end Variants, **247**, 161–172.

Ribonuclease T_1
Non-prolyl *cis-trans* Peptide Bond Isomerization as a Rate-determining Step in Protein Unfolding and Refolding, **245**, 69–78.
Influence of Protein Conformation on Disulfide Bond Formation in the Oxidative Folding of Ribonuclease T_1, **251**, 135–149.

Ribonucleoprotein
A Yeast RNA Binding Protein that Resembles the Human Autoantigen La, **245**, 81–85.
Characterization of the 5 S RNA Binding Activity of *Xenopus* Zinc Finger Protein p43, **245**, 549–558.

Ribose-binding protein
Effect of Folding on the Export of Ribose-binding Protein Studied with the Genetically Isolated Suppressors for the Signal Sequence Mutation, **253**, 304–312.

Ribosomal A site
Evidence that Uncharged tRNA Can Inhibit a Programmed Translational Frameshift in *Escherichia coli*, **251**, 210–216.

Ribosomal binding site
Stabilised Secondary Structure at a Ribosomal Binding Site Enhances Translational Repression in *E. coli*, **253**, 277–290.

Ribosomal mobile elements
Characterization of a Non-long Terminal Repeat Retrotransposon cDNA (L1Tc) from *Trypanosoma cruzi*: Homology of the First ORF with the Ape Family of DNA Repair Enzymes, **247**, 49–59.

Ribosomal protein
Contributions of Multiple Basic Amino Acids in the C-Terminal Region of Yeast Ribosomal Protein L1 to 5 S rRNA Binding and 60 S Ribosome Stability, **246**, 295–307.

Ribosomal RNA
see rRNA.

Ribosome
Three-Dimensional Reconstruction of Mammalian 40 S Ribosomal Subunit Embedded in Ice, **245**, 461–466.
Contributions of Multiple Basic Amino Acids in the C-Terminal Region of Yeast Ribosomal Protein L1 to 5 S rRNA Binding and 60 S Ribosome Stability, **246**, 295–307.
Fine Structure of the Peptidyl Transferase Centre on 23 S-like rRNAs Deduced from Chemical Probing of Antibiotic-Ribosome Complexes, **247**, 224–235.
Specific Protection of 16 S rRNA by Translational Initiation Factors, **248**, 207–210.
Evolutionarily Conserved Structural Elements are Critical for Processing of Internal Transcribed Spacer 2 from *Saccharomyces cerevisiae* Precursor Ribosomal RNA, **250**, 24–36.
Structural Changes in Base-paired Region 28 in 16 S rRNA Close to the Decoding Region of the 30 S Ribosomal Subunit are Correlated to Changes in tRNA Binding, **250**, 407–419.
Elongation and Folding of Nascent Ricin Chains as Peptidyl-tRNA on Ribosomes: The Effect of Amino Acid Deletions on these Processes, **252**, 203–212.
Regions of 23 S Ribosomal RNA Proximal to Transfer RNA bound at the P and E Sites, **252**, 572–582.

Ribosome inactivating protein
Crystal Structure of Abrin-a at 2.14 Å, **250**, 354–367.
X-ray Structure of Gelonin at 1.8 Å Resolution, **250**, 368–380.
The Action of Pokeweed Antiviral Protein and Ricin A-chain on Mutants in the α-Sarcin Loop of *Escherichia coli* 23S Ribosomal RNA, **254**, 848–855.

Ribosome mutant
Ribosome Mutants with Altered Accuracy Translate with Reduced Processivity, **248**, 551–561.

Ribosome-binding site
An Extended −10 Promoter Alone Directs Transcription of the *Dpn*II Operon of *Streptococcus pneumoniae*, **250**, 144–155.
Stabilised Secondary Structure at a Ribosomal Binding Site Enhances Translational Repression in *E. coli*, **253**, 277–290.

Ribosomes T7 vectors
Consecutive Low-Usage Leucine Codons Block Translation Only When Near the 5' End of a Message in *Escherichia coli*, **245**, 467–473.

Ribozyme
Crystallization of RNA–Protein Complexes I. Methods for the Large-scale Preparation of RNA Suitable for Crystallographic Studies, **249**, 413–423.

Structure of the P1 Helix from Group I Self-splicing Introns, **250**, 333–353.
Modification of Primary Structures of Hairpin Ribozymes for Probing Active Conformations, **252**, 296–304.
Dissecting and Analyzing the Secondary Structure Domains of Group I Introns through the use of Chimeric Intron Constructs, **252**, 583–595.

Ricin
The Sarcin/Ricin Loop, a Molecular RNA, **247**, 81–98.
Elongation and Folding of Nascent Ricin Chains as Peptidyl-tRNA on Ribosomes: The Effect of Amino Acid Deletions on these Processes, **252**, 203–212.

Rieske protein
New Archaebacterial Genes Coding for Redox Proteins: Implications for the Evolution of Aerobic Metabolism, **250**, 202–210.

Rigid-body matching
Molecular Surface Complementarity at Protein-Protein Interfaces: The Critical Role Played by Surface Normals at Well Placed, Sparse, Points in Docking, **252**, 263–273.

Rigid-body movements
Automatic Analysis of Protein Conformational Changes by Multiple Linkage Clustering, **253**, 633–647.

RNA,
see also Antisense RNA, Catalytic RNA, dsRNA, Hammerhead RNA, mRNA, Pre-RNA, Satellite RNA, tRNA.
Comprehensive Chemical Modification Interference and Nucleotide Substitution Analysis of an RNA Pseudoknot Inhibitor to HIV-1 Reverse Transcriptase, **247**, 60–68.
Interaction of the RNA Binding Fingers of *Xenopus* Transcription Factor IIIA with Specific Regions of 5 S Ribosomal RNA, **248**, 44–57.
Determination of the Folding Topology of the SL1 RNA from *Caenorhabditis elegans* by Multidimensional Heteronuclear NMR, **252**, 314–327.
A Residue to Residue Hydrogen Bond Mediates the Nucleotide Specificity of Ribonuclease A, **252**, 328–336.
An Interactive Framework for RNA Secondary Structure Prediction with a Dynamical Treatment of Constraints, **254**, 163–174.

4.5S RNA
Use of Flow Cytometry to Identify a Caulobacter 4.5 S RNA Temperature-sensitive Mutant Defective in the Cell Cycle, **251**, 346–365.

5S RNA
Characterization of the 5 S RNA Binding Activity of *Xenopus* Zinc Finger Protein p43, **245**, 549–558.
Interaction of the RNA Binding Fingers of *Xenopus* Transcription Factor IIIA with Specific Regions of 5 S Ribosomal RNA, **248**, 44–57.

RNA binding
An RBD that Does Not Bind RNA: NMR Secondary Structure Determination and Biochemical Properties of the C-terminal RNA Binding domain from the Human U1A protein, **247**, 739–752.
Functional Characterization of the RNA-Binding Domain and Motif of the Double-stranded RNA-dependent Protein Kinase DAI (PKR), **249**, 29–44.
RNA Binding, Packaging and Polymerase Activities of the Different Incomplete Polymerase Complex Particles of dsRNA Bacteriophage Φ6, **249**, 545–554.
Analysis of *E. coli* Rho Factor: Mutations Affecting Secondary-site Interactions, **251**, 30–40.
Structural and Functional Dissections of Transcription Termination Factor Rho by Random Mutagenesis, **254**, 815–837.

RNA binding protein
The Amino Terminal Domain of HIV-1 Rev is Required for Discrimination of the RRE from Nonspecific RNA, **253**, 243–258.
Genomic Organization and Chromosomal Location of the Human dsRNA Adenosine Deaminase Gene: The Enzyme for Glutamate-activated Ion Channel RNA Editing, **254**, 184–195.
Solution Structure of the Ribosome-binding Domain of *E. coli* Translation Initiation Factor IF3. Homology with the U1A Protein of the Eukaryotic Spliceosome, **254**, 247–259.

RNA coliphage
Secondary Structure Model for the Last Two Domains of Single-stranded RNA Phage Qβ, **247**, 903–917.
A Complete Plasmid-based Complementation System for RNA Coliphage Qβ: Three Proteins of Bacteriophages Qβ (Group III) and SP (Group IV) can be Interchanged, **249**, 283–297.

RNA crystallization
Rapid Crystallization of Chemically Synthesized Hammerhead RNAs using a Double Screening Procedure, **250**, 327–332.

RNA editing
Genomic Organization and Chromosomal Location of the Human dsRNA Adenosine Deaminase Gene: The Enzyme for Glutamate-activated Ion Channel RNA Editing, **254**, 184–195.

RNA folding
Thermodynamics of RNA Unfolding: Stabilization of a Ribosomal RNA Tertiary Structure by Thiostrepton and Ammonium Ion, **249**, 231–238.
The Computer Simulation of RNA Folding Pathways Using a Genetic Algorithm, **250**, 37–51.

RNA hairpins
Determinants of RNA Hairpin Loop–Loop Complex Stability, **248**, 968–984.

RNA I
Assessment of Quantitative Models for Plasmid ColE1 Copy Number Control, **248**, 211–219.

RNA II
Assessment of Quantitative Models for Plasmid ColE1 Copy Number Control, **248**, 211–219.

RNA ligase
Phage T4-coded Stp: Double-Edged Effector of Coupled DNA and tRNA-Restriction Systems, **249**, 857–868.

RNA metal ion binding
Determinants of RNA Hairpin Loop–Loop Complex Stability, **248**, 968–984.

RNA packaging *in vitro*
In vitro Packaging of the Single-stranded RNA Genomic Precursors of the Segmented Double-stranded RNA Bacteriophage φ6: The Three Segments Modulate Each Other's Packaging Efficiency, **246**, 420–423.

RNA phage evolution
A Complete Plasmid-based Complementation System for RNA Coliphage Qβ: Three Proteins of Bacteriophages Qβ (Group III) and SP (Group IV) can be Interchanged, **249**, 283–297.
RNA Binding, Packaging and Polymerase Activities of the Different Incomplete Polymerase Complex Particles of dsRNA Bacteriophage Φ6, **249**, 545–554.

NA polymerase
Inhibition of Transcription Initiation by *lac* Repressor, **245**, 331–350.
Role of NusA in L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 474–485.
The Bacteriophage N4-coded Single-stranded DNA-binding Protein (N4SSB) is the Transcriptional Activator of *Escherichia coli* RNA Polymerase at N4 Late Promoters, **246**, 461–471.
NusA Contacts Nascent RNA in *Escherichia coli* Transcription Complexes, **247**, 547–558.
Structural Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Structural Domains Identified by Proteolytic Cleavage, **248**, 723–728.
The *Bacillus subtilis* Flagellar Regulatory Protein σ^D: Overproduction, Domain Analysis and DNA-binding Properties, **249**, 743–753.
Structural Analysis of the *Bacillus subtilis* δ Factor: A Protein Polyanion which Displaces RNA from RNA Polymerase, **252**, 189–202.
Sequence-specific Interactions Between Promoter DNA and the RNA Polymerase Sigma Factor E, **253**, 8–16.
Heterogeneity of *E. coli* RNA Polymerase Revealed by High Pressure, **253**, 259–265.
Requirement of a 3'-Terminal Stem-loop in *in Vitro* Transcription by an RNA-dependent RNA Polymerase, **254**, 6–14.
Regulation of *codBA* Operon Expression in *Escherichia coli* by UTP-dependent Reiterative Transcription and UTP-sensitive Transcriptional Start Site Switching, **254**, 552–565.
Adjacent Upstream Superhelical Writhe Influences an *Escherichia coli* Promoter as Measured by *in Vivo* Strength and *in Vitro* Open Complex Formation, **254**, 566–578.
Kinetics of RNA Polymerase Initiation and Pausing at the Lambda Late Gene Promoter *in vivo*, **254**, 808–814.

NA polymerase II
Tat Functions to Stimulate the Elongation Properties of Transcription Complexes Paused by the Duplicated TAR RNA Element of Human Immunodeficiency Virus 2, **254**, 350–363.

NA polymerase III
Repression of Vertebrate RNA Polymerase III Transcription by DNA Binding Proteins Located Upstream from the Transcription Start Site, **250**, 315–326.

NA processing
Immunity Determinant of Phage-plasmid P4 is a Short Processed RNA, **249**, 869–878.
Evolutionarily Conserved Structural Elements are Critical for Processing of Internal Transcribed Spacer 2 from *Saccharomyces cerevisiae* Precursor Ribosomal RNA, **250**, 24–36.

NA protein binding
Characterization of the Pre-mRNA Binding Site for Yeast Ribosomal Protein L32: The Importance of a Purine-rich Internal Loop, **250**, 447–459.

NA pseudoknot
The Structure of an RNA Pseudoknot that Causes Efficient Frameshifting in Mouse Mammary Tumor Virus, **247**, 963–978.
The Computer Simulation of RNA Folding Pathways Using a Genetic Algorithm, **250**, 37–51.

RNA purification
Crystallisation of RNA–Protein Complexes II. The Application of Protein Engineering for Crystallisation of the U1A Protein–RNA Complex, **249**, 398–412.

RNA replicase
Involvement of a Stem-loop Structure in the Location of Junction Sites in Viral RNA Recombination, **245**, 608–622.
A Complete Plasmid-based Complementation System for RNA Coliphage Qβ: Three Proteins of Bacteriophages Qβ (Group III) and SP (Group IV) can be Interchanged, **249**, 283–297.

RNA replication
Involvement of a Stem-loop Structure in the Location of Junction Sites in Viral RNA Recombination, **245**, 608–622.
The Mutant Distribution of an RNA Species Replicated by Qβ Replicase, **249**, 754–762.
Requirement of a 3'-Terminal Stem-loop in *in Vitro* Transcription by an RNA-dependent RNA Polymerase, **254**, 6–14.

RNA splicing
Bulge-Induced Bends in RNA: Quantification by Transient Electric Birefringence, **247**, 486–500.

RNA stability
Determinants of RNA Hairpin Loop–Loop Complex Stability, **248**, 968–984.
Characterization of the Pre-mRNA Binding Site for Yeast Ribosomal Protein L32: The Importance of a Purine-rich Internal Loop, **250**, 447–459.

RNA stem-loops
Structure of the P1 Helix from Group I Self-splicing Introns, **250**, 333–353.

RNA structure
RNA Determinants Required for L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 486–498.
Involvement of a Stem-loop Structure in the Location of Junction Sites in Viral RNA Recombination, **245**, 608–622.
Bulge-Induced Bends in RNA: Quantification by Transient Electric Birefringence, **247**, 486–500.
Secondary Structure Model for the Last Two Domains of Single-stranded RNA Phage Qβ, **247**, 903–917.
Identification of Base-triples in RNA using Comparative Sequence Analysis, **248**, 27–43.
Determinants of RNA Hairpin Loop–Loop Complex Stability, **248**, 968–984.
Pseudoknot in Domain II of 23 S rRNA is Essential for Ribosome Function, **249**, 59–68.
Crystal Structure of an RNA Dodecamer Containing the *Escherichia coli* Shine-Dalgarno Sequence, **249**, 595–603.
Rapid Crystallization of Chemically Synthesized Hammerhead RNAs using a Double Screening Procedure, **250**, 327–332.
Structure of the P1 Helix from Group I Self-splicing Introns, **250**, 333–353.
Characterization of the Pre-mRNA Binding Site for Yeast Ribosomal Protein L32: The Importance of a Purine-rich Internal Loop, **250**, 447–459.
Requirements for DNA Strand Transfer During Reverse Transcription in Mutant HIV-1 Virions, **252**, 59–69.

RNA structure prediction
The Computer Simulation of RNA Folding Pathways Using a Genetic Algorithm, **250**, 37–51.

RNA synthesis
Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Insertion Analysis of the Amino-terminal Assembly Domain, **248**, 756–767.
Functional Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Amino Acid Substitution within the Amino-terminal Assembly Domain, **254**, 342–349.

RNA tetraloop
Secondary Structure Model for the Last Two Domains of Single-stranded RNA Phage Qβ, **247**, 903–917.

RNA virus
Involvement of a Stem-loop Structure in the Location of Junction Sites in Viral RNA Recombination, **245**, 608–622.
Requirement of a 3'-Terminal Stem-loop in *in Vitro* Transcription by an RNA-dependent RNA Polymerase, **254**, 6–14.

RNA-polymerases
Triple-Helix Specific Ligands Stabilize *H*-DNA Conformation, **247**, 847–858.

RNA-protein
Characterization of the 5 S RNA Binding Activity of *Xenopus* Zinc Finger Protein p43, **245**, 549–558.

RNA-protein interaction
Contributions of Multiple Basic Amino Acids in the C-Terminal Region of Yeast Ribosomal Protein L1 to 5 S rRNA Binding and 60 S Ribosome Stability, **246**, 295–307.
Bulge-Induced Bends in RNA: Quantification by Transient Electric Birefringence, **247**, 486–500.
Functional Characterization of the RNA-Binding Domain and Motif of the Double-stranded RNA-dependent Protein Kinase DAI (PKR), **249**, 29–44.
Crystallisation of RNA–Protein Complexes II. The Application of Protein Engineering for Crystallisation of the U1A Protein–RNA Complex, **249**, 398–412.
Crystallization of RNA–Protein Complexes I. Methods for the Large-scale Preparation of RNA Suitable for Crystallographic Studies, **249**, 413–423.
Solution Structure of the Anticodon-binding Domain of *Escherichia coli* Lysyl-tRNA Synthetase and Studies of its Interaction with $tRNA^{Lys}$, **253**, 100–113.

RNA–protein recognition
The Structure of the Human Immunodeficiency Virus Type-1 TAR RNA Reveals Principles of RNA Recognition by Tat Protein, **253**, 313–332.

RNA–RNA interaction
Initiation of Reverse Transcription of HIV-1: Secondary Structure of the HIV-1 RNA/$tRNA^{Lys}_3$ (Template Primer), **247**, 236–250.
Determinants of RNA Hairpin Loop–Loop Complex Stability, **248**, 968–984.
Crystal Structure of an RNA Dodecamer Containing the *Escherichia coli* Shine-Dalgarno Sequence, **249**, 595–603.
Immunity Determinant of Phage-plasmid P4 is a Short Processed RNA, **249**, 869–878.

RNase H
see Ribonuclease H.

RNase P
see Ribonuclease P.
Immunity Determinant of Phage-plasmid P4 is a Short Processed RNA, **249**, 869–878.

RNase protection assay
Targeted Disruption of an H3-IV/H3-V Gene Pair Causes Increased Expression of the Remaining H3 Genes in the Chicken DT40 Cell Line, **250**, 420–433.
Targeted Disruption of *01H1* Encoding a Particular H1 Histone Variant Causes Changes in Protein Patterns in the DT40 Chicken B Cell Line, **254**, 869–880.

***rocR* regulatory gene**
Expression of the *rocDEF* Operon Involved in Arginine Catabolism in *Bacillus subtilis*, **249**, 843–856.

Rod region homology
Exclusive Expression of *C. elegans osm*-3 Kinesin Gene in Chemosensory Neurons Open to the External Environment, **247**, 377–389.

Rolling-circle replication
Modelling Viral Evolution *in Vitro* Using exo$^-$ Klenow Polymerase: Continuous Selection of Strand Displacement Amplified DNA that Binds an Oligodeoxynucleotide to Form a Triple-helix, **254**, 856–868.

Root effect
Structure of Deoxyhaemoglobin of the Antarctic Fish *Pagothenia bernacchii* with an Analysis of the Structural Basis of the Root Effect by Comparison of the Liganded and Unliganded Haemoglobin Structures, **250**, 648–658.

Rotational symmetry
Homology in Structural Organization Between *E. coli* ClpAP Protease and the Eukaryotic 26 S Proteasome, **250**, 587–594.

RPA
Mutations in the Gene Encoding the 34 kDA Subunit of Yeast Replication Protein A Cause Defective S Phase Progression, **254**, 595–607.

rpoD
Changes in Conserved Region 3 of *Escherichia coli* σ^{70} Mediate ppGpp-dependent Functions *In Vivo*, **252**, 536–549.

rpoS
Changes in Conserved Region 3 of *Escherichia coli* σ^{70} Mediate ppGpp-dependent Functions *In Vivo*, **252**, 536–549.

r-protein L4
Role of NusA in L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 474–485.
RNA Determinants Required for L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 486–498.

rRNA
The Sarcin/Ricin Loop, a Molecular RNA, **247**, 81–98.
Specific Protection of 16 S rRNA by Translational Initiation Factors, **248**, 207–210.
Evolutionarily Conserved Structural Elements are Critical for Processing of Internal Transcribed Spacer 2 from *Saccharomyces cerevisiae* Precursor Ribosomal RNA, **250**, 24–36.
Structural Changes in Base-paired Region 28 in 16 S rRNA Close to the Decoding Region of the 30 S Ribosomal Subunit are Correlated to Changes in tRNA Binding, **250**, 407–419.
The Mitochondrial LSU rDNA of the Brown Alga *Pylaiella littoralis* Reveals α-Proteobacterial Features and is Split by Four Group IIB Introns with an Atypical Phylogeny, **251**, 378–389.

23 S rRNA
Regions of 23 S Ribosomal RNA Proximal to Transfer RNA bound at the P and E Sites, **252**, 572–582.
The Involvement of Two Distinct Regions of 23 S Ribosomal RNA in tRNA Selection, **254**, 838–847.

The Action of Pokeweed Antiviral Protein and Ricin A-chain on Mutants in the α-Sarcin Loop of *Escherichia coli* 23S Ribosomal RNA, **254**, 848–855.

5 S rRNA
Contributions of Multiple Basic Amino Acids in the C-Terminal Region of Yeast Ribosomal Protein L1 to 5 S rRNA Binding and 60 S Ribosome Stability, **246**, 295–307.

RNA conformation
The Action of Pokeweed Antiviral Protein and Ricin A-chain on Mutants in the α-Sarcin Loop of *Escherichia coli* 23S Ribosomal RNA, **254**, 848–855.

RNA function
Pseudoknot in Domain II of 23 S rRNA is Essential for Ribosome Function, **249**, 59–68.

RNA mutants
Mapping Important Nucleotides in the Peptidyl Transferase Centre of 23 S rRNA using a Random Mutagenesis Approach, **249**, 1–10.

RNA promoter
The Transcriptional Activator Protein FIS: DNA Interactions and Cooperative Interactions with RNA Polymerase at the *Escherichia coli rrnB* P1 Promoter, **245**, 197–207.

rrnB
Changes in Conserved Region 3 of *Escherichia coli* σ^{70} Mediate ppGpp-dependent Functions *In Vivo*, **252**, 536–549.

Rubredoxin type proteins
Crystal Structure of Desulforedoxin from *Desulfovibrio gigas* Determined at 1.8 Å Resolution: A Novel Non-heme Iron Protein Structure, **251**, 690–702.

S phase
Disparate Replication Properties of Integrated and Extrachromosomal Forms of Bovine Papilloma Virus in ID13 Cells, **254**, 119–129.

U2 S RNP
Characterization of the 5 S RNA Binding Activity of *Xenopus* Zinc Finger Protein p43, **245**, 549–558.

Saccharide plasticity
Solution Structure of Mithramycin Dimers Bound to Partially Overlapping Sites on DNA, **251**, 674–689.

Saccharide-DNA interactions in minor groove
Solution Structure of Mithramycin Dimers Bound to Partially Overlapping Sites on DNA, **251**, 674–689.

***Saccharomyces cerevisiae* (*S. cerevisiae*)**
A Yeast RNA Binding Protein that Resembles the Human Autoantigen La, **245**, 81–85.
NCA2, A Second Nuclear Gene Required for the Control of Mitochondrial Synthesis of Subunits 6 and 8 of ATP Synthase in *Saccharomyces Cerevisiae*, **247**, 588–596.
Allosteric Regulation of Carbamoylphosphate Synthetase-Aspartate Transcarbamylase Multifunctional Protein of *Saccharomyces cerevisiae*: Selection, Mapping and Identification of Missense Mutations Define Three Regions Involved in Feedback Inhibition by UTP, **248**, 639–652.
Novel Mutagenic Properties of Abasic Sites in *Saccharomyces cerevisiae*, **251**, 229–236.
Regions of 23 S Ribosomal RNA Proximal to Transfer RNA bound at the P and E Sites, **252**, 572–582.

Salt bridge
Conservation of Salt Bridges in Protein Families, **248**, 125–135.

α-Sarcin loop
The Sarcin/Ricin Loop, a Molecular RNA, **247**, 81–98.
The Action of Pokeweed Antiviral Protein and Ricin A-chain on Mutants in the α-Sarcin Loop of *Escherichia coli* 23S Ribosomal RNA, **254**, 848–855.

Sarcomere
Defects in the *Drosophila* Myosin Rod Permit Sarcomere Assembly but Cause Flight Muscle Degeneration, **249**, 111–125.

Sarcoplasmic reticulum
Structural Model of the Phospholamban Ion Channel Complex in Phospholipid Membranes, **248**, 824–834.

Satellite RNA
Involvement of a Stem-loop Structure in the Location of Junction Sites in Viral RNA Recombination, **245**, 608–622.
Requirement of a 3'-Terminal Stem-loop in *in Vitro* Transcription by an RNA-dependent RNA Polymerase, **254**, 6–14.

Saturation kinetics
Characterization of the Interaction between the Lambda Intasome and *att*B, **252**, 47–58.

Saturation mutagenesis
Activity of a *C. elegans* GATA Transcription Factor, ELT-1, Expressed in Yeast, **253**, 665–676.

Scanning alanine mutagenesis
Functional Linkage Between the Active Site of α-Lytic Protease and Distant Regions of Structure: Scanning Alanine Mutagenesis of a Surface Loop Affects Activity and Substrate Specificity, **251**, 116–134.

Scapharca inaequivalvis
A Single Mutation (Thr72 → Ile) at the Subunit Interface is Crucial for the Functional Properties of the Homodimeric Co-operative Haemoglobin from *Scapharca inaequivalvis*, **248**, 910–917.

Schellman motifs
Experimental Analysis of the Schellman Motif, **251**, 150–160.

Schistosomiasis
Crystal Structures of a Schistosomal Drug and Vaccine Target: Glutathione S-Transferase from *Schistosoma japonica* and its Complex with the Leading Antischistosomal Drug Praziquantel, **246**, 21–27.

Scyllatoxin
Determination of the Three-dimensional Solution Structure of Scyllatoxin by ^{1}H Nuclear Magnetic Resonance, **253**, 590–603.

Secondary structure
see also Protein structure; RNA structure.
Structural Model of the Phospholamban Ion Channel Complex in Phospholipid Membranes, **248**, 824–834.
The Secondary Structure of the Adenovirus-2 L4 Polyadenylation Domain: Evidence for a Hairpin Structure Exposing the AAUAAA Signal in its Loop, **248**, 525–540.
Structural Changes in Base-paired Region 28 in 16 S rRNA Close to the Decoding Region of the 30 S Ribosomal Subunit are Correlated to Changes in tRNA Binding, **250**, 407–419.
Structural Organization and Assembly of Flagellar Hook Protein from *Salmonella typhimurium*, **251**, 520–532.

An Interactive Framework for RNA Secondary Structure Prediction with a Dynamical Treatment of Constraints, **254**, 163–174.
Comparison between the ϕ Distribution of the Amino Acids in the Protein Database and NMR Data Indicates that Amino Acids have Various ϕ Propensities in the Random Coil Conformation, **254**, 322–333.

Secondary structure prediction
Secondary structure prediction, **245**, 180–194.
Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. II Helix Macrodipole Effects and Rational Modification of the Helical Content of Natural Peptides, **245**, 275–296.
High Helical Propensity of the Peptide Fragments Derived from β-Lactoglobulin, a Predominantly β-sheet Protein, **254**, 737–746.

Secretion
Determination of K_m and k_{cat} for Signal Peptidase I Using a Full Length Secretory Precursor, pro-OmpA-nuclease A, **245**, 311–314.
Molecular Analysis of an A-protein Secretion Mutant of *Aeromonas salmonicida* Reveals a Surface Layer-specific Protein Secretion Pathway, **248**, 316–327.

Secretion-deficient mutant
Production of a Chimeric Fibroin Light-chain Polypeptide in a Fibroin Secretion-deficient Naked Pupa Mutant of the Silkworm *Bombyx mori*, **251**, 217–228.

Seed protein
Crystal Structure of Concanavalin B at 1.65 Å Resolution. An "Inactivated" Chitinase from Seeds of *Canavalia ensiformis*, **254**, 237–246.

Segmented genome
In vitro Packaging of the Single-stranded RNA Genomic Precursors of the Segmented Double-stranded RNA Bacteriophage ϕ6: The Three Segments Modulate Each Other's Packaging Efficiency, **246**, 420–423.

Selectable marker
GABA Receptor Minigene Rescues Insecticide Resistance Phenotypes in *Drosophila*, **253**, 223–227.

Selection
Selection of Ten Base-pair Sequences which Enhance the Response of the Gal1 Minimal Promoter to Murine Hoxa-7 in Yeast, **247**, 173–190.
The Mutant Distribution of an RNA Species Replicated by Qβ Replicase **249**, 754–762.
Modelling Viral Evolution *in Vitro* Using exo⁻ Klenow Polymerase: Continuous Selection of Strand Displacement Amplified DNA that Binds an Oligodeoxynucleotide to Form a Triple-helix, **254**, 856–868.

Self-assembly
Simple Physical Model of Collagen Fibrillogenesis Based on Diffusion Limited Aggregation, **247**, 823–831.
N-Terminal 33 Amino Acid Residues of *Escherichia coli* RecA Protein Contribute to its Self-assembly, **250**, 471–483.

Self-splicing
Dissecting and Analyzing the Secondary Structure Domains of Group I Introns through the use of Chimeric Intron Constructs, **252**, 583–595.

Sensor protein
In Vivo Characterization of the Unorthodox BvgS Two-component Sensor Protein of *Bordetella pertussis*, **248**, 596–610.

Sensory rhodopsin I
Mechanism of Photosensory Adaptation in *Halobacterium salinarium*, **246**, 493–499.

Sequence alignment
Alignment/Phylogeny of the Papain Superfamily of Cysteine Proteases, **246**, 273–283.
Structural Comparison of Cuticle and Interstitial Collagens from Annelids Living in Shallow Sea-water and at Deep-sea Hydrothermal Vents, **246**, 284–294.
Identification and Analysis of Multigene Families by Comparison of Exon Fingerprints, **249**, 342–359.
An Assessment of Amino Acid Exchange Matrices in Aligning Protein Sequences: The Twilight Zone Revisited, **249**, 816–831.
Recurring Local Sequence Motifs in Proteins, **251**, 176–187.
Refined Crystal Structure of Recombinant Murine Interferon-β at 2.15 Å Resolution, **253**, 187–207.

Sequence conservation
CH/π Interaction in the Packing of the Adenine Ring in Protein Structures, **251**, 9–14.

Sequence dependence
Translational Positioning of Nucleosomes on DNA: The Role of Sequence-dependent Isotropic DNA Bending Stiffness, **247**, 918–931.

Sequence heterogeneity
The Mutant Distribution of an RNA Species Replicated by Qβ Replicase, **249**, 754–762.

Sequence logo
Determination of the Binding Sites of RepA, a Replication Initiator Protein of the Basic Replicon of the IncN Group Plasmid pCU1, **246**, 595–608.

Sequence motifs
Recurring Local Sequence Motifs in Proteins, **251**, 176–187.

Sequence-specific DNA structure
Sequence-dependent Microheterogeneity of Z-DNA: The Crystal and Molecular Structures of d(CACGCG)·d(CGCGTG) and d(CGCACG)·d(CGTGCG), **248**, 918–930.

Sequential repressor-operator complexes
Transcription of *repA*, the Gene of the Initiation Protein of the *Pseudomonas* Plasmid pPS10, is Autoregulated by Interactions of the RepA Protein at a Symmetrical Operator, **247**, 211–223.

Serine
Differential Codon Usage for Conserved Amino Acids: Evidence that the Serine Codons TCN were Primordial, **250**, 123–127.

Serine endopeptidase
Crystallographic Study of a Cleaved, Non-activatable Form of Porcine Zymogen E, **252**, 20–24.

Serine phosphorylation
The 1.9 Å Crystal Structure of a Nucleoside Diphosphate Kinase Complex with Adenosine 3',5'-Cyclic Monophosphate: Evidence for Competitive Inhibition, **249**, 665–674.

Serine proteases
Structure of a Retro-binding Peptide Inhibitor Complexed with Human α-Thrombin, **246**, 14–20.
Crystal Structure of the Catalytic Domain of the Chemotaxis Receptor Methylesterase, CheB, **250**, 276–290.

Site-directed Mutagenesis of Proteolytic Antibody Light Chain, **253**, 658–664.

ine-threonine kinase
Genetic Dissection of Intersubunit Contacts Within Human Protein Kinase CK2, **253**, 703–711.

ralysin
Crystal Structure of a Complex Between *Serratia marcescens* Metallo-protease and an Inhibitor from *Erwinia chrysanthemi*, **248**, 653–661.

verin
Structure of Severin Domain 2 in Solution, **247**, 21–27.

I2 domain
The Crystal Structures of the SH2 Domain of $p56^{lck}$ Complexed with Two Phosphonopeptides Suggest a Gated Peptide Binding Site, **246**, 344–355.
Crystal Structure of the SH2 Domain from the Adaptor Protein SHC: A Model for Peptide Binding Based on X-ray and NMR Data, **254**, 86–95.

I3 domain
The Order of Secondary Structure Elements does not Determine the Structure of a Protein but does Affect its Folding Kinetics, **247**, 670–681.
The Complete Primary Structure of Human Nebulin and its Correlation to Muscle Structure, **248**, 308–315.
The Crystal Structure of the N-terminal SH3 Domain of Grb2, **248**, 856–866.

HC
Crystal Structure of the SH2 Domain from the Adaptor Protein SHC: A Model for Peptide Binding Based on X-ray and NMR Data, **254**, 86–95.

ieared G·A pairs
The Structure of a Novel DNA Duplex Formed by Human Centromere d(TGGAA) Repeats with Possible Implications for Chromosome Attachment during Mitosis, **254**, 623–637.

Sheet
Coulombic Interactions Between Partially Charged Main-chain Atoms Not Hydrogen-bonded to Each Other Influence the Conformations of α-Helices and Antiparallel β-Sheet. A New Method for Analysing the Forces Between Hydrogen Bonding Groups in Proteins Includes All the Coulombic Interactions, **248**, 361–373.
Coulombic Attractions Between Partially Charged Main Chain Atoms Stabilise the Right-handed Twist Found in Most β-Strands, **248**, 374–384.
Tendamistat as a Scaffold for Conformationally Constrained Phage Peptide Libraries, **250**, 460–470.
Conformational Transitions in Peptides Containing Two Putative α-Helices of the Prion Protein, **250**, 514–526.
Free Energy Determinants of Secondary Structure Formation: II. Antiparallel β-Sheets, **252**, 366–376.
X-ray Diffraction of Scrapie Prion Rods and PrP Peptides, **252**, 412–422.
Comparison between the φ Distribution of the Amino Acids in the Protein Database and NMR Data Indicates that Amino Acids have Various φ Propensities in the Random Coil Conformation, **254**, 322–333.

hine-Dalgarno interaction
Crystal Structure of an RNA Dodecamer Containing the *Escherichia coli* Shine-Dalgarno Sequence, **249**, 595–603.

huttle vector
Characteristics of UV-induced Mutation Spectra in Human XP-D/ERCC2 Gene-mutated Xeroderma Pigmentosum and Trichothiodystrophy Cells, **252**, 550–562.

Side-chain interactions
Experimental Analysis of the Schellman Motif, **251**, 150–160.

***sigL* gene**
Expression of the *rocDEF* Operon Involved in Arginine Catabolism in *Bacillus subtilis*, **249**, 843–856.

Sigma factor
A Hybrid Sigma Subunit Directs RNA Polymerase to a Hybrid Promoter in *Escherichia coli*, **246**, 563–571.
Core RNA Polymerase and Promoter DNA Interactions of Purified Domains of σ^N: Bipartite Functions, **248**, 781–803.
The *Bacillus subtilis* Flagellar Regulatory Protein σ^D: Overproduction, Domain Analysis and DNA-binding Properties, **249**, 743–753.
Structural Analysis of the *Bacillus subtilis* δ Factor: A Protein Polyanion which Displaces RNA from RNA Polymerase, **252**, 189–202.
Sequence-specific Interactions Between Promoter DNA and the RNA Polymerase Sigma Factor E, **253**, 8–16.

Sigma54
Constitutive Forms of the Enhancer-binding Protein NtrC: Evidence that Essential Oligomerization Determinants Lie in the Central Activation Domain, **249**, 700–713.

Signal assignment
Three-dimensional Dimer Structure of the λ-Cro Repressor in Solution as Determined by Heteronuclear Multidimensional NMR, **254**, 668–680.

Signal peptidase I
Determination of K_m and k_{cat} for Signal Peptidase I Using a Full Length Secretory Precursor, pro-OmpA-nuclease A, **245**, 311–314.

Signal peptide
Multiple Crystal Forms of Endoglucanase CelD: Signal Peptide Residues Modulate Lattice Formation, **248**, 225–232.

Signal transduction
In Vivo Characterization of the Unorthodox BvgS Two-component Sensor Protein of *Bordetella pertussis*, **248**, 596–610.
Crystal Structure of the Catalytic Domain of the Chemotaxis Receptor Methylesterase, CheB, **250**, 276–290.
The *tpa-1* Gene of *Caenorhabditis elegans* Encodes Two Proteins Similar to Ca^{2+}-independent Protein Kinase Cs: Evidence by Complete Genomic and Complementary DNA Sequences of the *tpa-1* Gene, **251**, 477–485.
Crystal Structure of the SH2 Domain from the Adaptor Protein SHC: A Model for Peptide Binding Based on X-ray and NMR Data, **254**, 86–95.

Signal transmission
Intramolecular Transmission of the ATP Regulatory Signal in *Escherichia coli* Aspartate Transcarbamylase: Specific Involvement of a Clustered Set of Amino Acid Interactions at an Interface Between Regulatory and Catalytic Subunits, **246**, 132–143.

Signalling mechanism
A Model for Transmembrane Signalling by the Aspartate Receptor Based on Random-cassette Mutagenesis and Site-directed Disulfide Cross-linking, **253**, 530–546.

Silica gel
Fixation of the Quaternary Structures of Human Adult Haemoglobin by Encapsulation in Transparent Porous Silica Gels, **251**, 203–209.

Simulated annealing
Calculation of Protein Structures with Ambiguous Distance Restraints. Automated Assignment of Ambiguous NOE Crosspeaks and Disulphide Connectivities, **245**, 645–660.
Structure and Dynamics of Ferrocytochrome c_{553} from *Desulfovibrio Vulgaris* Studied by NMR Spectroscopy and Restrained Molecular Dynamics, **245**, 661–681.
Three-dimensional Structure of a Lipoyl Domain from the Dihydrolipoyl Acetyltransferase Component of the Pyruvate Dehydrogenase Multienzyme Complex of *Escherichia coli*, **248**, 328–343.
Solution Structure of the GTPase Activating Domain of α_s, **254**, 681–691.

SIN4
The *KIN28* Gene is Required both for RNA Polymerase II Mediated Transcription and Phosphorylation of the Rpb1p CTD, **249**, 535–544.

SINEs
Polymorphic SINEs in Chironomids with DNA Derived from the R2 Insertion Site, **245**, 34–42.
Identification in the Human Genome of Mobile Elements Spread by DNA-mediated Transposition, **254**, 1–5.

Single crystal polarized absorption microspectrophotometry
Structure and Oxygen Affinity of Crystalline DesArg141α Human Hemoglobin A in the T State, **248**, 136–150.

Single particle classification
Structural Plasticity of the Nuclear Pore Complex, **248**, 273–293.

Single-chain Fv fragments
Tetravalent Miniantibodies with High Avidity Assembling in *Escherichia coli*, **246**, 28–34.

Single-stranded DNA-binding protein
The Bacteriophage N4-coded Single-stranded DNA-binding Protein (N4SSB) is the Transcriptional Activator of *Escherichia coli* RNA Polymerase at N4 Late Promoters, **246**, 461–471.

Site-directed mutagenesis
see also Mutagenesis.
Structural and Functional Effects of Apolar Mutations of the Distal Valine in Myoglobin, **245**, 416–436.
Dissection of Protein-Carbohydrate Interactions in Mutant Hen Egg-white Lysozyme Complexes and their Hydrolytic Activity, **247**, 281–293.
A Single Mutation (Thr72 → Ile) at the Subunit Interface is Crucial for the Functional Properties of the Homodimeric Co-operative Haemoglobin from *Scapharca inaequivalvis*, **248**, 910–917.
The Roles of Arginine 41 and Tyrosine 76 in the Coupling of DNA Recognition to Phosphodiester Bond Cleavage by DNase I: a Study using Site-directed Mutagenesis, **251**, 366–377.
6-Pyruvoyl Tetrahydropterin Synthase, An Enzyme With a Novel Type of Active Site Involving Both Zinc Binding and an Intersubunit Catalytic Triad Motif; Site-directed Mutagenesis of the Proposed Active Center, Characterization of the Metal Binding Sit and Modelling of Substrate Binding, **253**, 358–369.
Framework Residues 71 and 93 of the Chimeric B72.3 Antibody are Major Determinants of the Conformation of Heavy-chain Hypervariable Loops, **253**, 385–390.
Mutations at Positions 153 and 328 in *Escherichia coli* Alkaline Phosphatase Provide Insight Towards the Structure and Function of Mammalian and Yeast Alkaline Phosphatases, **253**, 604–617.

Site-specific DNA recognition
Single Base-pair Precision and Structural Rigidity in a Small IHF-induced DNA Loop, **253**, 228–242.

Site-specific lesion
Novel Mutagenic Properties of Abasic Sites in *Saccharomyces cerevisiae*, **251**, 229–236.

Site-specific recombination
The Role of DNA Bending in Flp-mediated Site-specific Recombination, **251**, 493–506.
Characterization of the Interaction between the Lambda Intasome and *att*B, **252**, 47–58.
Single Base-pair Precision and Structural Rigidity in a Small IHF-induced DNA Loop, **253**, 228–242.

Site-specific topoisomerase
Determination of Sequence Specificity between a Plasmid Replication Initiator Protein and the Origin of Replication, **254**, 381–391.

Size determination
Assembly *in Vitro* of Bacteriophage HK97 Proheads, **253**, 74–85.

S-layer
Tetrabrachion: A Filamentous Archaebacterial Surface Protein Assembly of Unusual Structure and Extreme Stability, **245**, 385–401.
Tyrosine Phosphorylation of the Tetragonal Paracrystalline Array of *Aeromonas hydrophila*: Molecular Cloning and High-level Expression of the S-layer Protein Gene, **245**, 568–581.

Slippage mutagenesis
Sequence Determinants for −2 Frameshift Mutagenesis at *Nar*I-derived Hot Spots, **252**, 507–513.

Small heat shock genes
Multiple Interacting Elements Delineate an Ecdysone-dependent Regulatory Region with Secondary Responsive Character, **249**, 298–318.

Small-angle X-ray scattering
Structures of fd Gene 5 Protein·Nucleic Acid Complexes: A Combined Solution Scattering and Electron Microscopy Study, **249**, 576–594.
Solution X-ray Scattering Analysis of Cold-Heat-, and Urea-denatured States in a Protein, *Streptomyces* Subtilisin Inhibitor, **251**, 95–103.
X-ray Scattering Titration of the Quaternary Structure Transition of Aspartate Transcarbamylase with a Bisubstrate Analogue: Influence of Nucleotide Effectors, **251**, 243–255.
Partially Folded States of Proteins: Characterization by X-ray Scattering, **254**, 960–967.

snRNP
Magnesium Cations are Required for the Association of U Small Nuclear Ribonucleoproteins and SR Proteins with Pre-mRNA in 200 S Large Nuclear Ribonucleoprotein Particles, **246**, 254–263.
β-Tropomyosin Pre-mRNA Folding Around a Muscle-specific Exon Interferes with Several Steps of Spliceosome Assembly, **251**, 591–602.

Sodium-motive force
High-speed Rotation and Speed Stability of the Sodium-driven Flagellar Motor in *Vibrio alginolyticus*, **251**, 50–58.

sok
Mechanism of Post-segregational Killing by *hok*-homologue *pnd* of Plasmid R483: Two Translational Control Elements in the *pnd* mRNA, **249**, 270–282.

lution simulations
Molecular Dynamics Simulations of Protein Unfolding and Limited Refolding: Characterization of Partially Unfolded States of Ubiquitin in 60% Methanol and in Water, **247**, 501–520.

lution structure
Solution Structure of a Quinomycin Bisintercalator-DNA Complex, **246**, 164–179.
Solution Structure of the Monoalkylated Mitomycin C-N Complex, **247**, 338–359.
Structural Studies of HIV-1 Tat Protein, **247**, 529–535.
Structure Refinement of the Glucocorticoid Receptor-DNA Binding from NMR Data by Relaxation Matrix Calculations, **247**, 689–700.
Solution Structure of the Covalent Duocarmycin A–DNA Duplex Complex, **248**, 162–179.
Conformational Variability of Solution Nuclear Magnetic Resonance Structures, **250**, 80–93.
Solution Structure of the *Oxytricha* Telomeric Repeat $d[G_4(T_4G_4)_3]$ G-tetraplex, **251**, 76–94.
Solution Conformation of a Bizelesin A-tract Duplex Adduct: DNA–DNA Cross-linking of an A-tract Straightens Out Bent DNA, **252**, 86–101.
Three-dimensional Dimer Structure of the λ-Cro Repressor in Solution as Determined by Heteronuclear Multidimensional NMR, **254**, 668–680.
Molecular Dynamics Simulation of *E. coli* Ribonuclease H_1 in Solution: Correlation with NMR and X-ray Data and Insights into Biological Function, **254**, 771–792.

lution X-ray scattering
Structural Characterization of the Molten Globule and Native States of Apomyoglobin by Solution X-ray Scattering, **249**, 215–228.

olvation
High Resolution Crystal Structures of Amphibian Red-Cell L Ferritin: Potential Roles for Structural Plasticity and Solvation in Function, **248**, 949–967.

olvation free energy
A Continuum Model for Protein–Protein Interactions: Application to the Docking Problem, **250**, 258–275.

olvent
Alanine Scanning Mutagenesis of the α-Helix 115-123 of Phage T4 Lysozyme: Effects on Structure, Stability and the Binding of Solvent, **246**, 317–330.
The Effect of environment on the Stability of an Integral Membrane Helix: Molecular Dynamics Simulations of Surfactant Protein C in Chloroform, Methanol and Water, **247**, 808–822.

olvent-dependent protein conformations
Molecular Dynamics Simulations of Protein Unfolding and Limited Refolding: Characterization of Partially Unfolded States of Ubiquitin in 60% Methanol and in Water, **247**, 501–520.

omatic mutations
A Reporter Gene to Analyse the Hypermutation of Immunoglobulin Genes, **249**, 555–563.

omatic transformation
A Transcriptional Role for Conserved Footprinting Sequences within the Larval Promoter of a *Drosophila* Alcohol Dehydrogenase Gene, **249**, 259–269.

peciation of viruses
Molecular Phylogeny and Evolutionary Timescale for the Family of Mammalian Herpesviruses, **247**, 443–458.

Species barrier
Prion Protein Gene Variation Among Primates, **245**, 362–374.

Species-specificity
Localization of Sequences Required for Size-specific Splicing of a Small *Drosophila* Intron *in Vitro*, **253**, 426–437.

Specific recognition
Comprehensive Analysis of Hydrogen Bonds in Regulatory Protein DNA-Complexes: In Search of Common Principles, **253**, 370–382.

Specificity
The Amino Terminal Domain of HIV-1 Rev is Required for Discrimination of the RRE from Nonspecific RNA, **253**, 243–258.

Spectrin-like repeats
Association of Structural Repeats in the α-Actinin Rod Domain. Alignment of Inter-subunit Interactions, **252**, 227–234.

Sperm whale myoglobin
Structural and Functional Effects of Apolar Mutations of the Distal Valine in Myoglobin, **245**, 416–436.

Spermidine
Visualization of Large DNA Molecules by Electron Microscopy with Polyamines: Application to the Analysis of Yeast Endogenous and Artificial Chromosomes, **246**, 486–492.

Spermine
Visualization of Large DNA Molecules by Electron Microscopy with Polyamines: Application to the Analysis of Yeast Endogenous and Artificial Chromosomes, **246**, 486–492.

Spin relaxation
Backbone Dynamics of *Escherichia coli* Ribonuclease HI: Correlations with Structure and Function in an Active Enzyme, **246**, 144–163.

Spliced leader
Determination of the Folding Topology of the SL1 RNA from *Caenorhabditis elegans* by Multidimensional Heteronuclear NMR, **252**, 314–327.

Spliceosome assembly
β-Tropomyosin Pre-mRNA Folding Around a Muscle-specific Exon Interferes with Several Steps of Spliceosome Assembly, **251**, 591–602.

Splicing
Structures and Expression of *Euglena gracilis* Nuclear *rbcS* Genes Encoding the Small Subunits of the Ribulose 1,5-Bisphosphate Carboxylase/Oxygenase: A Novel Splicing Process for Unusual Intervening Sequences?, **245**, 22–33.

***trans*-splicing**
The *tpa-1* Gene of *Caenorhabditis elegans* Encodes Two Proteins Similar to Ca^{2+}-independent Protein Kinase Cs: Evidence by Complete Genomic and Complementary DNA Sequences of the *tpa-1* Gene, **251**, 477–485.
Determination of the Folding Topology of the SL1 RNA from *Caenorhabditis elegans* by Multidimensional Heteronuclear NMR, **252**, 314–327.

***Spo0F* transcription**
Dimer Form of Phosphorylated Spo0A, a Transcriptional Regulator, Stimulates the *Spo0F* Transcription at the Initiation of Sporulation in *Bacillus subtilis*, **250**, 11–23.

Spontaneous mutations
A Reporter Gene to Analyse the Hypermutation of Immunoglobulin Genes, **249**, 555–563.

Sporulation
Dimer Form of Phosphorylated Spo0A, a Transcriptional Regulator, Stimulates the *Spo0F* Transcription at the Initiation of Sporulation in *Bacillus subtilis*, **250**, 11–23.

S-protein
Tyrosine Phosphorylation of the Tetragonal Paracrystalline Array of *Aeromonas hydrophila:* Molecular Cloning and High-level Expression of the S-layer Protein Gene, **245**, 568–581.

SR proteins
Magnesium Cations are Required for the Association of U Small Nuclear Ribonucleoproteins and SR Proteins with Pre-mRNA in 200 S Large Nuclear Ribonucleoprotein Particles, **246**, 254–263.

SSB protein
Helix-destabilizing Activity of Φ29 Single-stranded DNA Binding Protein: Effect on the Elongation Rate During Strand Displacement DNA Replication, **253**, 517–529.

Stability change
Ligand-Induced Changes in the Conformational Stability of Bovine Trypsinogen and Their Implications for the Protein Function, **247**, 701–716.

Staphylococcal nuclease A
Determination of K_m and k_{cat} for Signal Peptidase I Using a Full Length Secretory Precursor, pro-OmpA-nuclease A, **245**, 311–314.

Statistical analysis
Average Core Structures and Variability Measures for Protein Families: Application to the Immunoglobulins, **251**, 161–175.
Comprehensive Analysis of Hydrogen Bonds in Regulatory Protein DNA-Complexes: Im Search of Common Principles, **253**, 370–382.

Stefins
The Three-dimensional Solution Structure of Human Stefin A, **246**, 331–343.

STEM
Model Structure of the Ompα Rod, a Parallel Four-stranded Coiled Coil from the Hyperthermophilic Eubacterium *Thermotoga maritima*, **248**, 180–189.

Step parameters
The Assessment of the Geometry of Dinucleotide Steps in Double-Helical DNA; a New Local Calculation Scheme, **251**, 648–664.

Steroid binding
Steroid Recognition by Chloramphenicol Acetyltransferase: Engineering and Structural Analysis of a High Affinity Fusidic Acid Binding Site, **254**, 993–1005.

STI1
The *KIN28* Gene is Required both for RNA Polymerase II Mediated Transcription and Phosphorylation of the Rpb1p CTD, **249**, 535–544.

Stimulatory
Specific Stimulation of *recA*-independent Plasmid Recombination by a DNA Sequence at a Distance, **247**, 890–902.

Stop-codon revertants
A Reporter Gene to Analyse the Hypermutation of Immunoglobulin Genes, **249**, 555–563.

Stopped-flow method
Mutations in the Complementarity-determining Regions do not cause Differences in Free Energy during the Process of Formation of the Activated Complex between an Antibody and the Corresponding Protein Antigen, **248**, 729–732.

Strand displacement
Helix-destabilizing Activity of Φ29 Single-stranded DNA Binding Protein: Effect on the Elongation Rate During Strand Displacement DNA Replication, **253**, 517–529.

Streptomyces
DNA Cleavage at Two Recognition Sites by the *SfiI* Restriction Endonuclease: Salt Dependence of *Cis* and *Trans* Interactions between Distant DNA Sites, **252**, 399–411.

***Streptomyces* subtilisin inhibitor**
Solution X-ray Scattering Analysis of Cold-Heat-, and Urea-denatured States in a Protein, *Streptomyces* Subtilisin Inhibitor, **251**, 95–103.

Strong-stop DNA
Requirements for DNA Strand Transfer During Reverse Transcription in Mutant HIV-1 Virions, **252**, 59–69.

Structural alignment
Conservation of Salt Bridges in Protein Families, **248**, 125–135.
Automatic Analysis of Protein Conformational Changes by Multiple Linkage Clustering, **253**, 633–647.

Structural change
Fixation of the Quaternary Structures of Human Adult Haemoglobin by Encapsulation in Transparent Porous Silica Gels, **251**, 203–209.

Structural deformation
N-2-aminofluorene and *N*-2 acetylaminofluorene Adducts: The Local Sequence Context of an Adduct and its Chemical Structure Determine its Replication Properties, **249**, 903–913.

Structural domains
The DNA-binding Domain of the Hexameric Arginine Repressor, **254**, 150–162.

Structural homologs
A Sequence Property Approach to Searching Protein Databases, **251**, 390–399.
Structure-guided Analysis Reveals Nine Sequence Motifs Conserved among DNA Amino-methyl-transferases, and Suggests a Catalytic Mechanism for these Enzymes, **253**, 618–632.

Structural plasticity
Structural Plasticity of the Nuclear Pore Complex, **248**, 273–293.

Structure
Order–Disorder Phenomena in Myelinayed Nerve Sheaths: V. Effects of Temperature on Rat Sciatic and Optic Nerves, and Structural Differences between the Two Types of Nerve, **245**, 110–125.
Structure of Severin Domain 2 in Solution, **247**, 21–27.
The Sarcin/Ricin Loop, a Molecular RNA, **247**, 81–98.
The Structure of an RNA Pseudoknot that Causes Efficient Frameshifting in Mouse Mammary Tumor Virus, **247**, 963–978.
A Phase Diagram for Sodium and Potassium Ion Control of Polymorphism in Telomeric DNA, **248**, 233–238.
Type I Collagen Packing, Conformation of the Triclinic Unit Cell, **248**, 487–493.
X-ray Structure of Gelonin at 1.8 Å Resolution, **250**, 368–380.

The Capsid Size-determining Protein Sid Forms an External Scaffold on Phage P4 Procapsids, **251**, 59–75.
Crystal Structure of Reduced Bovine Erythrocyte Superoxide Dismutase at 1.9 Å Resolution, **251**, 282–296.
Crystal Structure of Desulforedoxin from *Desulfovibrio gigas* Determined at 1.8 Å Resolution: A Novel Non-heme Iron Protein Structure, **251**, 690–702.
Structural Studies on Human Rhinovirus 14 Drug-resistant Compensation Mutants, **253**, 61–73.
Anti-cruciform Monoclonal Antibody and Cruciform DNA Interaction, **254**, 29–37.

Structure comparison
High-resolution Structure of the Catalytic Domain of Avian Sarcoma Virus Integrase, **253**, 333–346.

Structure determination
Global Fold Determination from a Small Number of Distance Restraints, **251**, 308–326.

Structure motif
Average Core Structures and Variability Measures for Protein Families: Application to the Immunoglobulins, **251**, 161–175.

Structure refinement
Solution Structure of the HU Protein from *Bacillus stearothermophilus*, **254**, 692–703.

Structure-activity relationship
Three-dimensional Solution Structure of the Calcium Channel Antagonist ϖ-Agatoxin IVA: Consensus Molecular Folding of Calcium Channel Blockers, **250**, 659–671.
Identification of the Receptor-recognition Surface of Bombyxin-II, an Insulin-like Peptide of the Silkmoth *Bombyx mori*: Critical Importance of the B-chain Central Part, **253**, 759–770.

Structure-based drug design
A Sialic Acid-derived Phosphonate Analog Inhibits Different Strains of Influenza Virus Neuraminidase with Different Efficiencies, **245**, 623–624.
The Crystal Structure of Cruzain: A Therapeutic Target for Chagas' Disease, **247**, 251–259.

Structure-based thermodynamic analysis
Thermodynamic Mapping of the Inhibitor Site of the Aspartic Protease Endothiapepsin, **252**, 337–350.

Structure/function
CDR Walking Mutagenesis for the Affinity Maturation of a Potent Human Anti-HIV-1 Antibody into the Picomolar Range, **254**, 392–403.

Subdomain
Different Subdomains are Most Protected From Hydrogen Exchange in the Molten Globule and Native States of an α-Lactalbumin, **253**, 651–657.

Subfamilies
Ancestral, Mammalian-wide Subfamilies of LINE-1 Repetitive Sequences, **246**, 403–419.

Substitution matrices
Recurring Local Sequence Motifs in Proteins, **251**, 176–187.

Substrate assisted catalysis
Folding Mediated by an Intramolecular Chaperone: Autoprocessing Pathway of the Precursor Resolved *via* a Substrate Assisted Catalysis Mechanism, **247**, 390–395.

Substrate binding
Dissection of Protein-Carbohydrate Interactions in Mutant Hen Egg-white Lysozyme Complexes and their Hydrolytic Activity, **247**, 281–293.
The Refined Crystal Structure of an Endochitinase from *Hordeum vulgare* L. Seeds at 1.8 Å Resolution, **248**, 402–413.

Substrate kinetics
Substrate Preferences of Vsr DNA Mismatch Endonuclease and their Consequences for the Evolution of the *Escherichia coli* K-12 Genome, **245**, 1–7.

Substrate specificity
Substrate Specificity and Assembly of the Catalytic Center Derived from two Structures of Ligated Uridylate Kinase, **246**, 522–530.
Functional Linkage Between the Active Site of α-Lytic Protease and Distant Regions of Structure: Scanning Alanine Mutagenesis of a Surface Loop Affects Activity and Substrate Specificity, **251**, 116–134.
Crystal Structure of L-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus confusus* at 2.2 Å Resolution. An Example of Strong Asymmetry Between Subunits, **251**, 256–281.
Kinetic and Structural Characterization of Mutations of Glycine 216 in α-Lytic Protease: A New Target for Engineering Substrate Specificity, **254**, 720–736.

Subtilisin
Folding Pathway Mediated by an Intramolecular Chaperone: Characterization of the Structural Changes in Pro-subtilisin E Coincident with Autoprocessing, **252**, 25–30.

Subunit interactions
Crystallographic Refinement at 2.3 †A Resolution and Refined Model of the Photosynthetic Reaction Centre from *Rhodopseudomonas viridis*, **246**, 431–459.
Genetic Dissection of Intersubunit Contacts Within Human Protein Kinase CK2, **253**, 703–711.

Subunit interface
A Study of Four-helix Bundles: Investigating Protein Folding *via* Similar Architectural Motifs in Protein Cores and in Subunit Interfaces, **248**, 151–161.
A Single Mutation (Thr72 → Ile) at the Subunit Interface is Crucial for the Functional Properties of the Homodimeric Co-operative Haemoglobin from *Scapharca inaequivalvis*, **248**, 910–917.

Subunit localization
The Human Proteasome Subunit HsN3 is Located in the Inner Rings of the Complex Dimer, **248**, 264–272.

Subunits 6 and 8
NCA2, A Second Nuclear Gene Required for the Control of Mitochondrial Synthesis of Subunits 6 and 8 of ATP Synthase in *Saccharomyces Cerevisiae*, **247**, 588–596.

Succinyl CoA synthetase
The Gene for Nucleoside Diphosphate Kinase Functions as a Mutator Gene in *Escherichia coli*, **254**, 337–341.

Sugar binding
The Non-inducible Nature of Super-repressors of the *gal* Operon in *Escherichia coli*, **253**, 414–425.

Sulfate reducing bacteria
Crystal Structure of Desulforedoxin from *Desulfovibrio gigas* Determined at 1.8 Å Resolution: A Novel Non-heme Iron Protein Structure, **251**, 690–702.

Supercoiling
An Intramolecular Triplex Structure From Non-mirror Repeated Sequence Containing Both *Py:* Pu·Py and *Pu:* Pu·Py Triads, **245**, 499–507.
Partition Functions of Mini-F Affect Plasmid DNA Topology in *Escherichia coli*, **246**, 390–402.

Superfamilies
SCOP: A Structural Classification of Proteins Database for the Investigation of Sequences and Structures, **247**, 536–540.

Superhelical DNA
A Sequence-induced Superhelical DNA Segment Serves as Transcriptional Enhancer, **246**, 35–42.
Energetics of Coupled Twist and Writhe Changes in Closed Circular pSM1 DNA, **253**, 438–452.

Superoxide dismutase
X-ray Structure Analysis of the Iron-dependent Superoxide Dismutase from *Mycobacterium tuberculosis* at 2.0 Ångstroms Resolution Reveals Novel Dimer–Dimer Interactions, **246**, 531–544.
Crystal Structure of Reduced Bovine Erythrocyte Superoxide Dismutase at 1.9 Å Resolution, **251**, 282–296.

Supprescin
A Supprescin from a Phytopathogenic Fungus Deactivates Transcription of a Plant Defense Gene Encoding Phenylalanine Ammonia-lyase, **249**, 513–519.

Suppressor analysis
Effect of Folding on the Export of Ribose-binding Protein Studied with the Genetically Isolated Suppressors for the Signal Sequence Mutation, **253**, 304–312.

Surface accessibility
Conservation of Salt Bridges in Protein Families, **248**, 125–135.

Surface display
Assembly of Functional Bacteriophage Lambda Virions Incorporating C-Terminal Peptide or Protein Fusions with the Major Tail Protein, **248**, 497–506.

Surface geometry
Algorithms for Evaluating the Long-range Accessibility of Protein Surfaces, **249**, 804–815.

Surface normals
Molecular Surface Complementarity at Protein-Protein Interfaces: The Critical Role Played by Surface Normals at Well Placed, Sparse, Points in Docking, **252**, 263–273.

Surface protein
Tetrabrachion: A Filamentous Archaebacterial Surface Protein Assembly of Unusual Structure and Extreme Stability, **245**, 385–401.

Susceptibility in primary transmission
Prion Protein Gene Variation Among Primates, **245**, 362–374.

SV40
Synthesis of Simian Virus 40 C-family catenated dimers *in Vivo* in the Presence of ICRF-193, **247**, 835–839.

C_6-Symmetry model
Structural and Functional Dissections of Transcription Termination Factor Rho by Random Mutagenesis, **254**, 815–837.

***Syn/anti* guanine residues**
Solution Structure of the *Oxytricha* Telomeric Repeat $d[G_4(T_4G_4)_3]$ G-tetraplex, **251**, 76–94.

Synaptic membranes
Expression and Structural Analysis of 14-3-3 Proteins, **245**, 375–384.

Synchrotron radiation
Type I Collagen Packing, Conformation of the Triclinic Unit Cell, **248**, 487–493.
The Effect of Temperature on the Structure of Vinblastine-induced Polymers of Purified Tubulin: Detection of a Reversible Conformational Change, **254**, 416–430.

Synthetic libraries
Selection and Application of Human Single Chain Fv Antibody Fragments from a Semi-synthetic Phage Antibody Display Library with Designed CDR3 regions, **248**, 97–105.

Synthetic peptide
A Conformationally Homogeneous Combinatorial Peptide Library, **247**, 154–160.
X-ray Diffraction of Scrapie Prion Rods and PrP Peptides, **252**, 412–422.
Conformational Properties of Four Peptides Spanning the Sequence of Hen Lysozyme, **252**, 483–491.

T cell
Repetitive *Alu* Elements form a Cruciform Structure that Regulates the Function of the Human CD8α T Cell-specific Enhancer, **246**, 63–73.
Ranking Potential Binding Peptides to MHC Molecules by a Computational Threading Approach, **249**, 244–250.

T State
Structure and Oxygen Affinity of Crystalline DesArg141α Human Hemoglobin A in the T State, **248**, 136–150.

T3 head assembly
Structural and Functional Domains of the Large Subunit of the Bacteriophage T3 DNA Packaging Enzyme: importance of the C-terminal Region in Prohead Binding, **245**, 633–644.

T4 endonuclease V
Crystal Structure of a Pyrimidine Dimer-specific Excision Repair Enzyme from Bacteriophage T4: Refinement at 1.45 Å and X-ray Analysis of the Three Active Site Mutants, **249**, 360–375.

T7 RNA polymerase
Isolation of Transcriptionally Active Mutants of T7 RNA Polymerase that do not Support Phage Growth, **250**, 156–168.

TAG72 antigen
Framework Residues 71 and 93 of the Chimeric B72.3 Antibody are Major Determinants of the Conformation of Heavy-chain Hypervariable Loops, **253**, 385–390.

Tandem repeats
Specific Stimulation of *recA*-independent Plasmid Recombination by a DNA Sequence at a Distance, **247**, 890–902.

Tar
A Model for Transmembrane Signalling by the Aspartate Receptor Based on Random-cassette Mutagenesis and Site-directed Disulfide Cross-linking, **253**, 530–546.

TAR RNA
The Structure of the Human Immunodeficiency Virus Type-1 TAR RNA Reveals Principles of RNA Recognition by Tat Protein, **253**, 313–332.

Tat Functions to Stimulate the Elongation Properties of Transcription Complexes Paused by the Duplicated TAR RNA Element of Human Immunodeficiency Virus 2, **254**, 350–363.

rget immunity
A Functional Analysis of the Inverted Repeat of the γδ Transposable Element, **247**, 578–587.

rget sites
DNA Recognition Site Analysis of *Xenopus* Winged Helix Proteins, **248**, 239–254.

rgeted integration
Targeted Disruption of an H3-IV/H3-V Gene Pair Causes Increased Expression of the Remaining H3 Genes in the Chicken DT40 Cell Line, **250**, 420–433.
Targeted Disruption of *01H1* Encoding a Particular H1 Histone Variant Causes Changes in Protein Patterns in the DT40 Chicken B Cell Line, **254**, 869–880.

at
Structural Studies of HIV-1 Tat Protein, **247**, 529–535.
The Human Immunodeficiency Virus Long Terminal Repeat Includes a Specialised Initiator Element which is Required for Tat-responsive Transcription, **248**, 562–580.
Evidence for Functional Interaction between the HIV-1 Tat Transactivator and the TATA Box Binding Protein *in Vivo*, **250**, 169–180.
The Structure of the Human Immunodeficiency Virus Type-1 TAR RNA Reveals Principles of RNA Recognition by Tat Protein, **253**, 313–332.
Tat Functions to Stimulate the Elongation Properties of Transcription Complexes Paused by the Duplicated TAR RNA Element of Human Immunodeficiency Virus 2, **254**, 350–363.

ATA binding protein (TBP)
Visualization of TBP Oligomers Binding and Bending the HIV-1 and Adeno Promoters, **246**, 576–584.
Evidence for Functional Interaction between the HIV-1 Tat Transactivator and the TATA Box Binding Protein *in Vivo*, **250**, 169–180.
DNA Bending is an Important Component of Site-specific Recognition by the TATA Binding Protein, **250**, 434–446.

ATA box
Visualization of TBP Oligomers Binding and Bending the HIV-1 and Adeno Promoters, **246**, 576–584.
Evidence for Functional Interaction between the HIV-1 Tat Transactivator and the TATA Box Binding Protein *in Vivo*, **250**, 169–180.

CP1
The 60 kDa Heat Shock Proteins in the Hyperthermophilic Archaeon *Sulfolobus shibatae*, **253**, 712–725.

elomere
A Phase Diagram for Sodium and Potassium Ion Control of Polymorphism in Telomeric DNA, **248**, 233–238.

elopeptide
Structure of the Type I Collagen Molecule Based on Conformational Energy Computations: The Triple-stranded Helix and the N-terminal Telopeptide, **247**, 69–80.

emperature dependence
Order–Disorder Phenomena in Myelinayed Nerve Sheaths: V. Effects of Temperature on Rat Sciatic and Optic Nerves, and Structural Differences between the Two Types of Nerve, **245**, 110–125.

Tendamistat
The Crystal Structure of Porcine Pancreatic α-Amylase in Complex with the Microbial Inhibitor Tendamistat, **247**, 99–110.
Complete ^{1}H Nuclear Magnetic Resonance Assignments and Structural Characterization of a Fusion Protein of the α-Amylase Inhibitor Tendamistat with the Activation Domain of the Human Immunodeficiency Virus Type 1 Tat Protein, **250**, 672–688.
Mechanism of Protein Stabilization by Disulfide Bridges: Calorimetric Unfolding Studies on Disulfide-deficient Mutants of the α-Amylase Inhibitor Tendamistat, **254**, 481–496.

Terminase
Bacteriophage T4 Gene *17* Amplification Mutants: Evidence for Initiation by the T4 Terminase Subunit gp16, **247**, 523–528.
Interaction of Terminase, the DNA Packaging Enzyme of Phage λ, with its *cos* DNA Substrate, **252**, 31–46.

Termination of DNA replication
Synthesis of Simian Virus 40 C-family catenated dimers *in Vivo* in the Presence of ICRF-193, **247**, 835–839.
Plus-strand DNA Synthesis of the Yeast Retrotransposon Ty1 is Initiated at Two Sites, PPT1 Next to the 3′ LTR and PPT2 Within the *pol* Gene. PPT1 is Sufficient for Ty1 Transposition, **253**, 291–303.

Tertiary structure
Stability of α-Helices in a Molten Globule State of Cytochrome *c* by Hydrogen-Deuterium Exchange and Two-Dimensional NMR Spectroscopy, **247**, 682–688.
Modification of Primary Structures of Hairpin Ribozymes for Probing Active Conformations, **252**, 296–304.

Tet repressor
Proximity Probing of Tet Repressor to *tet* Operator by Dimethylsulfate Reveals Protected and Accessible Functions for each Recognized Base-pair in the Major Groove, **245**, 538–548.
The Complex Formed Between Tet Repressor and Tetracycline-Mg^{2+} Reveals Mechanism of Antibiotic Resistance, **247**, 260–280.

Tetracycline
The Complex Formed Between Tet Repressor and Tetracycline-Mg^{2+} Reveals Mechanism of Antibiotic Resistance, **247**, 260–280.

Tetraloop
The Action of Pokeweed Antiviral Protein and Ricin A-chain on Mutants in the α-Sarcin Loop of *Escherichia coli* 23S Ribosomal RNA, **254**, 848–855.

TFIIIA
Interaction of the RNA Binding Fingers of *Xenopus* Transcription Factor IIIA with Specific Regions of 5 S Ribosomal RNA, **248**, 44–57.

TFIIIB
Repression of Vertebrate RNA Polymerase III Transcription by DNA Binding Proteins Located Upstream from the Transcription Start Site, **250**, 315–326.

Thermal denaturation
Thermodynamics of RNA Unfolding: Stabilization of a Ribosomal RNA Tertiary Structure by Thiostrepton and Ammonium Ion, **249**, 231–238.
Stabilization of a Ribosomal RNA Tertiary Structure by Ribosomal Protein L11, **249**, 319–331.
Acid and Thermal Denaturation of Barnase Investigated by Molecular Dynamics Simulations, **252**, 672–708.

Thermal stability
Structural Comparison of Cuticle and Interstitial Collagens from Annelids Living in Shallow Sea-water and at Deep-sea Hydrothermal Vents, **246**, 284–294.
Crystal Structure of Calcium-depleted *Bacillus licheniformis* α-amylase at 2.2 Å Resolution, **246**, 545–549.
DNA-binding Surface of the Sso7d Protein from *Sulfolobus solfataricus*, **247**, 840–846.
A Novel Basis for Capsid Stabilization by Antiviral Compounds, **254**, 544–551.

Thermodynamics
Elucidating the Folding Problem of Helical Peptides using Empirical Parameters. III Temperature and pH Dependence, **245**, 297–308.
The Kinetics of the Thermal Denaturation of Collagen in Unrestrained Rat Tail Tendon Determined by Differential Scanning Calorimetry, **245**, 437–446.
Conformational Transitions Linked to Active Site Ligation in Human Thrombin: Effect on the Interaction with Fibrinogen and the Cleavable platelet receptor, **245**, 447–458.
Selective Chain Recognition in the C-terminal αHelical Coiled-coil Region of Laminin, **250**, 64–73.
Thermodynamics of Unfolding of Ribonuclease A under High Pressure. A Study by Proton NMR, **250**, 689–694.
The Unfolding Thermodynamics of c-Type Lysozymes: A Calorimetric Study of the Heat Denaturation of Equine Lysozyme, **252**, 447–459.
Energetics of Coupled Twist and Writhe Changes in Closed Circular pSM1 DNA, **253**, 438–452.
Calculation of Relative Binding Free energies and Configurational Entropies: A Structural and Thermodynamic Analysis of the Nature of Non-polar Binding of Thrombin Inhibitors Based on Hirudin$^{55-65}$, **253**, 473–492.
The Meaning of Component Analysis: Decomposition of the Free Energy in Terms of Specific Interactions, **254**, 801–807.

Thermophilic protein
The Crystal Structure of Holo-glyceraldehyde-3-phosphate Dehydrogenase from the Hyperthermophilic Bacterium *Thermotoga maritima* at 2.5 Å Resolution, **246**, 511–521.

Thermotoga maritima
Model Structure of the Ompα Rod, a Parallel Four-stranded Coiled Coil from the Hyperthermophilic Eubacterium *Thermotoga maritima*, **248**, 180–189.

Thin filament
The Complete Primary Structure of Human Nebulin and its Correlation to Muscle Structure, **248**, 308–315.
Steric-blocking by Tropomyosin Visualized in Relaxed Vertebrate Muscle Thin Filaments, **251**, 191–196.

Thioredoxin
Ionisation of Cysteine Residues at the Termini of Model α-Helical Peptides. Relevance to Unusual Thiol pK_a Values in Proteins of the Thioredoxin Family, **253**, 799–812.

Threading
Ranking Potential Binding Peptides to MHC Molecules by a Computational Threading Approach, **249**, 244–250.
Recognizing Native Folds by the Arrangement of Hydrophobic and Polar Residues, **252**, 709–720.

Three-centred hydrogen bonds
Solution Structure of an Oncogenic DNA Duplex, the K-*ras* Gene and the Sequence Containing a Central C·A or A·G Mismatch as a Function of pH: Nuclear Magnetic Resonance and Molecular Dynamics Studies, **246**, 194–208.
Helical Parameters, Fluctuations, Alternative Hydrogen Bonding, and Bending in Oligonucleotides Containing a Mismatched Base-pair by NOESY Distance Restrained and Distance Free Molecular Dynamics, **246**, 209–226.

Three-dimensional profile
Desk-top Analysis of the Structural Stability of Various Point Mutations Introduced into Ribonuclease H, **248**, 733–738.

Three-dimensional reconstruction
Three-Dimensional Reconstruction of Mammalian 40 S Ribosomal Subunit Embedded in Ice, **245**, 461–466.
Three-dimensional Reconstruction of the α_D and β_C-Hemocyanins of *Helix pomatia* from Frozen-Hydrated Specimens, **248**, 431–448.

Three-dimensional solution structure
Calculation of Protein Structures with Ambiguous Distance Restraints. Automated Assignment of Ambiguous NOE Crosspeaks and Disulphide Connectivities, **245**, 645–660.
Determination of the Solution Structure of Apo Calbindin D_{9k} by NMR Spectroscopy, **249**, 441–462.
Three-dimensional Solution Structure of the Calcium Channel Antagonist ϖ-Agatoxin IVA: Consensus Molecular Folding of Calcium Channel Blockers, **250**, 659–671.
The Three-dimensional Solution Structure of the NK-2 Homeodomain from *Drosophila*, **251**, 297–307.
Solution Structure of $(Cd^{2+})_1$-calbindin D_{9k} Reveals Details of the Stepwise Structural Changes along the Apo → $(Ca^{2+})^{II}_1$ → $(Ca^{2+})^{I,II}_2$ Binding Pathway, **252**, 102–121.
Automated Assignment of Simulated and Experimental NOESY Spectra of Proteins by Feedback Filtering and Self-correcting Distance Geometry, **254**, 465–480.

Threonyl-tRNA synthetase
Stabilised Secondary Structure at a Ribosomal Binding Site Enhances Translational Repression in *E. coli*, **253**, 277–290.

Thrombin
Conformational Transitions Linked to Active Site Ligation in Human Thrombin: Effect on the Interaction with Fibrinogen and the Cleavable platelet receptor, **245**, 447–458.
Structure of a Retro-binding Peptide Inhibitor Complexed with Human α-Thrombin, **246**, 14–20.
Thermodynamic Investigation of Hirudin Binding to the Slow and Fast Forms of Thrombin: Evidence for Folding Transitions in the Inhibitor and Protease Coupled to Binding, **253**, 787–798.

Thrombin inhibitor
Structure of a Retro-binding Peptide Inhibitor Complexed with Human α-Thrombin, **246**, 14–20.
Calculation of Relative Binding Free energies and Configurational Entropies: A Structural and Thermodynamic Analysis of the Nature of Non-polar Binding of Thrombin Inhibitors Based on Hirudin$^{55-65}$, **253**, 473–492.

rombin specificity
Thrombin-bound Structures of Designed Analogs of Human Fibrinopeptide A Determined by Quantitative Transferred NOE Spectroscopy: A New Structural Basis for Thrombin Specificity, **252**, 656–671.

M barrel
The Crystal Structure of Dihydrodipicolinate Synthase from *Escherichia coli* at 2.5 Å Resolution, **246**, 227–239.

ning of replication
Disparate Replication Properties of Integrated and Extrachromosomal Forms of Bovine Papilloma Virus in ID13 Cells, **254**, 119–129.

ssue culture mutants
A Reporter Gene to Analyse the Hypermutation of Immunoglobulin Genes, **249**, 555–563.

tration
X-ray Scattering Titration of the Quaternary Structure Transition of Aspartate Transcarbamylase with a Bisubstrate Analogue: Influence of Nucleotide Effectors, **251**, 243–255.

l system
Transmembrane α-Helix Interactions are Required for the Functional Assembly of the *Escherichia coli* Tol Complex, **246**, 1–7.

poisomerases
Unwinding of Closed Circular DNA by the *Escherichia coli* RuvA and RuvB Recombination/Repair Proteins, **247**, 404–417.
Synthesis of Simian Virus 40 C-family catenated dimers *in Vivo* in the Presence of ICRF-193, **247**, 835–839.
Mutation in Cys662 of *Escherichia coli* DNA Topoisomerase I Confers Temperature Sensitivity and Change in DNA Cleavage Selectivity, **250**, 609–616.
Determination of Sequence Specificity between a Plasmid Replication Initiator Protein and the Origin of Replication, **254**, 381–391.

opology
Membrane Topology of the MotA Protein of *Escherichia coli*, **251**, 237–242.

oxin
X-ray Structure of Gelonin at 1.8 Å Resolution, **250**, 368–380.

oxR transcription activator
Immunoglobulin Mutant Library Genetically Screened for Folding Stability Exploiting Bacterial Signal Transduction, **251**, 471–476.

ramtrack
Serine at Position 2 in the DNA Recognition Helix of a Cys_2-His_2 Zinc Finger Peptide is Not, in General, Responsible for Base Recognition, **252**, 1–5.

ransactivation
Activity of a *C. elegans* GATA Transcription Factor, ELT-1, Expressed in Yeast, **253**, 665–676.

ranscribed spacer
Evolutionarily Conserved Structural Elements are Critical for Processing of Internal Transcribed Spacer 2 from *Saccharomyces cerevisiae* Precursor Ribosomal RNA, **250**, 24–36.

ranscription
The Transcriptional Activator Protein FIS: DNA Interactions and Cooperative Interactions with RNA Polymerase at the *Escherichia coli rrnB* P1 Promoter, **245**, 197–207.
Developmental Regulation of a Silkworm Gene Encoding Multiple GATA-type Transcription Factors by Alternative Splicing, **246**, 43–53.
A Hybrid Sigma Subunit Directs RNA Polymerase to a Hybrid Promoter in *Escherichia coli*, **246**, 563–571.
NusA Contacts Nascent RNA in *Escherichia coli* Transcription Complexes, **247**, 547–558.
A Hotspot for Promoter-dependent Recombination in Polyomavirus DNA, **248**, 220–224.
The *Bacillus subtilis* Flagellar Regulatory Protein σ^D: Overproduction, Domain Analysis and DNA-binding Properties, **249**, 743–753.
Evidence for Functional Interaction between the HIV-1 Tat Transactivator and the TATA Box Binding Protein *in Vivo*, **250**, 169–180.
The Archaeal *dnaK-dnaJ* Gene Cluster: Organization and Expression in the Methanogen *Methanosarcina mazei*, **250**, 191–201.
Repression of Vertebrate RNA Polymerase III Transcription by DNA Binding Proteins Located Upstream from the Transcription Start Site, **250**, 315–326.
Nitrate and Nitrite Regulation of the Fnr-dependent *aeg-46.5* Promoter of *Escherichia coli* K-12 is Mediated by Competition Between Homologous Response Regulators (NarL and NarP) for a Common DNA-binding Site, **251**, 15–29.
Structural Analysis of the *Bacillus subtilis* δ Factor: A Protein Polyanion which Displaces RNA from RNA Polymerase, **252**, 189–202.
Sequence-specific Interactions Between Promoter DNA and the RNA Polymerase Sigma Factor E, **253**, 8–16.
Heterogeneity of *E. coli* RNA Polymerase Revealed by High Pressure, **253**, 259–265.
The Non-inducible Nature of Super-repressors of the *gal* Operon in *Escherichia coli*, **253**, 414–425.
Functional Redundancy of Promoter Elements Ensures Efficient Transcription of the Human 7SK Gene *in vivo*, **253**, 677–690.

Transcription activation
The Bacteriophage N4-coded Single-stranded DNA-binding Protein (N4SSB) is the Transcriptional Activator of *Escherichia coli* RNA Polymerase at N4 Late Promoters, **246**, 461–471.
Addition of a 29 Residue Carboxyl-terminal Tail Converts a Simple HMG Box-containing Protein into a Transcriptional Activator, **249**, 11–28.

Transcription elongation
The Human Immunodeficiency Virus Long Terminal Repeat Includes a Specialised Initiator Element which is Required for Tat-responsive Transcription, **248**, 562–580.
A Zinc-binding Region in the β′ Subunit of RNA Polymerase is Involved in Antitermination of Early Transcription of Phage HK022, **248**, 768–780.

Transcription factor
see also TFIIIA; TFIIIB.
In vitro Analysis of a Constitutively Active Mutant Form of the *Escherichia coli* Global Transcription Factor FNR, **245**, 351–361.
DNA Recognition Site Analysis of *Xenopus* Winged Helix Proteins, **248**, 239–254.
Activity of a *C. elegans* GATA Transcription Factor, ELT-1, Expressed in Yeast, **253**, 665–676.
Crystal Structure of a bZIP/DNA Complex at 2.2 Å: Determinants of DNA Specific Recognition, **254**, 657–667.

Transcription initiation
Inhibition of Transcription Initiation by *lac* Repressor, **245**, 331–350.
The Human Immunodeficiency Virus Long Terminal Repeat Includes a Specialised Initiator Element which is Required for Tat-responsive Transcription, **248**, 562–580.
Regulation of *codBA* Operon Expression in *Escherichia coli* by UTP-dependent Reiterative Transcription and UTP-sensitive Transcriptional Start Site Switching, **254**, 552–565.
Adjacent Upstream Superhelical Writhe Influences an *Escherichia coli* Promoter as Measured by *in Vivo* Strength and *in Vitro* Open Complex Formation, **254**, 566–578.

Transcription pausing
Role of NusA in L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 474–485.
RNA Determinants Required for L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 486–498.
Kinetics of RNA Polymerase Initiation and Pausing at the Lambda Late Gene Promoter *in vivo*, **254**, 808–814.

Transcription regulation
A Transcriptional Role for Conserved Footprinting Sequences within the Larval Promoter of a *Drosophila* Alcohol Dehydrogenase Gene, **249**, 259–269.
A single Amino Acid Change in a Pathway-specific Transcription Factor Results in Differing Degrees of Constitutivity, Hyperinducibility and Derepression of Several Structural Genes, **249**, 693–699.
Targeted Disruption of *01H1* Encoding a Particular H1 Histone Variant Causes Changes in Protein Patterns in the DT40 Chicken B Cell Line, **254**, 869–880.

Transcription repression
P22 Arc Repressor: Role of Cooperativity in Repression and Binding to Operators with Altered Half-site Spacing, **249**, 729–742.

Transcription termination
Role of NusA in L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 474–485.
RNA Determinants Required for L4-mediated Attenuation Control of the S10 r-Protein Operon of *Escherichia coli*, **245**, 486–498.
Phage HK022 Nun Protein Arrests Transcription on Phage λ DNA *in vitro* and Competes with the Phage λ N Antitermination Protein, **247**, 428–442.
A Zinc-binding Region in the β′ Subunit of RNA Polymerase is Involved in Antitermination of Early Transcription of Phage HK022, **248**, 768–780.
Immunity Determinant of Phage-plasmid P4 is a Short Processed RNA, **249**, 869–878.
Analysis of *E. coli* Rho Factor: Mutations Affecting Secondary-site Interactions, **251**, 30–40.
Short Transcripts of the Ternary Complex Provide Insight into RNA Polymerase II Elongational Pausing, **252**, 522–535.
Structural and Functional Dissections of Transcription Termination Factor Rho by Random Mutagenesis, **254**, 815–837.

Transcriptional elements
Predicting Pol II Promoter Sequences using Transcription Factor Binding Sites, **249**, 923–932.

Transcriptional enhancers
Constitutive Forms of the Enhancer-binding Protein NtrC: Evidence that Essential Oligomerization Determinants Lie in the Central Activation Domain, **249**, 700–713.

Transcription-repair coupling factor
Intragenic Domains of Strand-specific Repair in *Escherichia coli*, **246**, 264–272.

Transertion
Autocatalytic Gene Expression Occurs *via* Transertion and Membrane Domain Formation and Underlies Differentiation in Bacteria: A Model, **253**, 739–748.

Transfectants receptors
Interaction of Fcγ Receptor Type IIIB with Complement Receptor Type 3 in Fibroblast Transfectants: Evidence from Lateral Diffusion and Resonance Energy Transfer Studies, **247**, 597–603.

Transfer RNA
see RNA.

Transferred NOE
Thrombin-bound Structures of Designed Analogs of Human Fibrinopeptide A Determined by Quantitative Transferred NOE Spectroscopy: A New Structural Basis for Thrombin Specificity, **252**, 656–671.

Transferrin structure
Crystal Structure of Diferric Hen Ovotransferrin at 2.4 Å Resolution, **254**, 196–207.

Transgenic mice
Visualization of Large DNA Molecules by Electron Microscopy with Polyamines: Application to the Analysis of Yeast Endogenous and Artificial Chromosomes, **246**, 486–492.

Transition state
Mutations in the Complementarity-determining Regions do not cause Differences in Free Energy during the Process of Formation of the Activated Complex between an Antibody and the Corresponding Protein Antigen, **248**, 729–732.
An Integrated Kinetic Analysis of Intermediates and Transition States in Protein Folding Reactions, **253**, 771–786.
The Structure of the Transition State for Folding of Chymotrypsin Inhibitor 2 Analysed by Protein Engineering Methods: Evidence for a Nucleation-condensation Mechanism for Protein Folding, **254**, 260–288.

Translation
Ribosome Mutants with Altered Accuracy Translate with Reduced Processivity, **248**, 551–561.
Elongation and Folding of Nascent Ricin Chains as Peptidyl-tRNA on Ribosomes: The Effect of Amino Acid Deletions on these Processes, **252**, 203–212.
Regions of 23 S Ribosomal RNA Proximal to Transfer RNA bound at the P and E Sites, **252**, 572–582.
Stabilised Secondary Structure at a Ribosomal Binding Site Enhances Translational Repression in *E. coli*, **253**, 277–290.

Translation termination
The Efficiency of Translation Termination is Determined by a Synergistic Interplay Between Upstream and Downstream Sequences in *Saccharomyces cerevisiae*, **251**, 334–345.

anslational accuracy
Consecutive Low-Usage Leucine Codons Block Translation Only When Near the 5' End of a Message in *Escherichia coli*, **245**, 467–473.
The Involvement of Two Distinct Regions of 23 S Ribosomal RNA in tRNA Selection, **254**, 838–847.

anslational activator
The Zinc coordination Site of the Bacteriophage Mu Translational Activator protein, Com, **247**, 753–764.

anslational control
Mechanism of Post-segregational Killing by *hok*-homologue *pnd* of Plasmid R483: Two Translational Control Elements in the *pnd* mRNA, **249**, 270–282.

anslational repression
IS *10* Antisense Control *in Vivo* is Affected by Mutations Throughout the Region of Complementarity Between the Interacting RNAs, **246**, 585–594.
Stabilised Secondary Structure at a Ribosomal Binding Site Enhances Translational Repression in *E. coli*, **253**, 277–290.

ansmembrane domain
A Model for Transmembrane Signalling by the Aspartate Receptor Based on Random-cassette Mutagenesis and Site-directed Disulfide Cross-linking, **253**, 530–546.

ansmembrane protein
Three-dimensional Structure of Halorhodopsin at 7 Å Resolution, **247**, 726–738.
The HEM Proteins: A Novel Family of Tissue-specific Transmembrane Proteins Expressed from Invertebrates Through Mammals with an Essential Function in Oogenesis, **251**, 41–49.

ansplatin
Interaction between Cisplatin-modified DNA and the HMG Boxes of HMG 1: DNase I Footprinting and Circular Dichroism, **246**, 243–247.

ansposable element
Characterization of a Non-long Terminal Repeat Retrotransposon cDNA (L1Tc) from *Trypanosoma cruzi*: Homology of the First ORF with the Ape Family of DNA Repair Enzymes, **247**, 49–59.
A Novel Group of Families of Short Interspersed Repetitive Elements (SINEs) in *Xenopus*: Evidence of a Specific Target Site for DNA-mediated Transposition of Inverted-repeat SINEs, **248**, 812–823.

ansposase
Identification in the Human Genome of Mobile Elements Spread by DNA-mediated Transposition, **254**, 1–5.

ansposase-DNA recognition
A Functional Analysis of the Inverted Repeat of the γb Transposable Element, **247**, 578–587.

ansposon
Site-specific Recombination at *res* Sites Containing DNA-binding Sequences for both TN21 and TN3 Resolvases, **245**, 208–218.
Site-specific recombination at *res* Sites Containing DNA-binding sequences for both TN21 Resolvase and CAP, **245**, 219–227.
A Functional Analysis of the Inverted Repeat of the γb Transposable Element, **247**, 578–587.
Identification in the Human Genome of Mobile Elements Spread by DNA-mediated Transposition, **254**, 1–5.

ansthyretin
Examination of the Structure of the Transthyretin Amyloid Fibril by Image Reconstruction from Electron Micrographs, **254**, 113–118.

Trichothiodystrophy
Characteristics of UV-induced Mutation Spectra in Human XP-D/ERCC2 Gene-mutated Xeroderma Pigmentosum and Trichothiodystrophy Cells, **252**, 550–562.

Triclinic
Type I Collagen Packing, Conformation of the Triclinic Unit Cell, **248**, 487–493.

Trifluoroethanol
Secondary structure prediction, **245**, 180–194.
Conformational Properties of Four Peptides Spanning the Sequence of Hen Lysozyme, **252**, 483–491.
Search for Nucleation Sites in Smaller Fragments of Chymotrypsin Inhibitor 2, **254**, 289–304.
High Helical Propensity of the Peptide Fragments Derived from β-Lactoglobulin, a Predominantly β-sheet Protein, **254**, 737–746.

Trimer
Structure and Fluctuations of Bacteriorhodopsin in the Purple Membrane: A Molecular Dynamics Study, **250**, 94–111.

4,5',8-Trimethylpsoralen
The Mutagenic Processing of Psoralen Photolesions Leaves a Highly Specific Signature at an Endogenous Human Locus, **254**, 38–49.

Triple-helix
Modelling Viral Evolution *in Vitro* Using exo⁻ Klenow Polymerase: Continuous Selection of Strand Displacement Amplified DNA that Binds an Oligodeoxynucleotide to Form a Triple-helix, **254**, 856–868.

Triple-resonance NMR
see also Nuclear magnetic resonance (NMR).
Solution Structure of the HU Protein from *Bacillus stearothermophilus*, **254**, 692–703.

Triplex DNA
An Intramolecular Triplex Structure From Non-mirror Repeated Sequence Containing Both *Py:* Pu·Py and *Pu:* Pu·Py Triads, **245**, 499–507.
Triple-Helix Specific Ligands Stabilize *H*-DNA Conformation, **247**, 847–858.
Probing the Structure of a Putative Intermediate in Homologous Recombination: The Third Strand in the Parallel DNA Triplex is in Contact with the Major Groove of the Duplex, **247**, 874–889.
Thermodynamics of an Intramolecular DNA Triple Helix: A Calorimetric and spectroscopic Study of the pH and Salt Dependence of Thermally Induced Structural Transitions, **248**, 679–695.

Trisaccharide
The Refined Structures of Goose Lysozyme and its Complex with a Bound Trisaccharide Show that the 'Goose-type' Lysozymes Lack a Catalytic Aspartate Residue, **245**, 54–68.

tRNA
Polymorphic SINEs in Chironomids with DNA Derived from the R2 Insertion Site, **245**, 34–42.
An Intact Protein Translocating Machinery is Required for Mitochondrial Import of a Yeast Cytoplasmic tRNA, **245**, 315–323.
Kinetics and Thermodynamics of the RNase P RNA Cleavage Reaction: Analysis of tRNA 3'-end Variants, **247**, 161–172.
Glycine Codon Discrimination and the Nucleotide in Position 32 of the Anticodon Loop, **247**, 191–196.

Regions of 23 S Ribosomal RNA Proximal to Transfer RNA bound at the P and E Sites, **252**, 572–582.

tRNA binding
Kinetics and Thermodynamics of the RNase P RNA Cleavage Reaction: Analysis of tRNA 3'-end Variants, **247**, 161–172.
Structural Changes in Base-paired Region 28 in 16 S rRNA Close to the Decoding Region of the 30 S Ribosomal Subunit are Correlated to Changes in tRNA Binding, **250**, 407–419.

tRNA CCA end
The Involvement of Two Distinct Regions of 23 S Ribosomal RNA in tRNA Selection, **254**, 838–847.

$tRNA^{Lys}$
Phage T4-coded Stp: Double-Edged Effector of Coupled DNA and tRNA-Restriction Systems, **249**, 857–868.

$tRNA^{Met}$ core replacement
The Presence of a D-Stem but not a T-Stem is Essential for Triggering Aminoacylation upon Anticodon Binding in Yeast Methionine tRNA, **249**, 45–58.

tRNA-rRNA base-pairing
Mapping Important Nucleotides in the Peptidyl Transferase Centre of 23 S rRNA using a Random Mutagenesis Approach, **249**, 1–10.

Tropomyosin
An Atomic Model of the Unregulated Thin Filament Obtained by X-ray Fiber Diffraction on Oriented Actin-Tropomyosin Gels, **246**, 108–119.
Steric-blocking by Tropomyosin Visualized in Relaxed Vertebrate Muscle Thin Filaments, **251**, 191–196.
Structural Changes in Actin-Tropomyosin During Muscle Regulation: Computer Modelling of Low-Angle X-ray Diffraction Data, **252**, 611–632.

Tropomyosin gene
Genome Structure, Mapping and Expression of the Tropomyosin Gene *tmy-1* of *Caenorhabditis elegans*, **251**, 603–613.

β-tropomyosin
β-Tropomyosin Pre-mRNA Folding Around a Muscle-specific Exon Interferes with Several Steps of Spliceosome Assembly, **251**, 591–602.

Troponin
Structural Changes in Actin-Tropomyosin During Muscle Regulation: Computer Modelling of Low-Angle X-ray Diffraction Data, **252**, 611–632.

***trp* repressor**
Solution Dynamics of the *trp* Repressor: A Study of Amide Proton Exchange by T_1 Relaxation, **246**, 618–627.
Evidence for Coupling of Folding and Function in *trp* Repressor: Physical Characterization of the Superrepressor Mutant AV77, **253**, 266–276.
Mechanism of Hydrogen–Deuterium Exchange in *trp* Repressor Studied by ^{1}H-^{15}N NMR, **253**, 576–589.

Truncated protein
N-Terminal 33 Amino Acid Residues of *Escherichia coli* RecA Protein Contribute to its Self-assembly, **250**, 471–483.

TrwC protein
Nicking Activity of TrwC Directed Against the Origin of Transfer of the IncW Plasmid R388, **246**, 54–62.

Trypanosoma cruzi
Characterization of a Non-long Terminal Repeat Retrotransposon cDNA (L1Tc) from *Trypanosoma cruzi*: Homology of the First ORF with the Ape Family of DNA Repair Enzymes, **247**, 49–59.

Trypanosomiasis
The Crystal Structure of Cruzain: A Therapeutic Target for Chagas' Disease, **247**, 251–259.

Trypsin
Structural Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Structural Domains Identified by Proteolytic Cleavage, **248**, 723–728.

Trypsinogen
Ligand-Induced Changes in the Conformational Stability of Bovine Trypsinogen and Their Implications for the Protein Function, **247**, 701–716.

Tryptophan binding
Evidence for Coupling of Folding and Function in *trp* Repressor: Physical Characterization of the Superrepressor Mutant AV77, **253**, 266–276.

Tryptophan hydroxamate
Evidence that Uncharged tRNA Can Inhibit a Programmed Translational Frameshift in *Escherichia coli*, **251**, 210–216.

T-tracts
Selection of Ten Base-pair Sequences which Enhance the Response of the Gal1 Minimal Promoter to Murine Hoxa-7 in Yeast, **247**, 173–190.

Tubulin
β-Tubulin Genes from the Parasitic Nematode *Haemonchus contortus* Modulate Drug Resistance in *Caenorhabditis elegans*, **246**, 500–510.
β-Tubulin Folding is Modulated by the Isotype-specific Carboxy-terminal Domain, **246**, 628–636.
Re-examination of the Polarity of Microtubules and Sheets Decorated with Kinesin Motor Domain, **251**, 329–333.
The Effect of Temperature on the Structure of Vinblastine-induced Polymers of Purified Tubulin: Detection of a Reversible Conformational Change, **254**, 416–430.

Tumor promoter
The *tpa-1* Gene of *Caenorhabditis elegans* Encodes Two Proteins Similar to Ca^{2+}-independent Protein Kinase Cs: Evidence by Complete Genomic and Complementary DNA Sequences of the *tpa-1* Gene, **251**, 477–485.

β-turn
Solution Structure of the HU Protein from *Bacillus stearothermophilus*, **254**, 692–703.

Turnip crinkle virus
Requirement of a 3'-Terminal Stem-loop in *in Vitro* Transcription by an RNA-dependent RNA Polymerase, **254**, 6–14.

Twinning
Structure of Deoxyhaemoglobin of the Antarctic Fish *Pagothenia bernacchii* with an Analysis of the Structural Basis of the Root Effect by Comparison of the Liganded and Unliganded Haemoglobin Structures, **250**, 648–658.

Twist
B-DNA Twisting Correlates with Base-pair Morphology, **247**, 34–48.

Coulombic Attractions Between Partially Charged Main Chain Atoms Stabilise the Right-handed Twist Found in Most β-Strands, **248**, 374–384.

wo hybrid system
Genetic Dissection of Intersubunit Contacts Within Human Protein Kinase CK2, **253**, 703–711.

wo-component signal transduction
Crystal Structure of the Catalytic Domain of the Chemotaxis Receptor Methylesterase, CheB, **250**, 276–290.

wo-component system
In Vivo Characterization of the Unorthodox BvgS Two-component Sensor Protein of *Bordetella pertussis*, **248**, 596–610.

wo-dimensional arrays
Atomic Force Microscopy of Cholera Toxin B-oligomers Bound to Bilayers of Biologically Relevant Lipids, **248**, 507–512.

wo-dimensional crystallization
The Mechanism of Protein Crystal Growth from Lipid Layers, **246**, 308–316.
Towards the Molecular Architecture of the Asymmetric Unit Membrane of the Mammalian Urinary Bladder Epithelium: A Closed "Twisted Ribbon" Structure, **248**, 887–900.
Two-dimensional Crystallization and Preliminary Structure Analysis of Light Harvesting II (B800-850) Complex From the Purple Bacterium *Rhodovulum sulfidophilum*, **250**, 1–10.

wo-site model
Analysis of *E. coli* Rho Factor: Mutations Affecting Secondary-site Interactions, **251**, 30–40.

wo-state allosteric model
Fixation of the Quaternary Structures of Human Adult Haemoglobin by Encapsulation in Transparent Porous Silica Gels, **251**, 203–209.

ype I collagen
Type I Collagen Packing, Conformation of the Triclinic Unit Cell, **248**, 487–493.

ype I interferon
Refined Crystal Structure of Recombinant Murine Interferon-β at 2.15 Å Resolution, **253**, 187–207.

ype III restriction-modification
ATP Hydrolysis is Required for DNA Cleavage by *Eco*PI Restriction Enzyme, **247**, 559–567.

yrosine pK_a
Functional Significance of Arginine 15 in the Active Site of Human Class Alpha Glutathione Transferase A1-1, **247**, 765–773.

1A RBD(2)
An RBD that Does Not Bind RNA: NMR Secondary Structure Determination and Biochemical Properties of the C-terminal RNA Binding domain from the Human U1A protein, **247**, 739–752.

biquitin
Protein Hydration Dynamics in Aqueous Solution: A Comparison of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin by Oxygen-17 Spin Relaxation Dispersion, **245**, 682–697.
Hydrogen Exchange and Protein Hydration: The Deuteron Spin Relaxation Dispersions of Bovine Pancreatic Trypsin Inhibitor and Ubiquitin, **245**, 698–709.
NMR Cross-relaxation Investigated by Molecular Dynamics Simulation: A Case Study of Ubiquitin in Solution, **249**, 604–624.

Ultrabithorax
Homeodomain Proteins: What Governs Their Ability to Recognize Specific DNA Sequences?, **250**, 595–608.

Ultrasonics
Volumetric Characterizations of the Native, Molten Globule and Unfolded States of Cytochrome *c* at Acidic pH, **250**, 291–306.

Unfolded proteins
The Physical Properties of Local Interactions of Tyrosine Residues in Peptides and Unfolded Proteins, **245**, 251–260.
A Comparison of the pH, Urea, and Temperature-denatured States of Barnase by Heteronuclear NMR: Implications for the Initiation of Protein Folding, **254**, 305–321.

Unfolding
The Kinetics of the Thermal Denaturation of Collagen in Unrestrained Rat Tail Tendon Determined by Differential Scanning Calorimetry, **245**, 437–446.
The Unfolding Thermodynamics of c-Type Lysozymes: A Calorimetric Study of the Heat Denaturation of Equine Lysozyme, **252**, 447–459.
A Theory of DNA Dissociation from the Nucleosome, **254**, 50–61.

Universal catalytic domain structure
Universal Catalytic Domain Structure of AdoMet-dependent Methyltransferases, **247**, 16–20.

Unmodified U and A
Translation of Synonymous Codons in Family Boxes by *Mycoplasma capricolum* tRNAs with Unmodified Uridine or Adenosine at the First Anticodon Position, **251**, 486–492.

Unpaired G-stacks
The Structure of a Novel DNA Duplex Formed by Human Centromere d(TGGAA) Repeats with Possible Implications for Chromosome Attachment during Mitosis, **254**, 623–637.

Upstream sequences
Repression of Vertebrate RNA Polymerase III Transcription by DNA Binding Proteins Located Upstream from the Transcription Start Site, **250**, 315–326.

Uridylate kinase
Substrate Specificity and Assembly of the Catalytic Center Derived from two Structures of Ligated Uridylate Kinase, **246**, 522–530.

Uroplakins
Towards the Molecular Architecture of the Asymmetric Unit Membrane of the Mammalian Urinary Bladder Epithelium: A Closed "Twisted Ribbon" Structure, **248**, 887–900.

UV mutagenesis
Characteristics of UV-induced Mutation Spectra in Human XP-D/ERCC2 Gene-mutated Xeroderma Pigmentosum and Trichothiodystrophy Cells, **252**, 550–562.

UV photoproducts
UV Light as a Footprinting Agent: Modulation of UV-induced DNA Damage by Transcription Factors Bound at the Promoters of Three Human Genes, **249**, 714–728.

V8 protease
Structural Map of the Alpha Subunit of *Escherichia coli* RNA Polymerase: Structural Domains Identified by Proteolytic Cleavage, **248**, 723–728.

Variable loops
Tendamistat as a Scaffold for Conformationally Constrained Phage Peptide Libraries, **250**, 460–470.

Vasoactive intestinal polypeptide
Site-directed Mutagenesis of Proteolytic Antibody Light Chain, **253**, 658–664.

Vertebrate
A Novel Group of Families of Short Interspersed Repetitive Elements (SINEs) in *Xenopus*: Evidence of a Specific Target Site for DNA-mediated Transposition of Inverted-repeat SINEs, **248**, 812–823.

V_H chain sequences
Comprehensive Epitope Analysis of Monoclonal Anti-proenkephalin Antibodies using Phage Display Libraries and Synthetic Peptides: revelation of Antibody Fine Specificities Caused by Somatic Mutations in the Variable Region Genes, **247**, 932–946.

V_H locus
Structural Repertoire in V_H Pseudogenes of Immunoglobulins: Comparison with Human Germline Genes and Human Amino Acid Sequences, **246**, 74–81.

Vibrio
High-speed Rotation and Speed Stability of the Sodium-driven Flagellar Motor in *Vibrio alginolyticus*, **251**, 50–58.

Vinblastine
The Effect of Temperature on the Structure of Vinblastine-induced Polymers of Purified Tubulin: Detection of a Reversible Conformational Change, **254**, 416–430.

Virulence
Molecular Analysis of an A-protein Secretion Mutant of *Aeromonas salmonicida* Reveals a Surface Layer-specific Protein Secretion Pathway, **248**, 316–327.
In Vivo Characterization of the Unorthodox BvgS Two-component Sensor Protein of *Bordetella pertussis*, **248**, 596–610.

Virus
Molecular Phylogeny and Evolutionary Timescale for the Family of Mammalian Herpesviruses, **247**, 443–458.

Virus assembly
see Bacteriophage assembly.

Virus capsid
see also Bacteriophage HK97.
Structural Transitions During Bacteriophage HK97 Head Assembly, **247**, 618–635.
Genetic Basis of Bacteriophage HK97 Prohead Assembly, **247**, 636–647.
Assembly *in Vitro* of Bacteriophage HK97 Proheads, **253**, 74–85.

Virus structure
see also Bacteriophage assembly.
Location of Filamentous Phage Minor Coat Proteins in Phage and in Infected Cells, **250**, 496–506.
Packing of Coat Protein Amphipathic a Transmembrane Helices in Filamentous Bacteriopha M13: Role of Small Residues in Prote Oligomerization, **252**, 6–14.
Proteolytic and Conformational Control of Virus Caps Maturation: The Bacteriophage HK97 System, 2 86–99.

Vitamin A
Crystal Structure of Cellular Retinoic Acid Bindi Protein I Shows Increased Access to the Binding Cav due to formation of an Intermolecular β-Sheet, 2 433–446.

Volume
Volumetric Characterizations of the Native, Molt Globule and Unfolded States of Cytochrome *c* at Acid pH, **250**, 291–306.

Voronoi volumes
The Volume of Atoms on the Protein Surface: Calculat from Simulation, using Voronoi Polyhedra, 2 955–966.

VSP repair
Substrate Preferences of Vsr DNA Mismat Endonuclease and their Consequences for t Evolution of the *Escherichia coli* K-12 Genome, **245**, 1-

Water
Structure and Fluctuations of Bacteriorhodopsin in t Purple Membrane: A Molecular Dynamics Study, 2 94–111.

Water channel
Structure of the Osmo-regulated H_2O-channel, AQ CHIP, in Projection at 3.5 Å Resolution, **251**, 413–42

Water mediated interactions
Hydration Patterns and Intermolecular Interactions in DNA Crystal Structures. Implications for DN Recognition, **248**, 662–678.

Watson-Crick base-pairing
Solution Structure of a Quinomycin Bisintercalator-DN Complex, **246**, 164–179.

Winged helix-turn-helix
Refined Solution Structure and Dynamics of the DN binding Domain of the Heat Shock Factor fro *Kluyveromyces lactis*, **254**, 704–719.

Wobble position
Glycine Codon Discrimination and the Nucleotide Position 32 of the Anticodon Loop, **247**, 191–196.

Wobble rules
Analysis of Action of the Wobble Adenine on Cod Reading within the Ribosome, **252**, 277–282.

***X* Layers**
Model Structure of the Ompα Rod, a Parallel Fou stranded Coiled Coil from the Hyperthermophi Eubacterium *Thermotoga maritima*, **248**, 180–189.

Xenopus laevis
DNA Recognition Site Analysis of *Xenopus* Winged Hel Proteins, **248**, 239–254.

Xeroderma pigmentosum
Characteristics of UV-induced Mutation Spectra Human XP-D/ERCC2 Gene-mutated Xoderm Pigmentosum and Trichothiodystrophy Cells, 2 550–562.

ray crystallographic refinement
The Refined Crystallographic Structure of a dd-Peptidase Penicillin-target Enzyme at 1.6 Å Resolution, **254**, 223–236.

ray crystallography
Structural and Mechanistic Analysis of Two Refined Crystal Structures of the Pyridoxal Phosphate-dependent Enzyme Dialkylglycine Decarboxylase, **245**, 151–179.
Structural and Functional Effects of Apolar Mutations of the Distal Valine in Myoglobin, **245**, 416–436.
A Sialic Acid-derived Phosphonate Analog Inhibits Different Strains of Influenza Virus Neuraminidase with Different Efficiencies, **245**, 623–624.
Refined Structures of Two Insertion/Deletion Mutants Probe Function of the Maltodextrin Binding Protein, **246**, 8–13.
Crystal Structures of a Schistosomal Drug and Vaccine Target: Glutathione S-Transferase from *Schistosoma japonica* and its Complex with the Leading Antischistosomal Drug Praziquantel, **246**, 21–27.
Substrate Specificity and Assembly of the Catalytic Center Derived from two Structures of Ligated Uridylate Kinase, **246**, 522–530.
X-ray Structure Analysis of the Iron-dependent Superoxide Dismutase from *Mycobacterium tuberculosis* at 2.0 Ångstroms Resolution Reveals Novel Dimer–Dimer Interactions, **246**, 531–544.
Crystal Structure of Calcium-depleted *Bacillus licheniformis* α-amylase at 2.2 Å Resolution, **246**, 545–549.
Effects of Ethyleneglycol Chain Length of Dodecyl Polyethyleneglycol Monoether on the Crystallization of Bovine Heart Cytochrome *c* Oxidase, **246**, 572–575.
The 1.6 Å Structure of Kunitz-type Domain from the α3 Chain of Human Type VI Collagen, **246**, 609–617.
The Crystal Structure of Porcine Pancreatic α-Amylase in Complex with the Microbial Inhibitor Tendamistat, **247**, 99–110.
Crystal Structure of the Closed Form of Chicken Cytosolic Aspartate Aminotransferase at 1.9 Å Resolution, **247**, 111–124.
The Crystal Structure of Cruzain: A Therapeutic Target for Chagas' Disease, **247**, 251–259.
The Complex Formed Between Tet Repressor and Tetracycline-Mg^{2+} Reveals Mechanism of Antibiotic Resistance, **247**, 260–280.
Dissection of Protein-Carbohydrate Interactions in Mutant Hen Egg-white Lysozyme Complexes and their Hydrolytic Activity, **247**, 281–293.
Human Interleukin-4 and Variant R88Q: Phasing X-ray Diffraction Data by Molecular Replacement Using X-ray and Nuclear Magnetic Resonance Models, **247**, 360–372.
Reptile Heme Protein Structure: X-ray Crystallographic Study of the Aquo-met and Cyano-met Derivatives of the Loggerhead Sea Turtle (*Caretta caretta*) Myoglobin at 2.0 Å Resolution, **247**, 459–465.
Structure and Oxygen Affinity of Crystalline DesArg141α Human Hemoglobin A in the T State, **248**, 136–150.
Multiple Crystal Forms of Endoglucanase CelD: Signal Peptide Residues Modulate Lattice Formation, **248**, 225–232.
Structure and Specificity of the Anti-Digoxin Antibody 40-50, **248**, 344–360.
The Refined Crystal Structure of an Endochitinase from *Hordeum vulgare* L. Seeds at 1.8 Å Resolution, **248**, 402–413.
Hydration Patterns and Intermolecular Interactions in *A*-DNA Crystal Structures. Implications for DNA Recognition, **248**, 662–678.
Towards Structure-based Drug Design: Crystal Structure of a Multisubstrate Adduct Complex of Glycinamide Ribonucleotide Transformylase at 1.96 Å Resolution, **249**, 153–175.
Crystallization of RNA–Protein Complexes I. Methods for the Large-scale Preparation of RNA Suitable for Crystallographic Studies, **249**, 413–423.
Crystal Structure of an RNA Dodecamer Containing the *Escherichia coli* Shine-Dalgarno Sequence, **249**, 595–603.
Alternating and Non-alternating dG-dC Hexanucleotides Crystallize as Canonical *A*-DNA, **249**, 772–784.
Crystal Structure of *Proteus mirabilis* PR Catalase With and Without Bound NADPH, **249**, 933–954.
Crystal Structure of Abrin-a at 2.14 Å, **250**, 354–367.
X-ray Structure of Gelonin at 1.8 Å Resolution, **250**, 368–380.
The Structure of Deoxy-and Oxy-leghaemoglobin from Lupin, **251**, 104–115.
Crystal Structure of L-2-Hydroxyisocaproate Dehydrogenase from *Lactobacillus confusus* at 2.2 Å Resolution. An Example of Strong Asymmetry Between Subunits, **251**, 256–281.
Crystal Structure of Reduced Bovine Erythrocyte Superoxide Dismutase at 1.9 Å Resolution, **251**, 282–296.
Crystal Structure of Desulforedoxin from *Desulfovibrio gigas* Determined at 1.8 Å Resolution: A Novel Non-heme Iron Protein Structure, **251**, 690–702.
Crystallographic Study of a Cleaved, Non-activatable Form of Porcine Zymogen E, **252**, 20–24.
Refined Crystal Structure of Ferrocytochrome c_2 from *Rhodopseudomonas viridis* at 1.6 Å Resolution, **252**, 235–247.
X-ray Crystal Structure Analysis of the Catalytic Domain of the Oncogene Product $p21^{H\text{-}ras}$ Complexed with Caged GTP and Mant dGppNHp, **253**, 132–150.
Studies on the Lumazine Synthase/Riboflavin Synthase Complex of *Bacillus subtilis*: Crystal Structure Analysis of Reconstituted, Icosahedral β-subunit Capsids with Bound Substrate Analogue Inhibitor at 2.4 Å Resolution, **253**, 151–167.
Elucidation of Crystal Packing by X-ray Diffraction and Freeze-etching Electron Microscopy. Studies on GTP Cyclohydrolase I of *Escherichia coli*, **253**, 208–218.
High-resolution Structure of the Catalytic Domain of Avian Sarcoma Virus Integrase, **253**, 333–346.
The Crystal Structure of the Antibody N10–Staphylococcal Nuclease Complex at 2.9 Å Resolution, **253**, 559–575.
Strange Bedfellows: Interactions between Acidic Side-chains in Proteins, **254**, 96–105.
Crystal Structure of Diferric Hen Ovotransferrin at 2.4 Å Resolution, **254**, 196–207.
Crystal Structure of Concanavalin B at 1.65 Å Resolution. An "Inactivated" Chitinase from Seeds of *Canavalia ensiformis*, **254**, 237–246.
Refined Crystal Structures of Unligated Adenylosuccinate Synthetase from *Escherichia coli*, **254**, 431–446.
Crystal Structure of a bZIP/DNA Complex at 2.2 Å: Determinants of DNA Specific Recognition, **254**, 657–667.
The Refined X-ray Structure of Muconate Lactonizing Enzyme from *Pseudomonas putida* PRS2000 at 1.85 Å Resolution, **254**, 918–941.

Crystal Structure of the Catalytic Subunit of Human Protein Phosphatase 1 and Its Complex with Tungstate, **254**, 942–959.

X-ray diffraction

An Atomic Model of the Unregulated Thin Filament Obtained by X-ray Fiber Diffraction on Oriented Actin-Tropomyosin Gels, **246**, 108–119.

Type I Collagen Packing, Conformation of the Triclinic Unit Cell, **248**, 487–493.

Structural Changes in Actin-Tropomyosin During Muscle Regulation: Computer Modelling of Low-Angle X-ray Diffraction Data, **252**, 611–632.

The C-terminal Portion of BM-40 (SPARC/Osteonectin) is an Autonomously Folding and Crystallisable Domain that Binds Calcium and Collagen IV, **253**, 347–357.

Radial Mass Analysis of the Flagellar Filament of *Salmonella*: Implications for the Subunit Folding, **253**, 547–558.

Mutations at Positions 153 and 328 in *Escherichia coli* Alkaline Phosphatase Provide Insight Towards the Structure and Function of Mammalian and Yeast Alkaline Phosphatases, **253**, 604–617.

Yeast

An Intact Protein Translocating Machinery is Required for Mitochondrial Import of a Yeast Cytoplasmic tRNA, **245**, 315–323.

Contributions of Multiple Basic Amino Acids in the C-Terminal Region of Yeast Ribosomal Protein L1 to 5 S rRNA Binding and 60 S Ribosome Stability, **246**, 295–307.

Functional Interaction between the *CSE2* Gene Product and Centromeres in *Saccharomyces cerevisiae*, **248**, 255–263.

Genetic Analysis of the Folded Structure of Yeast Mitochondrial Cytochrome *b* by Selection of Intragenic Second-site Revertants, **248**, 804–811.

Evolutionarily Conserved Structural Elements are Critical for Processing of Internal Transcribed Spacer 2 from *Saccharomyces cerevisiae* Precursor Ribosomal RNA, **250**, 24–36.

Plus-strand DNA Synthesis of the Yeast Retrotransposon Ty1 is Initiated at Two Sites, PPT1 Next to the 3′ LTR and PPT2 Within the *pol* Gene. PPT1 is Sufficient for Ty1 Transposition, **253**, 291–303.

Mutations in the Gene Encoding the 34 kDA Subunit of Yeast Replication Protein A Cause Defective S Phase Progression, **254**, 595–607.

Yeast artificial chromosome (YAC)

Visualization of Large DNA Molecules by Electron Microscopy with Polyamines: Application to the Analysis of Yeast Endogenous and Artificial Chromosomes, **246**, 486–492.

Yeast transformation

Activity of a *C. elegans* GATA Transcription Factor, E 1, Expressed in Yeast, **253**, 665–676.

Z-DNA

Sequence-dependent Microheterogeneity of Z-DNA: Crystal and Molecular Structures d(CACGCG)·d(CGCGTG) d(CGCACG)·d(CGTGCG), **248**, 918–930.

Direct Observation of Two Base-pairing Modes c Cytosine– Thymine Analogue with Guanine in a D Z-form Duplex: Significance for Base Analo Mutagenesis, **251**, 665–673.

Zea mays

Complete Sequence of the Maize Chloroplast Geno Gene Content, Hotspots of Divergence and I Tuning of Genetic Information by Transcript Edit **251**, 614–628.

Zinc

Crystal Structure of Reduced Bovine Erythro Superoxide Dismutase at 1.9 Å Resolution, 282–296.

Mapping of the Active Site Zinc Ligands of Pep Deformylase, **254**, 175–183.

Zinc finger

Characterization of the 5 S RNA Binding Activity *Xenopus* Zinc Finger Protein p43, **245**, 549–558.

A Conformationally Homogeneous Combinato Peptide Library, **247**, 154–160.

The Zinc coordination Site of the Bacteriophage Translational Activator protein, Com, **247**, 753–764

Interaction of the RNA Binding Fingers of *Xen* Transcription Factor IIIA with Specific Regions of Ribosomal RNA, **248**, 44–57.

A Single Amino Acid Substitution in Zinc Finger Adr1p Changes its Binding Specificity at two Posit in UAS1, **251**, 1–8.

Serine at Position 2 in the DNA Recognition Helix Cys_2-His_2 Zinc Finger Peptide is Not, in Gene Responsible for Base Recognition, **252**, 1–5.

Zinc finger direct NOE refinement

Structure Refinement of the Glucocorticoid Recep DNA Binding from NMR Data by Relaxation Ma Calculations, **247**, 689–700.

ZN(II) binding mutants

Mutation in Cys662 of *Escherichia coli* D Topoisomerase I Confers Temperature Sensitivity Change in DNA Cleavage Selectivity, **250**, 609–616

Zymogen

Crystal and Molecular Structures of Human Progastri at 1.62 Å Resolution, **247**, 466–485.

Author Index

Abad, J. P. **245** (1) 8
Abel, S. **251** (4) 533
Abeygunawardana, C. **250** (2) 134
Abkevich, V. I. **252** (4) 460
Aboul-ela, F. **253** (2) 313
Abraham, D. J. **248** (4) 845
Abril-Marti, M. **248** (3) 541
Abseher, R. **249** (3) 604
Acali, S. **247** (2) 154
Acharya, K. R. **254** (5) 900
Adams, D. E. **247** (3) 404
Adhya, S. **245** (3) 228 **253** (3) 414
Aebi, U. **248** (5) 887
Agard, D. A. **251** (1) 116 **254** (4) 720
Agoutin, B. **253** (2) 291
Aimoto, S. **248** (4) 824
Ainsworth, C. F. **252** (4) 472
Air, G. M. **245** (5) 623
Aird, H. C. **249** (3) 520
Aitken, A. **245** (4) 375
Akasaka, K. **250** (5) 689 **251** (1) 95
Akey, C. W. **248** (2) 273
Akke, M. **246** (1) 144 **252** (1) 102
AL-Khayat, H. A. **252** (5) 611
Ala, P. **246** (2) 308
Alasaka, K. **251** (1) 95
Alazard, R. **249** (2) 332
Alegria-Hartman, M. **247** (3) 418
Alex, R. **247** (3) 396
Alexandratos, J. **253** (2) 333
Alexandrescu, A. T. **250** (2) 134
Ali, S. T. **248** (2) 328
Allain, F. H.-T. **250** (3) 333
Allers, T. **252** (1) 70
Allewell, N. M. **248** (5) 949
Almagro, J. C. **246** (1) 74 **254** (3) 497
Almaula, N. **254** (3) 337
Alonso, C. **247** (1) 49
Alonso, D. O. V. **247** (3) 501
Alonso, J. C. **252** (4) 386
Altman, R. B. **251** (1) 161
Altuvia, Y. **249** (2) 244
Alzari, P. M. **248** (2) 225
Amils, R. **247** (2) 224
Amos, L. A. **251** (3) 329
Anderson, P. C. **250** (2) 211
Andoh, T. **247** (5) 835
Andreev, O. A. **248** (2) 294
Angenitzki, M. **246** (2) 254
Antonsson, P. **250** (1) 64
Anwar, H. P. **250** (5) 627
Aoyama, H. **246** (5) 572
Aphasizhev, R. **249** (1) 45
Aplin, S. E. **248** (2) 385
Apt, K. E. **248** (1) 79
Arad, D. **254** (4) 761
Arata, Y. **250** (5) 659 **254** (2) 208
Archer, M. **251** (5) 690
Arcus, V. L. **254** (2) 305
Arevalo, J. H. **249** (1) 153
Argos, P. **249** (4) 816
Ariyoshi, M. **249** (2) 360
Arkin, I. T. **248** (4) 824
Arnone, A. **248** (1) 136
Arnoux, B. **246** (5) 609
Arora, R. **249** (2) 283
Arvai, A. S. **249** (5) 835
Asakura, T. **247** (4) 541
Asayama, M. **250** (1) 11
Ascenzi, P. **247** (3) 459 **249** (4) 800
Ascoli, F. **248** (5) 910
Ashley, C. **252** (3) 283
Aszódi, A. **251** (2) 308
Auer, M. **253** (2) 243
Austin, S. **248** (4) 781
Auzat, I. **246** (2) 248 **249** (2) 478
Avbelj, F. **250** (2) 239
Avila, J. **246** (5) 628
Avis, J. M. **249** (2) 398
Ayala, Y. M. **253** (5) 787
Azorin, F. **245** (1) 8
Baase, W. A. **246** (2) 317
Bacher, A. **253** (1) 151
Bacher, L. **253** (1) 208
Bachmann, L. **253** (1) 208
Backer, J. M. **251** (4) 574
Badasso, M. O. **246** (4) 531
Bailey, A. J. **245** (4) 437
Bailly, C. **253** (1) 1
Baines, B. S. **247** (5) 979
Baker, D. **251** (1) 176
Bald, R. **249** (3) 595
Baldwin, M. A. **250** (4) 514 **252** (4) 412
Baldwin, R. L. **252** (1) 122
Ballas, N. **253** (3) 396
Bamford, D. H. **246** (3) 418 **249** (3) 545
Banaszak, L. J. **252** (4) 433
Barbas III, C. F. **254** (3) 392
Barber, A. M. **245** (3) 228
Barciszewska, M. **247** (2) 191
Barford, D. **254** (5) 942
Barras, F. **246** (1) 82
Barron, L. D. **254** (4) 747
Barton, J. D. **249** (4) 785
Bascle, J. **254** (5) 960
Basus, V. J. **248** (1) 106
Batzer, M. A. **247** (3) 418
Bauer, M. **248** (3) 653
Bauer, W. R. **253** (3) 438
Baumann, G. **246** (2) 344 **254** (1) 86
Baumann, H. **247** (5) 840
Baumann, U. **248** (3) 653
Baumeister, W. **245** (4) 385 **248** (1) 180
Baumgartner, S. **251** (1) 41
Baxter, W. W. **249** (4) 772
Bayer, P. **247** (4) 529
Bazan, H. A. **247** (3) 418
Bazzo, G. B. R. **247** (2) 154
Beck, S. **249** (2) 342
Becker, A. **252** (1) 31
Becker, P. B. **252** (3) 305
Beckmann, E. **254** (3) 404
Bednar, J. **254** (4) 579, 591
Bedwell, D. M. **251** (3) 334
Beekwilder, M. J. **247** (5) 903
Béguin, P. **248** (2) 225
Behe, M. J. **245** (5) 559
Beißinger, M. **249** (1) 185
Beier, D. **248** (3) 596
Belfort, M. **247** (2) 197

Belguise-Valladier, P. **249** (5) 903
Belisle, M. **247** (2) 197
Bellsolell, L. **249** (3) 654
Bendixen, C. **253** (5) 703
Bénédetti, H. **246** (1) 1
Benevides, J. M. **248** (2) 233
Benham, C. J. **253** (3) 438
Benhamou, S. **252** (5) 550
Benjamin, D. C. **253** (4) 559
Benjamin, D. R. **254** (4) 681
Benkovic, S. J. **249** (1) 153
Bennett, R. J. **252** (2) 213
Benoit, A. **252** (5) 550
Bensaude, O. **249** (3) 535
Berberich, S. **245** (2) 92
Berens, C. **245** (5) 538
Berg, J. M. **252** (1) 1
Berger, O. **250** (1) 94
Berkhout, B. **252** (1) 59
Bernstein, S. I. **249** (1) 111
Berti, P. J. **246** (2) 273
Besseau, L. **251** (2) 197
Bessho, Y. **251** (4) 486
Betermier, M. **249** (2) 332
Bethge, P. H. **247** (5) 947
Bi, X. **247** (5) 890
Bianchi, E. **247** (2) 154
Bianchi, M. E. **246** (2) 243
Bianchi, V. **252** (5) 514
Bibikov, S. I. **246** (4) 493
Biebricher, C. K. **249** (4) 754
Biek, D. P. **246** (3) 388
Binkley, J. P. **247** (1) 60
Bisagni, E. **247** (5) 847
Bishop, P. D. **248** (2) 414
Björck, L. **250** (2) 128
Björnestedt, R. **247** (4) 765
Bjørn, S. **246** (5) 609
Blaber, M. **246** (2) 317
Black, L. W. **247** (4) 523, 604
Blackledge, M. J. **245** (5) 661
Blair, D. F. **251** (2) 237
Blake, C. C. F. **254** (2) 113
Blanco, F. J. **247** (4) 670
Blank, T. A. **252** (3) 305
Blanquet, S. **253** (1) 100 **254** (2) 175, 247
Bloom, C. R. **245** (4) 324
Blumenthal, R. M. **253** (4) 618
Blumenthal, T. **253** (5) 665
Blundell, T. L. **248** (4) 856
Board, P. G. **247** (4) 765
Bochkarev, A. **246** (2) 308
Bock, C.-T. **246** (4) 486
Boel, E. **248** (1) 97
Boelens, R. **246** (1) 180 **247** (4) 689 **254** (4) 692
Boisset, N. **248** (2) 431
Bokal IV, A. J. **245** (3) 197
Bolognesi, M. **247** (3) 459
Bonetti, B. **251** (3) 334
Bonnard, G. **250** (4) 484
Bonner, J. J. **253** (5) 665
Bonven, B. J. **249** (3) 564
Bonvin, A. M. J. J. **247** (4) 689 **250** (1) 80
Bordas, J. **254** (3) 416
Borén, T. **247** (2) 191
Borejdo, J. **248** (2) 294
Boresch, S. **254** (5) 801
Borisov, V. V. **247** (1) 111
Borisova, S. **254** (3) 447
Borremans, F. A. M. **253** (4) 59
Bortoli-German, I. **246** (1) 8
Bossart-Whitaker, P. **253** (4) 55
Böttger, A. **247** (5) 932 **247** (5) 93
Böttger V. **247** (5) 93
Boulard, Y. **246** (1) 194, 20
Bourgaux, P. **248** (2) 22
Bourgaux-Ramoisy, D. **248** (2) 22
Bourne, H. R. **254** (4) 68
Bourne, Y. **249** (5) 83
Boutonnet, N. S. **253** (4) 63
Boyd, D. C. **253** (5) 67
Boyen, C. **250** (4) 48
Bradley, R. **252** (3) 28
Brady, G. P. **254** (1) 7
Brahms, G. **246** (1) 3
Brahms, S. **246** (1) 3
Brash, D. E. **246** (2) 26
Brass, A. **247** (4) 82
Braswell, E. H. **251** (5) 70
Bratt, J. M. **252** (4) 43
Braun, W. **254** (3) 46
Braxenthaler, M. **250** (2) 23
Brejc, K. **249** (2) 42
Brengelmann, R. **254** (3) 48
Brennan, M. D. **249** (2) 25
Brenner, S. E. **247** (4) 53
Breslauer, K. J. **248** (3) 679 **250** (2) 29
Briehl, R. W. **245** (5) 71
Briones, A. T. **254** (3) 39
Brody, E. **251** (5) 59
Brooks III, C. L. **251** (3) 44
Brousseau, R. **254** (3) 44
Brown, D. M. **251** (5) 66
Brown, N. P. **249** (2) 34
Bruist, M. F. **252** (1) 4
Bruix, M. **247** (4) 71
Brunel, C. **253** (2) 27
Brünger, A. T. **250** (1) 8
Bruni, B. **251** (2) 28
Bruns, C. M. **247** (1) 12
Bruschi, M. **245** (5) 66
Bryk, M. **247** (2) 19
Brzovic, P. S. **245** (4) 32
Buchberger, A. **249** (1) 12
Buchner, J. **248** (1) 19
Buchner, V. **254** (4) 76
Buck, M. **248** (4) 781 **252** (4) 48
Bucklin, D. J. **252** (5) 57
Buehner, M. **247** (2) 36
Bujacz, G. **253** (2) 33
Bukau, B. **249** (1) 12
Bulaj, G. **247** (4) 70
Bullard, J. M. **252** (5) 57
Büldt, G. **249** (2) 23
Burger, G. **245** (5) 52
Burgess, S. A. **250** (1) 5
Bürgisser, D. M. **253** (2) 35
Burjanadze, T. V. **245** (4) 43
Burston, S. G. **249** (1) 138 **250** (5) 58
Burton, D. R. **254** (3) 39
Bustin, M. **252** (4) 42
Butke, J. **249** (2) 28
Bycroft, M. **254** (2) 30
Byrnes, L. **247** (1)
Caflisch, A. **252** (5) 67
Calladine, C. R. **251** (5) 64
Camerini-Otero, R. D. **247** (5) 87
Camougrand, N. **247** (4) 58

Campbell, I. D. **247** (5) 979
Campbell, W. **248** (5) 931
Cann, P. A. **254** (5) 993
Cannon, W. **248** (4) 781
Capp, M. W. **245** (4) 331
Carbonnaux, C. **246** (1) 194
Carey, J. **254** (2) 150
Carlson, M. **245** (4) 416
Carpenter, C. D. **245** (5) 608
Carrondo, M. A. **251** (5) 690
Cartwright, I. L. **249** (2) 298
Casati, M. **251** (2) 282
Cashel, M. **252** (5) 536
Castagnola, M. **249** (4) 800
Castresana, J. **250** (2) 202
Cesareni, G. **248** (3) 541 **248** (4) 835
Chacko, S. **245** (3) 261
Chafin, D. R. **248** (1) 136
Chai, S. **252** (4) 386
Chakrabarti, P. **251** (1) 9
Chalikian, T. V. **250** (2) 291
Chan, M. **252** (1) 15
Chandler, M. **249** (2) 332
Chang, C. Y. **253** (4) 559
Chang, C. Y. Y. **246** (1) 14 **248** (2) 344
Chang, N.-L. **252** (5) 643
Chapus, C. **252** (1) 20
Charlier, D. **250** (4) 383, 392
Chatterjee, S. **245** (4) 311 **253** (3) 414
Chaudhry, M. A. **249** (5) 914
Chazin, W. J. **249** (2) 441 **252** (1) 102
Chen, H. **246** (1) 164
Chen, J.-L. **250** (3) 354
Chen, P. **249** (1) 153
Chen, Y. M. Y. **252** (1) 6
Chen, Y.-F. **249** (4) 743
Cheng, C. **251** (1) 1
Cheng, N. **253** (1) 86
Cheng, X. **247** (1) 16 **253** (4) 618
Chernaia, M. M. **247** (3) 466
Chernov, B. K. **245** (3) 228
Chiancone, E. **253** (1) 168
Chippaux, M. **246** (1) 82
Chiquet-Ehrismann, R. **251** (1) 41
Chitarra, V. **248** (2) 225
Cho, H. **254** (4) 704
Cho, N.-Y. **246** (4) 461
Choi, M. **246** (4) 461
Choi, W. E. **245** (4) 324
Chothia, C. **247** (4) 536
Chou, S.-H. **254** (4) 623
Chroboczek, J. **252** (4) 379
Chu, M.-L. **245** (3) 241 **254** (5) 892
Chui, Y. L. **249** (3) 555
Churcher, M. J. **248** (3) 562
Ciliberto, G. **254** (5) 795
Claesson, C. **247** (2) 191
Clarens, M. **250** (2) 191
Clark, K. **247** (4) 753
Clarke, A. R. **249** (1) 138 **250** (5) 581 **253** (5) 771
Clarke, J. **253** (3) 493, 505
Clarkson, S. G. **245** (2) 81
Clayton, D. A. **249** (1) 11
Clegg, R. M. **253** (2) 259
Clementi, M. E. **248** (5) 910
Clerget, M. **248** (4) 768
Clouet d'Orval, B. **251** (5) 591
Coda, A. **247** (3) 459
Cognet, J. A. H. **246** (1) 194, 209
Cohen, F. E. **245** (4) 362 **250** (4) 514 **252** (4) 412
Cohen, G. **245** (3) 261
Cohen, P. T. W. **254** (5) 942
Cohen, S. N. **250** (3) 309 **254** (2) 119
Coletta, M. **247** (3) 459 **248** (5) 910 **249** (4) 800
Coll, M. **249** (3) 654
Collier, J. L. **248** (1) 79
Commans, S. **253** (1) 100
Connelly, P. R. **248** (3) 696
Connolly, B. A. **251** (3) 366 **254** (3) 381
Conway de Macario, E. **250** (2) 191
Conway, J. F. **253** (1) 86
Cook, S. **247** (3) 443
Cooke, R. M. **247** (5) 979
Cooper, A. **254** (4) 747
Cooper, J. B. **246** (4) 531
Coren, J. S. **249** (1) 176
Corrales, F. J. **254** (5) 968
Corrie, J. E. T. **253** (1) 132
Cortese, R. **247** (2) 154
Cottier, A. **248** (4) 781
Craig, R. **251** (2) 191
Craik, C. S. **247** (2) 251
Craven, C. J. **246** (2) 331
Creighton, T. E. **245** (3) 251 **249** (2) 463 **253** (5) 799
Crevel, I. M.-T. C. **249** (4) 763
Crippen, G. M. **252** (1) 144
Critchley, D. R. **252** (2) 227
Cronet, P. **249** (3) 654
Cross, M. A. **254** (4) 608
Cross, R. A. **249** (4) 763
Crothers, D. M. **248** (5) 968
Cunin, R. **246** (1) 132
Cuzange, A. **252** (4) 379
Cygler, M. **254** (3) 447
Cyrklaff, M. **250** (1) 1
Da Costa, M. **245** (4) 362
Daegelen, D. **253** (1) 17
Daggett, V. **247** (3) 501
Dahlberg, A. E. **254** (5) 838
Dahlmann, B. **248** (2) 264
Dairaghi, D. J. **249** (1) 11
Dalal, S. **250** (4) 447
Dalbey, R. E. **245** (4) 311
Daly, T. J. **253** (2) 243
Damberger, F. F. **254** (4) 704
Damberger, S. H. **248** (1) 27
Daniel, D. C. **245** (2) 92
Darby, N. J. **249** (2) 463
Dardel, F. **253** (1) 100 **254** (2) 247
Darè, E. **252** (5) 514
Darlix, J.-L. **252** (5) 563 **254** (4) 523
Darst, S. A. **246** (2) 308
Darwin, A. J. **251** (1) 15
Daum, H. **249** (4) 754
Dauter, Z. **247** (1) 111
Davies, D. **245** (3) 261
Davis, A. L. **247** (4) 689
Davis, B. **254** (5) 980
Davison, A. J. **249** (3) 520
Day, P. J. **254** (5) 993
de Bizemont, T. **247** (5) 847
de Boer, B. **247** (2) 149
De Candia, E. **245** (4) 447
De Cristofaro, R. **245** (4) 447
de Kruif, J. **248** (1) 97
de la Cruz, F. **246** (1) 54
de Prat Gay, G. **254** (2) 289 **254** (5) 968
de Rocquigny, H. **254** (4) 523

De Sanctis, G. **247** (3) 459
De Serio, A. **254** (5) 795
de Smit, M. **253** (2) 277
De Staercke, C. **246** (1) 132
Débarbouillé, M. **249** (5) 843
Deber, C. M. **252** (1) 6
Decoville, M. **246** (2) 243
Dehò, G. **249** (5) 869
Deininger, P. L. **247** (3) 418
Deisenhofer, J. **246** (3) 429
DeKoster, G. T. **249** (3) 529
Delarue, M. **249** (3) 675
Delbaere, L. T. J. **253** (3) 385
Delcamp, T. J. **247** (2) 309
delCardayré, S. B. **252** (3) 328
Deléage, G. **245** (5) 508
Delepelaire, P. **248** (3) 653
Demignon, J. **253** (1) 17
Deng, Y.-L. **252** (4) 472
Dengler, U. **253** (1) 114
Denisov, V. P. **245** (5) 682 **245** (5) 698
Derewenda, U. **252** (2) 248
Derewenda, Z. S. **252** (2) 248
DeRosier, D. J. **249** (1) 88
Derrick, J. P. **254** (5) 993
Deryckere, F. **247** (1) 1
Desai, A. **251** (1) 41
Desideri, A. **247** (3) 459 **248** (5) 910
Dhanaraj, V. **248** (4) 856
Di Cera, E. **253** (5) 787
di Rago, J.-P. **248** (4) 804
Diakun, G. P. **254** (3) 416
Díaz-Orejas **247** (4) 568
Diaz-Lazcoz, Y. **250** (2) 123
Dideberg, O. **249** (5) 933
Dijkstra, B. W. **247** (2) 149 **254** (2) 237
Dimroth, P. **253** (5) 726
Divita, G. **245** (5) 508
Dixon, N. E. **249** (4) 785
Dobson, C. M. **246** (3) 382 **252** (4) 483 **253** (5) 651
Dodson, G. G. **251** (1) 104
Doherty, A. J. **251** (3) 366
Dokland, T. **251** (1) 59
Dolan, A. **247** (3) 443
Dondon, J. **253** (2) 277
Dong, H. **248** (3) 551
Doniach, S. **254** (5) 960
Dorgai, L. **252** (2) 163, 178
Doten, R. C. **253** (2) 243
Dou, Y. **245** (4) 416
Douthwaite, S. **249** (1) 59
Draganescu, A. **250** (5) 595
Drakenberg, T. **250** (2) 128
Draper, D. E. **249** (2) 231, 319
Drevet, J. R. **246** (1) 43
Driscoll, P. C. **247** (5) 979
Dubochet, J. **254** (4) 579, 591
Dubois, M.-F. **249** (3) 535
Duckett, D. R. **246** (1) 95 **252** (5) 596
Ducruix, A. **246** (5) 609
Duda, R. L. **247** (4) 618, 636 **253** (1) 86
Dunn, I. S. **248** (3) 497
Dunn, M. F. **245** (4) 324
Dunø, M. **253** (5) 703
Dunster, N. J. **250** (5) 581
Durosay, P. **251** (5) 591
Duval-Valentin, G. **247** (5) 847
Dwivedi, U. **248** (5) 931
Díaz-Orejas, R. **247** (2) 211, 568
Eakin, A. E. **247** (2) 25
Edholm, O. **250** (1) 9
Edström, J.-E. **245** (1) 3
Edwards, A. M. **246** (2) 30
Edwards, K. J. **249** (4) 78
Efimov, A. V. **245** (4) 40
Egelman, E. H. **245** (5) 582 **245** (5) 59
Egloff, M.-P. **254** (5) 94
Ehrenberg, M. **246** (4) 47
Ehresmann, B. **247** (2) 236 **253** (2) 27
Ehresmann, C. **247** (2) 236 **253** (2) 27
Eichinger, L. **247** (1) 2
Eisenstein, M. **248** (3) 66
Ejchart, A. **247** (4) 52
El Hassan, M. A. **251** (5) 64
Elber, R. **245** (4) 41
Endemann, H. **250** (4) 49
Endo, S. **247** (4) 68
Engel, A. **245** (4) 385 **248** (1) 180 **248** (5) 887 **249** (2) 23
Engel, A. M. **248** (1) 18
Engel, J. **246** (2) 284 **253** (2) 347 **250** (1), 64, 7
Engel, J. C. **247** (2) 25
Engelhardt, H. **245** (4) 38
Engelman, K. J. **248** (4) 82
Engels, J. W. **254** (3) 48
Entelis, N. **245** (4) 31
Epp, O. **246** (3) 429 **247** (1) 9
Erdmann, V. A. **247** (2) 161 **249** (3) 59
Ericson, G. **250** (4) 40
Erijman, L. **253** (2) 25
Eriksson, M. A. L. **253** (3) 45
Ernst, S. **252** (5) 64
Etzold, T. **249** (4) 81
Evans, P. A. **249** (2) 25
Facca, C. **249** (3) 53
Fairman, R. **254** (2) 15
Falk, H. **247** (2) 32
Fan, J. **251** (3) 32
Farr-Jones, S. **248** (1) 10
Fasiolo, F. **249** (1) 4
Fauser, C. **250** (1) 6
Faye, G. **249** (3) 53
Fazakerley, G. V. **246** (1) 194, 20
Fazzio, R. T. **251** (2) 23
Fearnley, I. **249** (2) 40
Fechteler, T. **253** (1) 11
Feiss, M. **245** (2) 126, 14
Felici, F. **247** (2) 15
Fermi, G. **250** (5) 64
Ferrer, N. **245** (1)
Ferretti, J. A. **251** (2) 29
Fersht, A. R. **248** (2) 478 **253** (3) 493, 50
254 (2) 260, 289, 305 **254** (5) 968, 98
Fetler, L. **251** (2) 24
ffrench-Constant, R. H. **253** (2) 22
Fiala, R. **247** (2) 338 **251** (5) 67
Fickett, J. W. **253** (1) 5
Ficner, R. **249** (2) 42
Fieck, A. **249** (1) 11
Finch, J. T. **250** (3) 32
Finucane, M. D. **246** (5) 618 **253** (4) 57
Firman, K. **250** (2) 18
Fischer, D. **248** (2) 45
Fiszman, M. Y. **253** (1) 1
Fitzgerald-Hayes, M. **248** (2) 25
Flashner, Y. **249** (4) 70
Fletterick, R. J. **247** (2) 251 **252** (4) 41
Flocco, M. M. **254** (1) 9
Flood, G. **252** (2) 22

ɔgg, J. **250** (3) 327
ɔlgori, A. **247** (2) 154
ɔng, E. L. **250** (3) 309
ɔntaine, J. M. **251** (3) 378
ɔntalba, A. **246** (5) 628
ɔntecilla-Camps, J. C. **252** (1) 20
ɔrbes, B. E. **248** (2) 385
ɔrd, S. J. **254** (4) 747
ɔrsén, S. **250** (2) 128 **252** (1) 102
ɔrti, F. **249** (5) 869
ɔrtier, P.-L. **254** (2) 247
ɔster, M. P. **248** (1) 44
rancis, G. L. **248** (2) 385
rank, J. **245** (5) 461
rank, R. **247** (4) 529
ranken, S. M. **253** (1) 132
raser, P. E. **254** (2) 113
rech, C. **251** (1) 135
reedman, R. B. **249** (2) 376
reire, E. **252** (3) 337 **252** (4) 447
reisheim, J. H. **247** (2) 309
reund, J. **250** (5) 672
reund, S. M. V. **254** (2) 305
riant, S. **253** (2) 291
riesner, R. A. **247** (5) 995
rilander, M. **246** (3) 418
risch, C. **251** (4) 471
ritz, H.-J. **245** (1) 1 **251** (4) 471
romm, H. J. **254** (3) 431
u, L. **251** (3) 334
uchs, R. P. P. **249** (5) 903 **252** (5) 507
uchs, T. M. **248** (3) 596
ujii, S. **254** (1) 62
ujisawa, H. **245** (5) 635
ujisawa, T. **249** (1) 215
ujita, N. **248** (4) 723
ujiyoshi, Y. **249** (1) 69
urrer, P. **254** (4) 579, A591
ürste, J.-P. **249** (3) 595
usetti, F. **247** (2) 149
Gabarro-Arpa, J. **246** (1) 194
Gabus, C. **252** (5) 563
Gaill, F. **246** (2) 284
Gait, M. J. **248** (3) 562 **250** (3) 327
Gallinaro, H. **248** (3) 525
Gambacurta, A. **248** (5) 910
Gane, P. J. **249** (2) 376
Gannon, F. **247** (1) 1
Gao, Q.-S. **253** (5) 658
Gao, W. **251** (2) 210
Garbe, T. R. **246** (4) 531
Garcia, C. **254** (2) 247
García de Viedma, D. **247** (2) 211
García-Martínez, L. F. **254** (3) 350
Gardan, R. **249** (5) 843
Garel, J.-R. **246** (2) 248 **249** (2) 478
Garel, T. **254** (5) 960
Garges, S. **245** (3) 228
Garman, E. F. **246** (3) 374
Garrett, R. A. **247** (2) 224 **249** (1) 1
Gaspin, C. **254** (2) 163
Gassner, N. **246** (2) 317
Gautham, N. **248** (5) 918
Gautheret, D. **248** (1) 27
Gawlita, E. **249** (2) 478
Gaynor, R. B. **254** (3) 350
Gedulin, B. **248** (1) 44
Géli, V. **246** (1) 1
Gendron, D. **248** (2) 220
Geourjon, C. **245** (5) 508
Gerdes, K. **247** (5) 859 **249** (2) 270
Gerstein, M. **249** (5) 955 **251** (1) 161
Gerster, T. **253** (5) 677
Gesell, J. **253** (3) 391
Ghisotti, D. **249** (5) 869
Ghosh, R. **252** (5) 643
Giardina, B. **249** (4) 800
Gibbs, P. E. M. **251** (2) 229
Gibson, Q. H. **245** (4) 416
Gigot, D. **250** (4) 383, 392
Gilmore, A. P. **252** (2) 227
Giménez-Gallego, G. **247** (4) 568
Gindikin, V. S. **250** (2) 291
Giraldo, R. **247** (2) 211
Giraud Panis, M.-J. E. **246** (1) 95 **252** (5) 596
Giraud-Guille, M.-M. **251** (2) 197
Gittis, A. G. **250** (2) 134
Glansdorff, N. **250** (4) 383, 392
Gläsner, W. **245** (1) 1
Glen, R. C. **245** (1) 43
Glibowicka, M. **252** (1) 6
Glockshuber, R. **247** (1) 28
Göhring, W. **245** (3) 241 **253** (2) 347 **254** (5) 892
Golbik, R. **245** (4) 385
Goldie, K. **245** (4) 385 **248** (1) 180
Goldman, A. **254** (5) 918
Goldman, E. **245** (5) 467 **251** (2) 210
Gómez, J. **252** (3) 337
Goody, R. S. **245** (5) 508 **253** (1) 132
Gorin, A. A. **247** (1) 34
Goto, Y. **245** (2) 180 **249** (1) 215 **250** (2) 223 **254** (4) 737
Gottesfeld, J. M. **248** (1) 44 **250** (3) 315
Gottesman, M. E. **247** (3) 428
Götze, K. **251** (4) 471
Gouda, H. **250** (5) 659
Gouet, P. **249** (5) 933
Gourse, R. L. **245** (3) 197
Gout, I. **248** (4) 856
Gradwell, M. J. **251** (2) 308
Graf von Stosch, A. **250** (4) 507
Graffe, M. **253** (2) 277
Grandori, R. **254** (2) 150
Grandoso, G. **246** (1) 54
Granon, S. **252** (1) 20
Grassucci, R. **245** (5) 461
Gratzer, W. B. **252** (2) 227
Gray, C. W. **249** (3) 576
Gray, D. M. **249** (3) 576
Gray, M. W. **245** (5) 522
Graziani, R. **254** (5) 795
Green, B. N. **251** (5) 703
Green, J. D. F. **248** (2) 328
Green, K. **254** (3) 392
Green, L. **247** (1) 60
Green, S. R. **249** (1) 29
Greenbaum, N. L. **252** (3) 314
Greenberg, B. **250** (2) 144
Gregorian Jr, R. S. **248** (5) 968
Grenfell, R. **250** (3) 327
Grienenberger, J.-M. **250** (4) 484
Griffith, J. D. **246** (5) 576 **254** (3) 364
Grigorieff, N. **254** (3) 404
Griko, Y. V. **252** (4) 447
Grimes, B. **246** (5) 563
Grindley, N. D. F. **247** (4) 578
Grochulski, P. **254** (3) 447
Gross, M. K. **247** (2) 173
Gross, R. **248** (3) 596

Grossman, A. R. **248** (1) 79
Grütter, M. G. **245** (1) 54
Gruschus, J. M. **251** (2) 297
Gruss, P. **247** (2) 173
Gryk, M. R. **246** (5) 618
Gualerzi, C. **248** (2) 207
Guérin, M. **247** (4) 588
Guerlesquin, F. **245** (5) 661
Guest, J. R. **248** (2) 328
Guha, Bh. L. **254** (5) 918
Guigó, R. **253** (1) 51
Guillouf, C. **254** (1) 38
Gultyaev, A. P. **250** (1) 37
Gunn, J. R. **247** (5) 995
Guo, M. **253** (3) 426
Guruprasad, L. **248** (4) 856
Gutell, R. R. **248** (1) 27
Gutiérrez, C. **245** (1) 8 **253** (4) 517
Gutin, A. M. **252** (4) 460
Ha, J. J. **245** (4) 324
Hackert, M. L. **251** (3) 421 **252** (5) 643
Hadfield, A. T. **253** (1) 61
Haezebrouck, P. **246** (3) 382
Hagerman, P. J. **247** (3) 486
Hahn, U. **252** (1) 133
Haiech, J. **246** (1) 82
Halford, S. E. **245** (3) 208, 219 **248** (3) 581 **252** (4) 399
Hall, K. B. **247** (4) 739
Hall, R. M. **247** (5) 979
Hall, S. D. **254** (3) 364
Halle, B. **245** (5) 682 **245** (5) 698
Hamada, D. **254** (4) 737
Hamada, K. **247** (5) 947
Hambor, J. E. **246** (1) 63
Hammersley, A. **248** (2) 487
Hampel, K. J. **252** (3) 283
Han, K. F. **251** (1) 176
Han, W.-C. **246** (1) 14
Häner, M. **248** (5) 887
Hänisch, G. **250** (1) 74
Hanke, J. H. **246** (1) 63
Hanna, M. M. **247** (4) 547
Hansen, L. H. **249** (1) 59
Hanson, D. K. **252** (4) 472
Hård, K. **247** (4) 689
Härd, T. **247** (5) 840
Hardesty, B. **252** (2) 203
Hardt, W.-D. **247** (2) 161
Harrington, D. J. **253** (1) 168
Harrison, C. J. **254** (4) 704
Hart, P. J. **248** (2) 402
Hartley, M. R. **254** (5) 848
Hartmann, R. K. **247** (2) 161
Harutyunyan, E. H. **251** (1) 104
Hassanzadeh Gh, G. **250** (4) 392
Hatanaka, H. **253** (5) 749, 759
Hattman, S. **247** (4) 753
Havelka, W. A. **247** (4) 726
Hawley, D. K. **250** (4) 434
Haynie, D. T. **252** (4) 483
Hayward, R. S. **246** (5) 563
He, H. **245** (1) 34
Heard, K. S. **253** (1) 168
Hecht, H.-J. **251** (2) 256
Hecht, L. **254** (4) 747
Heinemann, U. **249** (3) 595
Heintz, D. **250** (5) 672
Heinz, B. A. **253** (1) 61
Heizmann, C. W. **253** (2) 358
Helbl, V. **245** (5) 5
Hélène, C. **247** (5) 8
Helin, S. **254** (5) 9
Hellmann-Blumberg, U. **247** (3) 4
Helmann, J. D. **249** (4) 743 **252** (2) 1
Helminen, P. **248** (1)
Hemming, S. A. **246** (2) 3
Hempel, J. **247** (4) 6
Hénaut, A. **250** (2) 1
Henderson, R. **247** (4) 7
Hendil, K. B. **248** (2) 2
Hendrix, R. W. **247** (4) 618, 636 **248** (5) 887 **253** (1) 74,
Henn, C. **248** (5) 8
Hennig, M. **254** (2) 2
Henrick, K. **253** (3) 4
Herbert Wu, C. H. **247** (4) 6
Hermann-Le Denmat, S. **248** (4) 8
Hernandez, V. J. **252** (5) 5
Hervé, G. **246** (1) 132 **248** (3) 639 **251** (2) 2
Hess, D. **253** (2) 3
Hess, M. **252** (4) 3
Heyman, T. **253** (2) 2
Hickey, M. J. **249** (5) 8
Higgins, R. R. **252** (1)
Hill, W. E. **252** (5) 5
Hillen, W. **245** (5) 538 **247** (2) 2
Hinrichs, W. **247** (2) 2
Hinz, H.-J. **254** (3) 4
Hirose, K. **251** (3) 3
Hirose, M. **254** (2) 1
Hirota, Y. **254** (4) 5
Hirsh, D. **252** (3) 3
Hlavacek, W. S. **248** (4) 7
Ho, C. **248** (4) 8
Ho, N. T. **248** (4) 8
Ho, P. S. **249** (4) 7
Hobohm, U. **251** (3) 3
Hodges, R. S. **254** (3) 5
Hoess, R. H. **250** (4) 4
Hoffman, C. R. **254** (3) 4
Hofnung, M. **246** (1)
Hohenadl, C. **253** (2) 3
Hohenester, E. **245** (2) 151 **253** (2) 3
Holak, T. A. **247** (1)
Hollis, T. **248** (2) 4
Holmes, K. C. **246** (1) 1
Hölzemann, G. **252** (5) 6
Homma, M. **251** (1)
Hommel, U. **254** (1)
Honig, B. **252** (3) 351, 3
Honzatko, R. B. **254** (3) 4
Hooke, S. D. **246** (3) 3
Hoopes, B. C. **250** (4) 4
Hori, H. **251** (4) 4
Horiguchi, T. **254** (5) 8
Hostomska, Z. **247** (1)
Hostomsky, Z. **247** (1)
Hosur, M. V. **250** (3) 3
Hounslow, A. M. **253** (3) 5
Houston Jr, M. E. **254** (3) 5
Howell, S. A. **245** (4) 3
Hromas, R. **251** (1)
Hu, J. **249** (2) 2
Huang, E. S. **252** (5) 7
Huang, I. **251** (1)
Huang, S.-T. **245** (4) 3
Hubbard, T. **247** (4) 5

uber, R. **246** (1) 227 **246** (4) 511 **246** (4) 545 **247** (1) 99 **249** (1) 185 **249** (2) 424 **251** (5) 690 **253** (1) 151, 208, **253** (2) 358
ubner, B. **252** (1) 133
ünenberger, P. H. **252** (4) 492
ung, S. C. **247** (3) 428
unt, D. **247** (4) 618
urley, L. H. **252** (1) 86
utchinson, F. **254** (3) 372
uysveld, N. **250** (4) 383
nnolo, G. **248** (4) 835
trou, K. **246** (1) 43
hinose, Y. **249** (3) 513
loi, G. L. **251** (5) 614
eda-Saito, M. **245** (4) 416
li, B. **248** (3) 541
nadzu, H. **251** (5) 603
nae, Y. **251** (1) 50
nbault, P. **245** (1) 22
nagaki, F. **253** (5) 749, 759
nagaki, Y. **251** (4) 486
ngham, K. C. **248** (2) 414 **248** (3) 611
ngmer, H. **250** (3) 309
noue, T. **251** (5) 603
nouye, H. **252** (4) 412
nouye, M. **245** (4) 311 **247** (3) 390 **252** (1) 25 **254** (3) 337
nterrante, R. **250** (5) 627
sel, C. **247** (2) 236
shida, R. **247** (5) 835
shihama, A. **248** (4) 723, 756 **254** (3) 342
shimi, Y. **247** (5) 835
shimura, M. **251** (4) 520
shizaki, H. **253** (5) 749, 759
sogai, A. **253** (5) 749, 759
to, N. **249** (2) 398, 409 **250** (5) 648
to, W. **248** (4) 729
tzhaki, L. S. **254** (2) 260, 289
vanov, V. I. **245** (3) 228
wai, H. **250** (5) 659
wanowicz, E. J. **246** (1) 14
yer, V. N. **246** (5) 595
ablonsky, M. J. **248** (2) 449
ackson, R. M. **250** (2) 258
acob, M. **248** (3) 525
acobs, A. **246** (1) 132
acobsen, E. **251** (1) 59
acobsen, K. D. **252** (3) 289
acrot, B. **252** (4) 379
aenicke, R. **246** (4) 511
agura-Burdzy, G. **253** (1) 39
ähnig, F. **250** (1) 94
ain, C. **246** (5) 585
akubowski, H. **251** (2) 210
alinot, P. **250** (2) 169
ames, E. **248** (2) 374
ames, M. N. G. **247** (3) 466 **249** (1) 195
ames, T. L. **250** (4) 514
amieson, F. E. **247** (3) 443
anakiraman, M. N. **245** (5) 623
ansonius, J. N. **245** (2) 151 **254** (2) 237
ap, B. K. **251** (3) 413 **252** (1) 15
aquet, L. **248** (3) 639
ardetzky, O. **246** (5) 618 **253** (4) 576
arvis, J. M. **249** (3) 555
askólski, M. **253** (2) 333
effrey, P. D. **248** (2) 344
enssen, D. **252** (5) 514
erala, R. **246** (2) 331
ernigan, R. L. **247** (5) 874
Jia, Z. **253** (3) 385
Jiménez, M. A. **247** (4) 648
Joachimiak, A. **253** (5) 712
Johansson, J. **247** (4) 808
Johnsen, A. **248** (2) 264
Johnson, E. M. **245** (2) 92
Johnson, G. **252** (4) 472
Johnson, L. N. **246** (3) 374 **254** (5) 900
Jones, D. H. A. **245** (4) 375
Jones, G. **245** (1) 43
Jones, T. A. **247** (4) 765
Joniau, M. **246** (3) 382
Jørgensen, P. **249** (3) 564
Joshi, G. S. **248** (4) 845
Jouve, H.-M. **249** (5) 933
Jun Jin, D. **248** (4) 768
Jung, G. **250** (2) 211
Jurka, J. **246** (3) 401
Juuti, J. T. **249** (3) 545
Juy, M. **248** (2) 225
Kaarsholm, N. C. **245** (4) 324
Kadler, K. E. **247** (4) 823
Kagawa, H. **251** (5) 603
Kagawa, H. K. **253** (5) 712
Kahana, E. **252** (2) 227
Kahn, A. **253** (1) 17
Kahn, P. C. **245** (4) 311 **254** (5) 918
Kaim, G. **253** (5) 726
Kainz, M. **254** (5) 808
Kalbitzer, H. R. **250** (5) 672
Kam-Morgan, L. **245** (3) 261
Kamatari, Y. **251** (1) 95
Kamitsubo, E. **254** (2) 109
Kammerer, R. A. **250** (1) 64
Kanaori, K. **251** (1) 95
Kanaya, E. **254** (1) 62
Kanaya, S. **248** (4) 733
Kaneda, H. **254** (1) 62
Kaneko, K. **250** (4) 514
Kannan, K. K. **250** (3) 368
Kantrowitz, E. R. **253** (4) 604
Kanzaki, I. **252** (3) 296
Kaptein, R. **247** (4) 689 **254** (4) 692
Karn, J. **248** (3) 562 **253** (2) 313
Karplus, M. **247** (4) 774 **252** (5) 672 **254** (5) 801
Karplus, P. A. **247** (1) 125
Karshikoff, A. **247** (5) 840
Kassavetis, G. A. **250** (3) 315
Kataoka, H. **253** (5) 749, 759
Kataoka, M. **249** (1) 215 **250** (2) 223 **251** (1) 95
Katayama, E. **254** (2) 109
Katayanagi, K. **249** (2) 360
Kato, H. **249** (3) 513
Kato, K. **251** (1) 41
Katritch, V. **254** (4) 579, 591
Katz, R. A. **253** (2) 333
Kaufmann, E. **248** (2) 239
Kaufmann, G. **249** (5) 857
Kavanaugh, J. S. **248** (1) 136
Kavathas, P. **246** (1) 63
Kawagishi, I. **251** (1) 50
Kay, C. M. **254** (3) 505
Keener, J. **249** (4) 700
Keith, G. **247** (2) 236
Keller, J. W. **245** (2) 151
Keller, M. **245** (1) 22
Keller, T. H. **246** (2) 344
Keller, W. **254** (4) 657
Kellermann, J. **245** (4) 385

Kelly, J. A. **254** (2) 223
Kemmink, J. **245** (3) 251
Kerfeld, C. A. **250** (5) 627
Kergil, D. L. **249** (3) 576
Kessavetis, G. A. **250** (3) 315
Kessel, M. **250** (5) 587
Kettani, A. **254** (4) 638
Khan, A. R. **252** (1) 6
Khan, S. **251** (3) 400
Kholti, A. **250** (4) 392
Khrapunov, S. N. **247** (5) 918
Kiefhaber, T. **252** (1) 122
Kielty, C. M. **248** (5) 901
Kikuchi, J. **247** (4) 541
Kikuchi, M. **254** (1) 62
Kikuchi, Y. **251** (2) 217
Kikuyama, M. **254** (2) 109
Kiley, P. J. **245** (4) 351
Kim, B. **250** (5) 587
Kim, C. A. **252** (1) 1
Kim, H.-W. **248** (4) 867
Kim, J. I. **250** (5) 659
Kim, K. H. **253** (1) 61
Kim, M. G. **247** (5) 874
Kim, P. S. **249** (2) 388 **253** (5) 651
Kimura, M. **248** (4) 756 **254** (3) 342
Kinzel, V. **250** (4) 507
Kirschner, D. A. **252** (4) 412
Kisker, C. **247** (2) 260
Kister, J. **248** (4) 845
Kitaoka, Y. **252** (2) 203
Kitto, G. B. **251** (3) 421
Klaver, B. **252** (1) 59
Klein, C. **249** (1) 153
Klein, M. L. **253** (3) 391
Kless, H. **246** (1) 120
Kloareg, B. **250** (4) 484 **251** (3) 378
Klug, A. **250** (3) 327
Klysik, J. **245** (5) 499
Knapp, S. **247** (5) 840
Kneale, G. G. **250** (2) 181
Knöchel, W. **248** (2) 239
Knudsen, J. **250** (5) 695
Kobayashi, Y. **250** (1) 11
Kocsis, E. **250** (5) 587
Koebnik, R. **250** (5) 617
Koehl, P. **249** (3) 675
Koffel-Schwartz, N. **252** (5) 507
Kohda, D. **253** (5) 749, 759
Kohler, J. **250** (4) 447
Kohno, T. **250** (5) 659
Koizumi, M. **252** (3) 296
Kojima, A. **251** (4) 486
Kojima, S. **249** (3) 636
Kolb, A. **249** (5) 890
Kolinski, A. **251** (3) 448
Kolkhof, P. **247** (3) 396
Koller, K.-P. **250** (5) 672
Kolmar, H. **251** (4) 471
Kolmerer, B. **248** (2) 308
Kolodner, R. **254** (3) 364
Komatsu, Y. **252** (3) 296
Komiyama, N. H. **250** (5) 648
Kondejewski, L. H. **254** (3) 505
König, P. **254** (4) 657
Konishi, S. **250** (5) 659
Konishi, Y. **253** (3) 473
Konno, T. **251** (1) 95
Kopp, F. **248** (2) 264
Kördel, J. **249** (2) 4
Kornberg, R. D. **246** (2) 3
Korndörfer, I. **246** (1) 227 **246** (4) 5
Kortemme, T. **253** (5) 7
Koshiba, T. **253** (3) 3
Kössel, H. **251** (5) 6
Kossiakoff, A. A. **250** (4) 5
Kostka, G. **245** (3) 2
Kotik, M. **252** (4) 4
Kovacs, H. **247** (4) 8
Kraft, M. **247** (4) 5
Kragelund, B. B. **250** (5) 6
Kramer, G. **252** (2) 2
Krämer, L. **250** (5) 6
Kratky, C. **247** (2) 3
Krauss, J. C. **247** (4) 5
Kremer, M. J. **253** (1)
Kristensen, P. **248** (2) 2
Kronert, W. A. **249** (1) 1
Kroon-Žitko, L. **246** (2) 3
Kuchumov, A. **251** (5) 7
Kudlicki, W. **252** (2) 2
Kudo, S. **251** (1)
Kühlmorgen, B. **245** (4) 3
Kumagai, I. **247** (2) 2
Kumar, A. **246** (5) 5
Kumar, R. A. **254** (4) 6
Kunala, S. **246** (2) 2
Kunt, M. **254** (5) 5
Kuntz, I. D. **254** (4) 6
Kuramitsu, S. **250** (4) 4
Kuranova, I. P. **251** (1) 1
Kurland, C. G. **248** (3) 5
Kurochkin, I. V. **248** (2) 4
Kuroda, Y. **247** (4) 682 **254** (4) 7
Kurokawa, H. **254** (2) 1
Kurosawa, Y. **248** (4) 7
Kusk, M. **253** (5) 7
Kussie, P. H. **248** (2) 3
Kustu, S. **249** (4) 7
Kuzin, A. P. **254** (2) 2
Kwa, M. S. G. **246** (4) 5
Kwiatkowski, L. D. **248** (1) 1
Kwon, H. J. **252** (1)
Kyogoku, Y. **254** (4) 6
Labeit, S. **248** (2) 3
Lacks, S. A. **250** (2) 1
Ladenstein, R. **247** (5) 840 **253** (1) 1
Ladjimi, M. **246** (1) 1
Ladurner, A. G. **254** (5) 9
Lagerkvist, U. **247** (2) 1
Laing, L. G. **249** (2) 2
Lallemand, J.-Y. **254** (2) 2
Lamarre, D. **250** (2) 2
Lambert, O. **248** (2) 4
Lamy, J. N. **248** (2) 4
Landolfi, R. **245** (4) 4
Landy, A. **253** (2) 2
Lane, D. P. **248** (1)
Lane, E. B. **247** (5) 9
Lania, A. **247** (3) 4
Lapadat-Tapolsky, M. **254** (4) 5
LaPlante, S. **250** (2) 2
Laquerbe, A. **254** (1)
Lara-Ochoa, F. **246** (1) 74 **254** (3) 4
Larsen, T. **251** (1)
Lathrop, E. J. P. **247** (5) 9
Lau, W. F. **246** (1)
Laue, E. D. **248** (2) 3

Laufer, R. **254** (5) 795
Laver, W. G. **245** (5) 623
Lavigne, P. **254** (3) 505
Lavoie, T. A. **254** (2) 150
Law, T. V. **252** (1) 15
Lawn, A. **249** (1) 111
Lawrence, C. W. **251** (2) 229
Lazdunski, C. **246** (1) 1
Lazennec, C. **254** (2) 175
Lazzaroni, J. C. **246** (1) 1
Le Bras, G. **246** (2) 248
Le Bret, M. **246** (1) 194
Leach, D. R. F. **252** (1) 70
Leblanc, C. **250** (4) 484 **251** (3) 378
Lee, J. C. **246** (2) 295
Lee, J. S. **252** (3) 283
Lee, J. W. **252** (1) 15
Lee, L. **252** (2) 248
Lee, S. C. **249** (1) 185
Leeflang, E. P. **247** (3) 418
Leffak, M. **245** (2) 92
LeGall, J. **251** (5) 690
Lehman, W. **251** (2) 191
Leng, M. **246** (2) 243
Leresche, A. **248** (1) 44
Leslie, A. G. W. **254** (5) 993
Létoffé, S. **248** (3) 653
Levin, J. R. **250** (5) 595
Levitt, M. **249** (2) 493 **249** (5) 955 **252** (5) 709
Li, H. **245** (4) 416 **247** (2) 309 **250** (4) 447 **251** (3) 413 **252** (1) 6
Li, J. **254** (5) 881
Li, T. **245** (4) 416
Li, Z. **252** (1) 6
Liao, C. **245** (1) 34
Liaw, Y.-C. **250** (3) 354
Lilie, H. **248** (1) 190
Lilley, D. M. J. **246** (1) 95 **251** (4) 507 **252** (5) 596
Lim, C. **254** (4) 771
Lim, V. I. **252** (3) 277
Lin, C. H. **248** (1) 162
Lin, H. **247** (4) 523
Lin, J.-Y. **250** (3) 354
Lin, P. K. T. **251** (5) 665
Lin, S. L. **248** (1) 151 **248** (2) 459 **252** (2) 263
Lin-Marq, N. **245** (2) 81
Lindahl, L. **245** (5) 474
Lindahl, L. **245** (5) 486
Lindqvist, B. H. **251** (1) 59
Lindqvist, Y. **248** (5) 931
Lipman, R. **247** (2) 338
Lis, J. T. **252** (5) 522
Litvinovich, S. V. **248** (3) 611
Liu, C. **254** (4) 704
Liu, K. **247** (4) 547
Liu, L. F. **247** (5) 890
Livshits, T. L. **250** (4) 514
Lix, B. **254** (3) 505
Llosa, M. **246** (1) 54
Locker, D. **246** (2) 243
Lockhart, A. **249** (4) 763
Logan, M. **246** (5) 563
Logtenberg, T. **248** (1) 97
Loiseaux-de Goër, S. **251** (3) 378
Lollier, M. **248** (3) 639
Lonergan, K. M. **245** (5) 522
Longhese, M. P. **254** (4) 595
López de Saro, F. J. **252** (2) 189
López, E. **247** (4) 717
López, M. C. **247** (1) 49
Lorenz, M. **246** (1) 108
Lötzbeyer, M. **254** (3) 481
Lozano, F. **249** (3) 555
Lu, G. **248** (5) 931
Lu, J. **247** (4) 739
Lu, Q. **254** (3) 337
Lu, T.-H. **250** (3) 354
Lübben, M. **250** (2) 202
Lucchini, G. **254** (4) 595
Lüdemann, S. **249** (3) 604
Ludlam, C. F. C. **248** (4) 824
Luetke, K. H. **251** (4) 493
Lundgren, E. **254** (2) 113
Luo, M. **245** (5) 623
Lupas, A. **245** (4) 385 **248** (1) 180
Lurz, R. **247** (2) 211 **252** (4) 386
Lustig, F. **247** (2) 191
Luther, P. K. **254** (2) 113
Luzzati, V. **245** (2) 110
Lyu, Y. L. **247** (5) 890
Ma, Y. **249** (1) 29
Maas, W. K. **254** (2) 150
Macario, A. J. L. **250** (2) 191
Maccallum, P. H. **248** (2) 361, 374
Mace, J. E. **251** (1) 116 **254** (4) 720
Machius, M. **246** (4) 545
MacKerell Jr, A. D. **247** (4) 774
Madrazo, J. **245** (4) 375
Madrid, M. **248** (4) 867
Madsen, M. S. **253** (5) 739
Maenaka, K. **247** (2) 281
Magariyama, Y. **251** (1) 50
Magasanik, B. **246** (1) 35
Maier, R. M. **251** (5) 614
Maiorov, V. N. **252** (1) 144
Maire, P. **253** (1) 17
Makhov, A. **246** (5) 576
Makhov, A. M. **254** (3) 364
Malashkevich, V. N. **247** (1) 111
Maler, B. **247** (4) 689
Malik, K. **249** (3) 513
Mallows, D. G. **254** (5) 918
Malone, T. **253** (4) 618
Malte, H. **251** (5) 703
Maltsev, N. **253** (5) 712
Manche, L. **249** (1) 29
Mandel, A. M. **246** (1) 144
Mandel-Gutfreund, Y. **253** (2) 370
Mangani, S. **251** (2) 282
Mann, K. **245** (3) 241 **246** (2) 284
Mannervik, B. **247** (4) 765 **250** (2) 115
Manning, G. S. **254** (1) 50
Manning, U. **246** (2) 344
Mant, G. R. **254** (3) 416
Marañón, C. **247** (1) 49
Marchant, A. **254** (5) 848
Marchetti, A. **248** (3) 541
Marden, M. C. **248** (4) 845
Margalit, H. **248** (1) 125 **249** (2) 244 **253** (2) 370
Margolies, M. N. **248** (2) 344
Mariani, M. **254** (4) 692
Marie, J. **251** (5) 591
Marion, D. **245** (5) 661
Marionnet, C. **252** (5) 550
Mark, A. E. **247** (4) 808 **252** (4) 492
Mark, B. L. **249** (3) 576
Markby, D. W. **254** (4) 681
Marky, N. L. **254** (1) 50

Marolewski, A. **249** (1) 153
Marquet, R. **247** (2) 236
Martin, D. **251** (1) 41
Martin, H. **245** (4) 375
Martin, J. R. **246** (2) 331
Martin, R. P. **245** (4) 315
Martincic, K. **247** (4) 636
Martinez-Hackert, E. **250** (2) 276
Martins, J. C. **253** (4) 590
Martín, F. **247** (1) 49
Maruyama, H. I. **253** (4) 530
Maruyama, I. N. **253** (4) 530
Marvik, O. J. **251** (1) 59
Marvin, D. A. **245** (2) 86 **252** (1) 6
Marwan, W. **246** (4) 493
Maskos, K. **247** (1) 28
Masson, L. **254** (3) 447
Masui, R. **250** (4) 471
Mateu, E. **245** (2) 110
Mateu, L. **245** (2) 110
Mathews, C. K. **254** (3) 337
Mathews, F. S. **247** (5) 947
Mathews, M. B. **249** (1) 29
Matsumoto, H. **251** (5) 603
Matsumoto, O. **249** (2) 360
Matsuo, H. **254** (4) 668
Matsushima, M. **247** (2) 281
Matthews, B. W. **245** (1) 54 **246** (2) 317 **250** (4) 527
Maulik, P. R. **251** (4) 550
Maurer, P. **253** (2) 347
Maurizi, M. R. **250** (5) 587
Maurizot, J. C. **246** (2) 243
Mavankal, G. **254** (3) 350
May, E. W. **247** (4) 578
Mayo-Bond, L. **247** (4) 597
Mayr, L. M. **245** (1) 69
McBryant, S. J. **248** (1) 44 **250** (3) 315
McCarty, J. S. **249** (1) 126
McConkey, G. A. **254** (5) 881
McConnell, S. J. **250** (4) 460
McCutchan, T. F. **254** (5) 881
McDowell, R. S. **250** (4) 553
McGeoch, D. J. **247** (3) 443
McGrath, M. E. **247** (2) 251
McIntyre, K. **246** (4) 531
McKerrow, J. H. **247** (2) 251
McLendon, G. **247** (4) 753
McMorrow, T. **247** (1) 1
McPhie, P. **245** (3) 228
McTigue, M. A. **246** (1) 21
Medrano, F. J. **254** (3) 416
Medved, L. V. **248** (2) 414
Medvedeva, S. **245** (5) 661
Meiering, E. M. **247** (2) 294, 309
Meining, W. **253** (1) 208
Meinnel, T. **254** (2) 175
Melanson, L. A. **249** (1) 88
Mendola, C. E. **251** (4) 574
Merchant, S. **250** (5) 627
Mergny, J.-L. **247** (5) 847
Mérigeau, K. **246** (5) 609
Merkel, G. **253** (2) 333
Merkl, R. **245** (1) 1
Merlin, S. **248** (2) 211
Michel, H. **246** (3) 429 **247** (4) 618
Mikami, B. **254** (2) 196
Mikawa, T. **250** (4) 471
Mikawa, Y. G. **253** (4) 530
Miki, K. **252** (2) 235
Mikol, V. **246** (2) 344 **254** (1) 8
Miles, C. A. **245** (4) 43
Miljanich, G. P. **248** (1) 10
Miller, A. **248** (2) 48
Mills, D. R. **249** (2) 28
Milner-White, E. J. **248** (2) 361, 37
Milstein, C. **249** (3) 55
Mimori, Y. **249** (1) 69 **253** (4) 54
Minchenkova, L. E. **245** (3) 27
Minchew, P. **250** (4) 40
Minenkova, O. **248** (4) 83
Minor, I. **253** (1) 6
Miriami, E. **246** (2) 25
Mirwaldt, C. **246** (1) 27
Misquith, S. **250** (3) 36
Missailidis, S. **248** (4) 78
Mitchell, D. T. **251** (3) 42
Mitsui, Y. **253** (1) 18
Miura, K. **249** (3) 636 **254** (2) 20
Miura, T. **248** (2) 23
Miwa, J. **251** (4) 42
Miwa, Y. **254** (5) 81
Mizuno, S. **251** (2) 21
Mizutani, R. **254** (2) 20
Moazed, D. **248** (2) 20
Moczko, M. **254** (4) 53
Model, P. **250** (4) 49
Mollee, E. **250** (1) 2
Momany, C. **252** (5) 64
Momo, D. **246** (3) 36
Monge, A. **247** (5) 99
Montoliu, L. **246** (4) 49
Montoya, G. **250** (1)
Montrone, M. **246** (4) 49
Monzingo, A. F. **248** (2) 40
Moody, M. F. **251** (2) 24
Mooers, B. H. M. **249** (4) 77
Moon Woody, A-Y. **252** (2) 18
Moon, J. **251** (3) 33
Moore, M. **248** (4) 78
Moore, M. H. **251** (5) 66
Moore, P. B. **247** (1) 8
Moore, S. A. **247** (3) 466 **249** (1) 19
Mooré, S. A. **250** (1) 2
Morad, I. **249** (5) 85
Moran, Jr. C. P. **253** (1)
Moras, D. **251** (5) 62
Morgan, D. G. **249** (1) 8
Morgan, G. T. **248** (4) 812 **254** (1)
Mori, K. **251** (2) 21
Morikawa, K. **249** (2) 36
Morin, P. E. **249** (2) 46
Morita, M. **245** (5) 63
Morré, S. A. **250** (1) 2
Morris, E. P. **254** (2) 17
Mott, H. R. **247** (5) 97
Mou, J. **248** (3) 50
Moult, J. **250** (2) 23
Mount, S. M. **253** (3) 42
Moura, I. **251** (5) 69
Moura, J. J. G. **251** (5) 69
Moustacchi, E. **254** (1) 3
Mowbray, S. L. **254** (1) 9
Mozzarelli, A. **248** (1) 13
Mücke, M. **247** (1) 2
Mueller, J. E. **247** (2) 19
Müller, D. **248** (2) 23
Müller, D. J. **249** (2) 23
Müller, N. **247** (2) 32

Müller, R. **246** (1) 28
Müller, S. **245** (4) 385 **248** (1) 180
Müller, T. **247** (2) 360
Müller-Dieckmann, H.-J. **246** (4) 522
Müller-Hill, B. **247** (3) 396
Mumenthaler, Ch. **254** (3) 465
Muñoz, V. **245** (3) 275, 297 **247** (4) 648
Muramoto, K. **251** (1) 50
Murata, K. **249** (1) 69
Murphy, J. E. **253** (4) 604
Murphy, S. **253** (5) 677
Murray, I. A. **254** (5) 993
Murray, J. M. **254** (2) 184
Murzin, A. G. **247** (4) 536
Musafia, B. **254** (4) 761
Nadasdi, L. **248** (1) 106
Nagai, K. **249** (2) 398, 409
Nagasawa, H. **253** (5) 749, 759
Nagata, K. **253** (5) 749, 759
Nagayama, K. **247** (4) 682
Nair, B. **250** (3) 368
Nakayama, T. **250** (4) 420 **254** (2) 208 **254** (5) 869
Namba, K. **249** (1) 69 **251** (4) 520 **253** (4) 547
Nance, S. **251** (4) 563
Nar, H. **253** (1) 208 **253** (2) 358
Nardini, M. **247** (3) 459
Nasi, S. **248** (3) 541
Nave, C. **245** (2) 86
Nayal, M. **253** (5) 787
Némethy, G. **247** (1) 69
Neckermann, K. **251** (5) 614
Neecke, H. **254** (4) 595
Negishi, T. **248** (4) 723
Neira, J. L. **254** (2) 289 **254** (5) 968
Nelson, H. C. M. **254** (4) 704
Neri, D. **246** (3) 367
Netter, P. **248** (4) 804
Newell, W. R. **249** (2) 342
Newman, L. **247** (4) 753
Nguyen, J. T. **250** (4) 514 **252** (4) 412
Nguyen, M. D. **251** (4) 533
Ni, F. **252** (5) 656
Nicotra, M. **247** (2) 154
Niefind, K. **251** (2) 256
Nielsen, A. K. **249** (2) 270
Nielsen, A. L. **249** (3) 564
Nielsen, P. **245** (4) 375
Niersbach, H. **254** (2) 150
Nieuwenhuizen, R. **247** (5) 903
Nikiforov, T. T. **254** (3) 381
Nilges, M. **245** (5) 645
Nilsson, L. **253** (3) 453
Nirenberg, M. **251** (2) 297
Nishii, I. **249** (1) 215 **250** (2) 223
Nishikawa, K. **245** (2) 180 **247** (3) 377 **248** (4) 733
Nishikura, K. **254** (2) 184
Nishiwaki, K. **251** (4) 477
Nitsch, M. **245** (4) 385
Nobbs, T. J. **248** (3) 581 **252** (4) 399
Noble, M. E. M. **246** (3) 374
Noble, R. W. **248** (1) 136
Nogales, E. **254** (3) 416
Nøkling, R. H. **251** (1) 59
Noller, H. F. **248** (2) 207
Nonay, R. L. **254** (1) 15
Noonan, B. **248** (2) 316
Nørby, P. L. **249** (3) 564
Norel, R. **252** (2) 263
Norris, F. **246** (5) 609
Norris, K. **246** (5) 609
Norris, V. **253** (5) 739
Norton, R. S. **248** (2) 385
Nosaka, A. **251** (1) 95
Novotny, J. **253** (4) 559
Nunes-Düby, S. E. **253** (2) 228
Nussinov, R. **248** (1) 151 **248** (2) 459 **252** (2) 263
O'Connor, M. **254** (5) 838
O'Donnell, P. T. **249** (1) 111
O'Gara, M. **247** (1) 16
Obmolova, G. V. **251** (1) 104
Odefey, C. **245** (1) 69
Odom, O. W. **252** (2) 203
Oehlenschläger, F. **247** (2) 360
Oehler, S. **247** (3) 396
Oesterhelt, D. **246** (4) 493 **247** (4) 726
Oestreicher, N. **249** (4) 693
Offer, G. **249** (5) 967
Ogasahara, K. **254** (1) 62
Ogawa, H. **250** (4) 471
Ogawa, T. **250** (4) 471
Oh, J.-W. **245** (5) 608
Ohama, T. **251** (4) 486
Ohringer, S. L. **246** (1) 14
Ohtsubo, E. **253** (3) 438
Ohtsubo, H. **253** (3) 438
Ohtsuka, E. **249** (2) 360 **252** (3) 296
Ohyama, T. **254** (4) 566
Oikonomakos, N. G. **254** (5) 900
Olah, G. A. **249** (3) 576
Olivares, M. **247** (1) 49
Oliveberg, M. **254** (5) 980
Oliveira, M. A. **253** (1) 61
Oliver, R. W. A. **251** (5) 703
Ollis, D. L. **249** (4) 785
Olsen, O. **246** (5) 609
Olson, J. S. **245** (4) 416
Olson, W. K. **247** (1) 34
Oobatake, M. **254** (1) 62
Oosawa, K. **253** (4) 547
Opella, S. J. **253** (3) 391
Oram, M. **245** (3) 208
Orioli, P. L. **251** (2) 282
Orland, H. **254** (5) 960
Orlova, A. **245** (5) 582 **245** (5) 598
Osawa, S. **251** (4) 486
Osipiuk, J. **253** (5) 712
Ota, M. **248** (4) 733
Otlewski, J. **247** (4) 701
Otto, A. **247** (1) 28
Otwinowski, Z. **251** (4) 550
Otzen, D. E. **254** (2) 260 **254** (5) 968
Oubridge, C. **249** (2) 398, 409
Overbeek, R. **253** (5) 712
Owen, C. **249** (1) 88
Owen, D. J. **246** (3) 374
Pack, P. **246** (1) 28
Pai, E. F. **253** (1) 132
Palmer III, A. G. **246** (1) 144
Pan, T.-C. **254** (5) 892
Pannell, R. **249** (3) 555
Panning, B. **248** (3) 513
Paonessa, G. **254** (5) 795
Papadopoulo, D. **254** (1) 38
Papageorgiou, A. C. **246** (3) 374 **254** (5) 900
Papp, P. P. **246** (5) 595
Pâques, F. **248** (4) 804
Park, B. H. **249** (2) 493
Park, C. **253** (2) 304

Parker, M. J. **253** (5) 771
Parkinson, J. **247** (4) 823
Pascoe, F. H. **252** (4) 472
Pascual, J. **247** (4) 717
Patel, D. J. **246** (1) 164 **247** (2) 338 **248** (1) 162 **251** (1) 76 **251** (5), 674 **252** (3) 314 **254** (4) 638
Patel, Y. **245** (4) 375
Patsey, R. L. **252** (1) 47
Paul, S. **253** (5) 658
Paulus, F. **245** (1) 22
Pav, S. **250** (2) 211
Pearlman, D. A. **248** (3) 696
Pedersen, F. S. **249** (3) 564
Pélissier, P. **247** (4) 588
Pelton, J. G. **254** (4) 704
Peng, Z.-y. **253** (5) 651
Penner, M. **249** (5) 857
Penner-Hahn, J. **247** (4) 753
Penverne, B. **248** (3) 639
Pereira, S. **251** (1) 30
Perham, R. N. **245** (2) 86 **248** (2) 328
Perisic, O. **249** (3) 665 **251** (4) 574
Perry, J. **249** (3) 520
Perutz, M. F. **251** (1) 104
Pessi, A. **247** (2) 154
Peters, J. **245** (4) 385
Peters, P. **254** (3) 350
Petersen, L. **246** (5) 609
Petruzzelli, R. **247** (3) 459 **248** (4) 835
Petty, H. R. **247** (4) 597
Pevear, D. C. **253** (1) 61
Pfander, J.-P. **245** (4) 385
Pfanner, N. **254** (4) 538
Pfeifer, G. P. **249** (4) 714
Pfluger, H. D. **248** (2) 402
Pflumm, M. **254** (2) 150
Phalipon, A. **247** (2) 154
Phelps, D. K. **254** (4) 544
Philippon, C. **245** (5) 623
Philippopoulos, M. **254** (4) 771
Phillips Jr., G. N. **245** (4) 416
Picozzi, M. **245** (4) 447
Piérard, A. **250** (4) 383, 392
Pierce, J. C. **249** (1) 176
Pignol, D. **252** (1) 20
Pilote, L. **250** (2) 211
Pinol-i-Margalef, F. **254** (5) 591
Pinz-Sweeney, S. **254** (3) 392
Pipkorn, R. **250** (4) 507
Piro, M. C. **248** (5) 910
Pitkeathly, M. **252** (4) 483
Planta, R. J. **250** (1) 24
Plante, I. **245** (5) 522
Plateau, P. **253** (1) 100
Platt, T. **251** (1) 30
Pleij, C. W. A. **250** (1) 37
Plevani, P. **254** (4) 595
Plückthun, A. **246** (1) 28
Plum, G. Eric 679
Plumbridge, J. **249** (5) 890
Poet, R. **248** (2) 361, 374
Polach, K. J. **254** (2) 130
Poland, B. W. **254** (3) 431
Polisky, B. **248** (2) 211
Polizio, F. **248** (5) 910
Poncin, M. **245** (5) 661
Ponnazhagan, S. **250** (5) 573
Poo, H. **247** (4) 597
Poole, K. J. V. **246** (1) 108
Popot, J. L. **246** (1)
Popov, A. N. **251** (1) 1
Popp, D. **246** (1) 1
Porse, B. T. **249** (1)
Portalier, R. **246** (1)
Porter, D. **254** (4) 6
Post, C. B. **254** (4) 5
Postnikov, Y. V. **252** (4) 4
Potier, S. **248** (3) 6
Poulsen, F. M. **250** (5) 6
Poyart, C. **248** (4) 8
Prasad, L. **253** (3) 3
Préaux, G. **248** (2) 4
Prestridge, D. S. **249** (5) 9
Prévost, M. **251** (3) 4
Priano, C. **249** (2) 2
Price, G. B. **254** (1)
Price, S. R. **249** (2) 3
Privalov, G. **252** (4) 4
Privalov, P. L. **252** (4) 4
Prochniewicz, E. **245** (5) 5
Procyk, R. **248** (2) 4
Prospero, T. **246** (3) 3
Prusiner, S. B. **245** (4) 362 **250** (4) 514 **252** (4) 4
Pugliese, L. **251** (3) 4
Puhl, H. L. **245** (5) 5
Purisima, E. O. **253** (3) 4
Pusztai-Carey, M. **254** (3) 4
Qazzaz, H. **249** (2) 2
Qi, F. **254** (4) 5
Qi, H.-Y. **250** (5) 6
Quaite-Randall, E. **253** (5) 7
Quillin, M. L. **245** (4) 4
Quiocho, F. A. **246** (1)
Radermacher, M. **245** (5) 4
Radford, S. E. **252** (4) 4
Radhakrishnan, I. **252** (3) 3
Raghunath, M. **248** (5) 9
Raines, R. T. **252** (3) 3
Rama Krishna, N. **248** (2) 4
Ramachandran, J. **248** (1) 1
Rani, C. S. **246** (1) 1
Ranson, N. A. **249** (1) 138 **250** (5) 5
Rao, D. N. **247** (4) 5
Rapoport, G. **249** (5) 8
Rapoza, M. P. **248** (3) 6
Rashid, D. J. **252** (2) 1
Rasmussen, E. B. **252** (5) 5
Rassow, J. **254** (4) 5
Raué, H. A. **250** (1)
Ravnan, J.-B. **254** (2) 1
Rawlings, C. J. **249** (2) 3
Razin, A. **248** (1)
Recco-Pimentel, S. **245** (1)
Record, Jr. M. T. **245** (4) 331 **253** (5) 7
Redfield, C. **253** (5) 6
Redweik, U. **253** (2) 3
Reed, J. **250** (4) 5
Reed, R. A. **251** (4) 5
Reedstrom, R. J. **253** (2) 2
Rees, A. R. **253** (5) 6
Regan, R. **245** (4) 4
Reha-Krantz, L. J. **254** (1)
Reid, B. R. **254** (4) 6
Reid, G. P. **253** (1) 1
Reinberg, D. **246** (5) 5
Reinemer, P. **249** (1) 185 **254** (5) 9
Reinstein, J. **249** (1) 1
Renbaum, P. **248** (1)

Richard, O. **250** (4) 484
Richmond, T. J. **254** (4) 657
Rickers, A. **252** (4) 423
Rico, M. **247** (4) 648, 717
Rientjes, J. M. J. **250** (1) 24
Riggs, A. D. **246** (3) 401
Risler, J.-L. **248** (4) 804 **250** (2) 123
Ritsert, K. **253** (1) 151
Rittinger, K. **245** (5) 508
Rittner, K. **248** (3) 562
Rivetti, C. **248** (1) 136
Rizzi, M. **247** (3) 459
Roberts, D. G. M. **246** (1) 14
Roberts, J. W. **254** (5) 808
Robertson, A. D. **249** (3) 529
Robertus, J. D. **248** (2) 402
Robillard, G. T. **246** (1) 180
Robinson, K. A. **245** (4) 375
Rocheleau, T. **253** (2) 223
Rodriguez-Fonseca, C. **247** (2) 224
Rodseth, L. E. **246** (1) 8
Rogemond, V. **252** (5) 563
Rogers, M. J. **254** (5) 881
Rogulski, K. R. **249** (2) 298
Rohde, N. **249** (4) 754
Romão, M. J. **251** (5) 690
Romaniuk, P. J. **245** (5) 549 **248** (1) 44
Romby, P. **253** (2) 277
Rooman, M. J. **253** (4) 633
Roos, M. H. **246** (4) 500
Roovers, M. **250** (4) 383
Roques, B. P. **254** (4) 523
Rösch, P. **247** (4) 529
Roseboom, P. H. **245** (4) 375
Rosenbaum, G. **246** (1) 108
Rosenberg, A. H. **245** (5) 467
Rosendahl, G. **249** (1) 59
Ross, W. **245** (3) 197
Rossi, G. L. **248** (1) 136
Rossmann, M. G. **253** (1) 61
Rothman, M. **248** (4) 824
Rothman-Denes, L. B. **246** (4) 461
Rothschild, K. J. **248** (4) 824
Rousseau, P. **249** (2) 332
Rousvoal, S. **251** (3) 378
Rovira, C. **245** (1) 34
Rowe, A. J. **252** (2) 227
Roy, S. **253** (3) 414
Royer, C. A. **253** (2) 266
Royer, Jr. W. E. **253** (1) 168
Rubin, C. M. **247** (3) 418
Rudolph, R. **248** (1) 190
Rueckert, R. R. **253** (1) 61
Ruigrok, R. W. H. **252** (4) 379
Ruiz-Echevarría, M. J. **247** (2) 211 **247** (4) 568
Ruiz-Sanz, J. **254** (2) 289 **254** (5) 968
Rusakov, A. A. **251** (1) 104
Rusche, J. R. **253** (2) 243
Rypniewski, W. R. **251** (2) 282
Ryu, S. **245** (3) 228
Sabariegos-Jareño, R. **247** (4) 568
Sabbattini, P. **249** (5) 869
Sabelnikov, A. G. **250** (2) 144
Sacerdot, C. **253** (2) 277
Sack, J. S. **246** (1) 14
Sadasivan, C. **248** (5) 918
Sadowski, P. D. **251** (4) 493
Saenger, W. **247** (1) 16 **247** (2) 260
Safonova, T. N. **251** (1) 104
Saha, S. **247** (4) 559
Saigo, S. **251** (2) 203
Saitoh, S.-I. **253** (1) 187
Sakube, Y. **251** (5) 603
Salamov, A. A. **247** (1) 11
Salas, M. **253** (4) 517
Salisbury, S. A. **251** (5) 665
Salminen, M. **253** (1) 17
Saludjian, P. **246** (5) 609
Samaha, R. R. **248** (2) 207
Samanta, U. **251** (1) 9
Samatey, F. **246** (1) 1
Sander, C. **249** (3) 654 **251** (3) 390
Sangren, O. **254** (2) 113
Sano, T. **251** (4) 477
Santocanale, C. **254** (4) 595
Santoro, J. **247** (4) 717
Santucci, R. **248** (5) 910
Sarasin, A. **252** (5) 550
Saraste, M. **250** (2) 202
Sargueil, B. **252** (5) 583
Sasaki, T. **245** (3) 241 **254** (5) 892
Sastry, M. **247** (2) 338 **251** (5) 674
Sato, K. **250** (5) 659
Satow, Y. **254** (2) 208
Satyamurthy, P. **250** (3) 368
Sauer, R. T. **249** (4) 729
Savageau, M. A. **248** (4) 739
Savard, P. **249** (5) 879
Scazzocchio, C. **249** (4) 693
Schätzl, H. M. **245** (4) 362
Scharf, M. **254** (3) 481
Scheek, R. M. **246** (1) 180
Scheidig, A. J. **253** (1) 132
Schellenberger, V. **245** (1) 1
Scheraga, H. A. **247** (1) 69 **252** (5) 656
Schiffer, M. **252** (4) 472
Schildbach, J. F. **248** (2) 344
Schindelin, H. **249** (3) 595
Schlax, P. J. **245** (4) 331
Schlegl, J. **247** (2) 161
Schleicher, M. **247** (1) 21
Schlesier, B. **254** (2) 237
Schluckebier, G. **247** (1) 16
Schmedt, C. **249** (1) 29
Schmid, C. **253** (1) 208
Schmid, C. W. **247** (3) 418
Schmid, F. X. **245** (1) 69 **251** (1) 135 **252** (1) 133
Schmidt-Bäse, K. **253** (1) 151
Schmitzberger, W. **247** (2) 326
Schneider, G. **248** (5) 931
Schnuchel, A. **247** (1) 21
Schönfisch, B. **254** (4) 538
Scholey, J. M. **252** (2) 157
Schomburg, D. **251** (2) 256 **253** (1) 114
Schreiber, G. **248** (2) 478
Schreiber, H. **249** (3) 604
Schroth, G. P. **249** (4) 772
Schütz, G. **246** (4) 486
Schueler, O. **248** (1) 125 **249** (2) 244 **253** (2) 370
Schulman, B. A. **253** (5) 651
Schulthess, T. **250** (1) 64
Schulz, G. E. **246** (4) 522
Schuster, S. C. **251** (3) 400
Schwartz, J.-L. **254** (3) 447
Schwarz, B. **248** (3) 596
Scott, D. L. **251** (4) 550 **251** (4) 563
Scott, W. G. **250** (3) 327
Scraba, D. G. **252** (3) 283

Seckler, R. **247** (1) 28 **249** (1) 185
Seelig, J. **252** (5) 633
Seguchi, K. **254** (5) 869
Seiler, S. M. **246** (1) 14
Senda, T. **253** (1) 187
Senger, B. **249** (1) 45
Serpell, L. C. **254** (2) 113
Serrano, L. **245** (3) 275, 297 **247** (4) 648, 670, 717 **249** (3) 654 **251** (1) 150 **254** (2) 322
Serre, V. **248** (3) 639
Sessions, R. **249** (5) 967
Sha, Y. **245** (5) 474 **245** (5) 486 **253** (3) 385
Shabanowitz, J. **247** (4) 618
Shadel, G. S. **249** (1) 11
Shah, D. S. **254** (4) 608
Shaikh, T. H. **247** (3) 418
Shakhnovich, E. I. **252** (4) 460
Shakked, Z. **248** (3) 662
Shao, Z. **248** (3) 507
Shapiro, L. **251** (3) 346
Sharff, A. J. **246** (1) 8
Sharma, P. K. **251** (5) 703
Sharp, K. A. **254** (1) 77
Shastry, M. C. R. **247** (5) 1013
Shaw, W. V. **254** (3) 381 **254** (5) 993
Shen, L. X. **247** (5) 963
Shen, T.-J. **248** (4) 867
Shenkin, P. S. **247** (5) 995
Shepard, D. **253** (1) 61
Sheriff, S. **248** (2) 344 **253** (4) 559
Shibayama, N. **251** (2) 203
Shigesada, K. **254** (5) 815
Shim, Y.-H. **253** (5) 665
Shimada, I. **250** (5) 659 **254** (2) 208
Shinde, U. **247** (3) 390 **252** (1) 25
Shinzawa-Itoh, K. **246** (5) 572
Shipley, G. G. **251** (4) 550, 563
Shiraishi, T. **249** (3) 513
Shirakawa, M. **254** (4) 668
Shiraki, K. **245** (2) 180
Shortle, D. **250** (2) 134
Shuler, M. F. **253** (1) 8
Siddiqui, S. S. **247** (3) 377
Siddiqui, Z. K. **247** (3) 377
Sieker, L. C. **251** (5) 690
Sielecki, A. R. **247** (3) 466
Silva, M. M. **254** (3) 431
Silverton, E. **245** (3) 261
Simard, P. **250** (2) 169
Simon, A. E. **245** (5) 608 **254** (1) 6
Simon, M. **249** (3) 535
Simonsson, C. **247** (2) 191
Singh, S. K. **250** (5) 587
Sinning, I. **246** (3) 429 **247** (4) 765 **250** (1) 1
Sirand-Pugnet, P. **251** (5) 591
Sironi, G. **249** (5) 869
Sittler, A. **248** (3) 525
Sivolob, A. V. **247** (5) 918
Sjöbring, U. **250** (2) 128
Skalka, A. M. **253** (2) 333
Skelton, N. J. **249** (2) 441
Skolnick, J. **251** (3) 448
Slonimski, P. P. **248** (4) 804
Smiley, J. R. **248** (3) 513
Smit, A. F. A. **246** (3) 401
Smith, C. **248** (4) 781
Smith, P. E. **246** (2) 356
Smith, S. O. **248** (4) 824
Smith, T. **250** (3) 327
Smith, T. L. **249** (4) 7
Smith-Gill, S. **245** (3) 2
Smith-Mungo, L. I. **253** (2) 2
Snyder, E. E. **248** (1)
Snyder, L. **249** (5) 8
Sobek, A. **248** (2) 2
Soengas, M. S. **253** (4) 5
Sogabe, S. **252** (2) 2
Solovyev, V. V. **247** (1)
Sommer, M. S. **247** (4) 7
Song, C. **254** (1)
Song, H.-W. **247** (2) 2
Song, T. **253** (2) 3
Sönnichsen, F. D. **254** (3) 5
Sørensen, N. S. **247** (5) 8
Sosnick, T. R. **249** (3) 5
Souchon, H. **248** (2) 2
Souciet, J.-L. **248** (3) 6
Soultanas, P. **245** (3) 208, 2
Spangler, B. D. **251** (4) 5
Sparrow, J. C. **249** (1) 1
Spencer, J. **253** (5) 7
Sperling, J. **246** (2) 2
Sperling, R. **246** (2) 2
Spinelli, S. **248** (2) 2
Spitz, F. **253** (1)
Spolar, R. S. **253** (5) 7
Springer, M. **253** (2) 2
Spruce, B. A. **247** (5) 9
Squire, J. M. **252** (5) 6
Sriprasertsak, P. **249** (3) 5
Srivastava, A. **250** (5) 5
Srivastava, S. **245** (5) 4
Starr, D. B. **250** (4) 4
Stary, A. **252** (5) 5
Stasiak, A. **254** (4) 579, (5) 5
Stasiak, A. Z. **254** (4) 5
Steinbacher, S. **249** (1) 185 **249** (2) 4
Steinhauser, O. **249** (3) 6
Steinmann, B. **248** (5) 9
Steinmetzer, K. **254** (1)
Steipe, B. **246** (4) 5
Stenberg, G. **247** (4) 7
Stephen, C. W. **248** (1)
Stern, J. D. **247** (3) 4
Sternberg, M. J. E. **250** (2) 2
Sternberg, N. **249** (1) 1
Stetter, K.-O. **245** (4) 3
Steven, A. C. **250** (5) 587 **253** (1)
Stewart, V. **251** (1)
Stilwell, G. E. **253** (2) 2
Stock, A. M. **250** (2) 2
Stocki, S. A. **254** (1)
Storer, A. C. **246** (2) 2
Stormo, G. D. **248** (1)
Strelkov, S. V. **249** (3) 6
Strings, J. **246** (3) 3
Strokopytov, B. V. **247** (1) 1
Studier, F. W. **245** (5) 467 **250** (2) 1
Stura, E. A. **249** (1) 1
Sturtevant, J. M. **249** (3) 625, 636, 6
Subbiah, S. **252** (5) 7
Suciu, D. **245** (4) 3
Sugimoto, K. **251** (5) 6
Sun, D. P. **248** (4) 8
Sun, M. **253** (5) 6
Sun, T.-T. **248** (5) 8
Sunada, F. **247** (2) 2
Sunde, M. **254** (2) 1

Surolia, A. **250** (3) 368
Sutcliffe, M. J. **254** (5) 993
Sutoh-Yamamoto, N. **254** (2) 109
Sutton, J. **251** (1) 41
Suzuki, A. **253** (5) 749, 759
Suzuki, H. **253** (4) 547
Sverredal, A. **246** (4) 472
Sweeney, S. P. **254** (3) 392
Swevers, L. **246** (1) 43
Sykes, B. D. **254** (3) 505
Symmons, M. F. **245** (2) 86
Szewczak, A. A. **247** (1) 81
Szewczuk, Z. **253** (3) 473
Szmelcman, S. **246** (1) 8
Szyperski, T. **246** (2) 356
Tabernero, L. **246** (1) 14
Tabish, M. **247** (3) 377
Tabuse, Y. **251** (4) 477
Tahirov, T. H. **250** (3) 354
Tainer, J. A. **246** (1) 21 **249** (5) 835
Takami, Y. **250** (4) 420 **254** (5) 869
Takano, K. **254** (1) 62
Takasugi, M. **247** (5) 847
Takeda, S. **250** (4) 420
Takuwa, K. **251** (5) 603
Talbo, G. **249** (2) 463
Tamura, A. **249** (3) 625, 636, 646
Tan, Y.-J. **254** (5) 980
Tanaka, K. **251** (2) 217
Tanaka, T. **254** (4) 737
Tanchou, V. **252** (5) 563
Tanner, N. K. **252** (5) 583
Tarasova, N. I. **247** (3) 466
Tarassov, I. **245** (4) 315
Tarricone, C. **247** (3) 459
Tasaka, M. **245** (5) 635
Tatti, K. M. **253** (1) 8
Tauc, P. **251** (2) 243
Tavares, P. **251** (5) 690
Taveau, J.-C. **248** (2) 431
Taylor, D. R. **249** (1) 29
Taylor, I. A. **250** (2) 181
Taylor, L. **245** (4) 362
Taylor, W. R. **251** (2) 308
Telford, E. A. R. **247** (3) 443 **249** (3) 520
Teller, D. C. **248** (2) 414
Ten Hagen, K. G. **254** (2) 119
Teo, C.-H. **249** (2) 409
Teplyakov, A. V. **251** (1) 104
Terzi, E. **252** (5) 633
Tessier, L. H. **245** (1) 22
Theil, E. C. **248** (5) 949
Theologis, A. **251** (4) 533 **253** (3) 396
Thisted, T. **247** (5) 859
Thomas, C. D. **254** (3) 381
Thomas, C. M. **253** (1) 39 **254** (4) 608
Thomas, Jr G. J. **248** (2) 233
Thomas, S. R. **245** (5) 568
Thompson, A. S. **252** (1) 86
Thompson, J. R. **252** (4) 433
Thomsen, B. **253** (5) 703
Thöny, B. **253** (2) 358
Thorn, J. M. **249** (4) 785
Thresher, R. J. **254** (3) 364
Thunnissen, M. M. G. M. **247** (2) 149
Tian, G. **254** (2) 150
Tibbitts, T. T. **253** (4) 604
Tierney, D. L. **247** (4) 753
Timm, D. **248** (4) 856
Timpl, R. **245** (3) 241 **246** (2) 284 **253** (2) 347 **254** (5) 892
Timsit, Y. **251** (5) 629
Tinoco Jr, I. **247** (5) 963
Tisi, L. C. **249** (2) 251
Tobias, D. J. **253** (3) 391
Todd, R. F. III **247** (4) 597
Tokunaga, F. **249** (1) 215
Tomasz, M. **247** (2) 338
Tomschy, A. **246** (4) 511
Toney, M. D. **245** (2) 151
Tong, L. **250** (2) 211
Torchinsky, Y. M. **247** (1) 111
Tornaletti, S. **249** (4) 714
Torres, A. M. **248** (2) 385
Tóth, G. **246** (3) 401
Tovar, K. **247** (2) 260
Towns-Andrews, E. **254** (3) 416
Toyoshima, C. **249** (1) 69
Travers, A. A. **253** (1) 1
Tremblay, M. **249** (5) 879
Trent, J. D. **253** (5) 712
Trewhella, J. **249** (3) 576
Trieschmann, L. **252** (4) 423
Trikha, J. **248** (5) 949
Triniolles, F. **246** (1) 132
Trivedi, A. **245** (2) 92
Trus, B. L. **250** (5) 587
Trust, T. J. **245** (5) 568 **248** (2) 316
Tsai, C.-J. **248** (1) 151
Tsai, J. **249** (5) 955
Tsao, D. H. H. **251** (2) 297
Tse-Dinh, Y.-C. **250** (5) 609
Tsuda, Y. **253** (3) 473
Tsukihara, T. **246** (5) 572
Tuerk, C. **247** (1) 60
Tullius, T. D. **250** (5) 595
Turk, D. **253** (1) 151
Turk, V. **246** (2) 331
Turnbough Jr, C. L. **254** (4) 552
Turner, P. C. **253** (5) 677
Udgaonkar, J. B. **247** (5) 1013
Ueda, H. **246** (5) 572
Uedaira, H. **251** (4) 520
Ueki, T. **249** (1) 215
Uman, P. **251** (2) 191
Ünsal, K. **248** (4) 812
Vachette, P. **251** (2) 243
Vainshtein, B. K. **251** (1) 104
Valay, J.-G. **249** (3) 535
van Batenburg, F. h. D. **250** (1) 37
Van Dael, H. **246** (3) 382 **252** (4) 447
Van de Ven, F. J. M. **253** (4) 590
Van Dijk, M. **246** (4) 500
van Duin, J. **247** (5) 903 **253** (2) 277
van Gunsteren, W. F. **246** (2) 356 **247** (4) 808 **252** (4) 492
Van Meervelt, L. **251** (5) 665
van Nues, R. W. **250** (1) 24
van Nuland, N. A. J. **246** (1) 180
van Schaik, R. C. **246** (2) 356
van Scheltinga, A. C. T. **254** (2) 237
van Tilborg, M. A. A. **247** (4) 689
Van Vliet, F. **246** (1) 132
van Waes, M. A. **252** (5) 572
van Wamel, J. **252** (1) 59
Varani, G. **250** (3) 333 **253** (2) 313
Vargas, R. **245** (2) 110
Vargas-Madrazo, E. **246** (1) 74 **254** (3) 497
Vasella, A. **245** (5) 623
Vassylyev, D. G. **249** (2) 360

Vaughan, M. R. **249** (3) 576
Veenstra, J. G. **246** (4) 500
Veldhoen, N. **248** (1) 44
Velours, G. **247** (4) 588
Venema, J. **250** (1) 24
Vermaas, W. **246** (1) 120
Verschoor, A. **245** (5) 461
Vértesy, L. **250** (5) 672
Veschambre, P. **250** (2) 169
Vial, C. **245** (1) 22
Vianney, A. **246** (1) 1
Vibert, P. **251** (2) 191
Vieth, M. **251** (3) 448
Vigier, Ph. **250** (2) 123
Vigoreaux, J. O. **249** (1) 111
Viguera, A. R. **247** (4) 670 **251** (1) 150
Vilardell, J. **250** (4) 447
Villasante, A. **245** (1) 8
Villegas, G. M. **245** (2) 110
Vindigni, A. **253** (5) 787
Vinogradov, S. N. **251** (5) 703
Vis, H. **254** (4) 692
Vitagliano, L. **247** (1) 69
Vogl, T. **254** (3) 481
Vogt, G. **249** (4) 816
Vologodskii, A. **254** (5) 591
Vonasek, E. **245** (2) 110
Vondervisztt, F. **251** (4) 520 **253** (4) 547
Voos, W. **254** (4) 538
Vorgias, C. E. **254** (4) 692
Vuilleumier, S. **254** (2) 305
Wada, A. **247** (4) 682
Wada, M. **249** (3) 513
Waga, M. **251** (2) 217
Waga, S. **251** (2) 217
Wagner, A. **247** (1) 1
Wagner, G. **247** (2) 294, 309
Wagner, U. G. **247** (2) 326
Wallace, A. **247** (2) 154
Wallace, J. C. **248** (2) 385
Walter, F. **251** (4) 507
Walter, N. G. **254** (5) 856
Walter, P. **249** (1) 45
Walter, S. **252** (1) 133
Waltho, J. P. **246** (2) 331
Walz, T. **248** (5) 887
Wandersman, C. **248** (3) 653
Wang, J. **252** (1) 6 **253** (3) 473
Wang, L. **253** (1) 32 **253** (5) 691
Wang, L.-H. **251** (2) 297
Wang, T. C. **246** (1) 14
Wang, X.-S. **250** (5) 573
Wang, Y. **251** (1) 76 **254** (2) 184
Waring, M. J. **253** (1) 1
Warren, M. S. **249** (1) 153
Warwicker, J. **249** (2) 376
Watanabe, K. **247** (2) 281
Waterfield, M. D. **248** (4) 856
Watkins, N. J. **253** (5) 677
Watson, M. S. **249** (3) 520
Watt, D. D. **248** (2) 449
Waugh, S. **247** (1) 60
Weaver, L. H. **245** (1) 54
Webb, M. **250** (2) 181
Webb, P. A. **249** (3) 665 **251** (4) 574
Weber, R. E. **251** (5) 703
Webster. R. E. **248** (3) 627
Wedaman, K. P. **252** (2) 157
Wedgwood, S. **246** (5) 563
Weinfeld, M. **249** (5) 9
Weinkauf, S. **253** (1) 2
Weir, M. P. **247** (5) 9
Weisberg, R. A. **248** (4) 768 **252** (2) 163, 1
Weiss, D. S. **249** (4) 7
Weissman, J. S. **249** (2) 3
Welch, J. B. **251** (4) 5
Welsh, L. C. **245** (2)
Wemmer, D. E. **254** (4) 7
Wen, Z. Q. **254** (4) 7
Wentzell, L. M. **248** (3) 5
Wess, L. **248** (2) 4
Wess, T. J. **248** (2) 4
West, A. H. **250** (2) 2
West, S. C. **247** (3) 404 **252** (2) 2
Westbrook, E. M. **251** (4) 550, 5
Westbrook, M. L. **251** (4) 550, 5
Westendorp, M. **247** (4) 5
Westergaard, O. **253** (5) 7
Westhof, E. **254** (2) 1
White, C. L. **245** (5) 6
White, S. A. **250** (4) 4
Whittaker, A. J. **249** (2) 3
Widersten, M. **247** (4) 765 **250** (2) 1
Widom, J. **254** (2) 1
Wiedemann, H. **245** (3) 241 **246** (2) 2
Wiegand, G. **246** (4) 545 **247** (1)
Wikström, M. **250** (2) 1
Wildersten, M. **250** (2) 1
Wilhelm, F. X. **253** (2) 2
Wilhelm, M. L. **253** (2) 2
Wilk, B. J. **251** (1) 1
Willett, P. **245** (1)
Williams, D. R. **246** (1)
Williams, K. A. **252** (1)
Williams, R. L. **249** (3) 665 **251** (4) 5
Williamson, H. **246** (5) 5
Williamson, M. P. **247** (4) 5
Willumsen, B. M. **252** (3) 2
Wilson, G. **254** (4) 7
Wilson, I. A. **249** (1) 1
Wilson, J. C. **251** (1) 1
Wilson, K. S. **247** (1) 111 **251** (2) 282 **254** (4) 6
Wiltscheck, R. **247** (1)
Winans, S. C. **253** (1) 32 **253** (5) 6
Winter, G. **246** (3) 3
Winzeler, E. **251** (3) 3
Witkowski, R. T. **247** (4) 7
Wittinghofer, A. **253** (1) 1
Wlodawer, A. **253** (2) 3
Wodak, S. J. **251** (3) 432 **253** (4) 6
Wolber, V. **250** (5) 6
Wolfson, H. J. **252** (2) 2
Wolfson, H. L. **248** (2) 4
Wollenzien, P. **250** (4) 4
Wong, L.-M. **253** (3) 3
Wood, S. P. **246** (4) 5
Woodruff, N. D. **246** (3) 3
Worrall A. F. **251** (3) 3
Wozniak, J. A. **250** (4) 5
Wright, P. E. **248** (1)
Wu, C. H. H. **247** (4) 523, 6
Wu, X.-R. **248** (5) 8
Wu-Baer, F. **254** (3) 3
Wunderlich, M. **247** (1)
Wüthrich, K. **246** (2) 3
Xi, X.-G. **246** (1) 1
Xiang, J. **253** (3) 3
Xiao, M. **248** (2) 2

ao, Z.-X. **248** (2) 255
ie, Z. **253** (1) 74
ing, Y. **249** (2) 231, 319
agi, N. **252** (5) 611
agil, E. **252** (2) 163, 178
amada, H. **250** (5) 689
amada, T. **249** (3) 513
amagata, Y. **254** (1) 62
amaguchi, T. **250** (5) 689
amamoto, A. **250** (1) 11
amamoto, K. **254** (2) 109
amamoto, K. R. **247** (4) 689
amashita, E. **246** (5) 572
amashita, I. **249** (1) 69 **253** (4) 547
ang, A.-S. **252** (3) 351, 366
ang, D. S. C. **246** (2) 308
ang, J. **248** (3) 507
ang, J. J. **252** (4) 483
ang, W.-P. **254** (3) 392
asui, H. **248** (4) 729
eates, T. O. **249** (4) 804 **250** (5) 627
ee, V. C. **248** (2) 414
eh, L.-C. C. **246** (2) 295
eo, A. **245** (2) 126, 141
onekura, K. **249** (1) 69
oshikawa, S. **246** (5) 572
oung, D. **246** (4) 531
oung, E. T. **251** (1) 1
u, M.-H. **249** (1) 185 **249** (2) 388
ue, S.-Y. **253** (3) 473
utani, K. **254** (1) 62
abala, J. C. **246** (5) 628
acharias, M. **247** (3) 486
Zagari, A. **247** (1) 69
Zahn, K. **246** (1) 28
Zang, W.-Q. **245** (5) 549
Zangrossi, S. **249** (5) 869
Zannis-Hadjopoulos, M. **254** (1) 29
Závodszky, P. **251** (4) 520
Zawel, L. **246** (5) 576
Zemlin, F. **254** (3) 404
Zeng, Y. **254** (2) 184
Zengel, J. M. **245** (5) 474 **245** (5) 486
Zentgraf, H. **246** (4) 486
Žerovnik, E. **246** (2) 331
Zhang, C. **245** (5) 608
Zhang, H. **250** (4) 514
Zhang, L.-H. **252** (5) 514
Zhang, M. **249** (3) 595
Zhang, R.-G. **251** (4) 550, 563
Zhang, X. **250** (2) 156 **254** (3) 337
Zhang, X.-j. **250** (4) 527
Zhang, Y. **246** (4) 531
Zhao, R. **251** (3) 400
Zheng, Z. **246** (5) 618
Zhou, J. **251** (2) 237
Zhou, Y.-N. **253** (3) 414
Zhu, C.-X. **250** (5) 609
Zhu, L. **254** (4) 623
Zhu, Y. **252** (5) 656
Zhurkin, V. B. **245** (3) 228 **247** (1) 34 **247** (5) 874
Ziegelhoffer, E. G.. **245** (4) 351
Zographos, S. E. **254** (5) 900
Zubay, G. **245** (5) 467
Zurini, M. G. M. **246** (2) 344 **254** (1) 86

10 001933202
UNIVERSITY OF HAWAII